# $\frac{\text{NON-METALLIC MINERAL PROCESSING}}{\text{PLANTS}}$



### COMPLIANCE INSPECTION CHECKLIST

INSPI	ECTION TYPE:	ANNUAL (INS1, INS2) [ RE-INSPECTION (FUI) [		T/DISCOVERY	Y (CI)		
AIRS	ID#: 0170363 DA	TE: <u>03/15/2011</u>	ARRIVE: 8:0	0	DEPART: _	11:00	
FACI	LITY NAME: LE	CANTO MINE					
FACI	LITY LOCATION	N: 2961 S. Lecanto Hwy	y.				le .
		LECANTO 34461-	-9022				a " % i
Em CONT Em	ail: `ACT NAME: ail:	D REPRESENTATIVE: F  OD: 3/19/2007 / 3/19/20  (effective date) (end date	012	PHONE: Mobile: PHONE: Mobile:	(352)795-2828		
	I: INSPECTION IN COMPLIANCE	COMPLIANCE STATUS  CE MINOR Non-CO			Non-COMPL1	ANCE	
NALV LIVE	MINERAL DESCRIPTION OF THE STATE OF THE STAT			DESCRIPTION CONTRACTOR STREET			en e
1. Nar	ne(s) of facility rep	resentative(s):	Pe	9	Į:	(check ☑ oox for each	
2. Is the	ef Notes: ne Authorized Repr p, who is?:	esentative still FRANK COL	.ITZ?			⊠ Yes	□No
3. Is th		ility provide an administrativ till ?				☐ Yes ☐ Yes	□No □No
		ting VE test(s) during today's nee authority notified at least				Yes Yes	□No □No

# Emissions Unit Section 1-BOEHRINGER CRUSHER UNIT

	in the state of t		
	Is the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO — Nonmetallic Mineral Processis   (Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the major, is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Gram Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand and (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock (5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chle and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Tale and Pyrophyllite; (10) Boron, including Borax and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15) Perlite; (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including Andalusite and Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumorticrite. (16) Vermic (17) Mica; (18) Kyanite, including station; (19) Kyanite, Including mill; (19) East (19)	ity ite, I Gravel; Salt; oride, Kernite, culite;  Yes Yes Yes	□No □No □No
S	f answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to ubpart OOO so skip the following questions and go directly to Question 24. f the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.		
5	. Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process		
6	any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	☐ Yes	⊠No
	capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	Yes	⊠No
	Is the EU located at a portable sand and gravel plant or crushed stone plant with a capacity less than or equal to 136 megagrams/hour (150 tons/hour)?	Yes	⊠No
8.	. Is the EU located at a common clay plant or pumice plant with capacity less than or equal to 9 megagrams/hour (10 tons/hour)?	Yes	⊠No

### 1 -BOEHRINGER CRUSHER UNIT

9. Is the EU a wet screening operation or subsequent screening operation, bucket elevator or belt conveyor in a production line that processes saturated material up to the first crusher, grinding mill or storage bin in the production line?	ed '	Yes	⊠No
10. Is the EU a screening operation, bucket elevator or belt conveyor in the production line downstream of wet mining operation that process saturated material up to the first crusher, grinding mill or storage bin in the production line?		Yes	⊠No
If answer to any of the six Questions 5-10 above is "Yes" then the EU is not subject to subpart OOO so skip the following questions and go directly to Question 24.  If the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.  11. When was the EU last constructed, modified, or reconstructed? 04/1995			
12. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?		Yes	⊠No
If answer to Question 12 is "No" skip the following questions and go directly to Question 20		103	ZJ10
13. Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?		Yes	No
If answer to Question 13 is "No" skip the following questions and go directly to Question 19			
a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?  b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?  c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?  d. If yes, was the opacity less than or equal to 7% opacity?		Yes Yes Yes Yes	☐ No ☐No ☐No ☐No
15. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not individually in compliance with emissions limits:  a. Was an initial PM stack test performed on each vent control device within 180 days of initial startup of the EU?		Yes	□ No
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)? c. Was an initial VE test performed on fugitive emissions from non-vent building openings? d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	_ ·	Yes Yes Yes	□No □No □No

### 1-BOEHRINGER CRUSHER UNIT

16. Is a baghouse used to control emissions from the EU?	Yes	No
If yes, the owner operator:   conducts quarterly 30-minute VE tests using Method 22;		
uses a bag leak detection system specified in 40 CFR 60.674(d);		
follows the requirements of 40 CFR 63AAAAA Lime Manufacturings specified in 40 CFR 60 674(a); or	ng	
as specified in 40 CFR 60.674(e); or none of the above (i.e., out of compliance)		
induce of the above (i.e., out of comphance)		
17. If the EU is an individual, enclosed storage bin controlled by a baghouse,		
were initial fugitive emissions less than or equal to 7% opacity? N/A	Yes	☐ No
18. Is a wet scrubber used to control emissions from the EU?	Yes	□No
a: a device for the continuous measurement of the pressure loss of the gas stream through the		
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's		
instructions?	Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250 pascals +1 inch water gauge pressure.}		
and  he a device for the continuous measurement of the correbbing liquid flow rate to the next send the send the		
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	Yes	□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%	103	
of design scrubbing liquid flow rate.}		
19. Is wet suppression used to control emissions from the EU?	□ Vos	□ No
If yes:	☐ Yes	∐No
a. Does the owner/operator perform monthly inspections to check that water is flowing to		
the discharge spray nozzles?		
b. Does the owner/operator initiate corrective action within 24 hours and complete		X
corrective action as expediently as practical is water is not flowing properly?  c. Is each inspection of the spray nozzles, including the date and any corrective action taken,		
recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?	□ Ves	□No
recorded in the written of electronic logotook as required by 40 CTR 00,070(b).	1 05	NO
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.		
20.00		8
<b>20. Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	Yes	⊠No
21. Initial Tests:		
a. Was an initial PM stack test performed on the control device within 180 days of		
initial startup of the EU? N/A	□ Yes	П №
b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?	Yes	□No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	Yes	No
d. If yes, was the opacity less than or equal to 7% opacity?	Yes	□No
		2

### 1-BOEHRINGER CRUSHER UNIT

22. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not			
individually in compliance with emissions limits:			
a. Was an initial PM stack test performed on each vent control device within 180 days of			
initial startup of the EU? N/A		Yes	∐ No
{A "vent" is any opening through which there is mechanically induced air flow for the			
purpose of exhausting from a building air carrying particulate matter (PM) emissions from one or more affected EUs.}			
b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?		Yes	□No
c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?		Yes	□No
e. Were mind tagative emissions from four vent outlaining openings less than or equal to 775 opacity.		103	
23. Is a wet scrubber used to control emissions from the EU?		Yes	⊠No
If yes, does the owner/operator maintain and operate:			
a. a device for the continuous measurement of the pressure loss of the gas stream through the			
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's			
instructions?		Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250			
pascals +1 inch water gauge pressure.}			
<ul> <li>and</li> <li>b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the</li> </ul>	ie.		
device has been calibrated on an annual basis in accordance with manufacturer's instructions?		Yes	□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%		1 03	
of design scrubbing liquid flow rate.}			
24. When was the last VE test conducted by the owner/operator for this EU? 01/08/2010			
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?		Yes	No
b. If EU is subject to 40 CFR subpart OOO:			
i. has the EU been tested during each of the past 4 calendar years?	-	Yes	No
ii. has the EU been tested yet within the current calendar year?		Yes	⊠No
25. Was a VE test conducted by the <i>owner/operator</i> for this unit during this site visit?		Yes	П No
a. Was the VE test conducted at a process rate that is representative of the normal rate?	-	Yes	No
Rate: 125 tph		103	
b. Was the VE test conducted according to EPA Method 9?	$\boxtimes$	Yes	□No
c. The VE test resulted in an opacity of $\underline{0}\%$ for the highest six-minute average.			
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	$\boxtimes$	Yes	No
26. Was a VE test conducted by the <i>inspector</i> for this unit during this site visit?		Yes	⊠No
a. Was the VE test conducted at a process rate that is representative of the normal rate?		Yes	∐No
Rate: b. Was the VE test conducted according to EPA Method 9?		Vac	□ No
c. The VE test resulted in an opacity of% for the highest six-minute average.		Yes	□No
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)		Yes	□No
and the test demandance compliance with the opticity minin (occurrence).		. 0.5	
			10

# Emissions Unit Section 2 – CEDAR RAPIDS CRUSHER

Is	the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Process	ng Plants?				
	(Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the major					
	is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Granite,					
	Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand and Gravel; (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock Salt;					
	(5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chla					
	and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Talc and Pyrophyllite; (10) Boron, including Boras					
	and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Vermi	culite:				
	(17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.}					
1.	Is the EU located at a fixed or portable nonmetallic mineral processing plant					
2	or hot mix asphalt plant that has an aboveground crusher or grinding mill?		□No			
	Is the EU located above ground (i.e., not in an underground mine)?		∐No			
	Is the EU one of the following?		□No			
	☐ crusher, ☐ grinding mill, ☐ bucket elevator, ☐ belt conveyor, ☐ bagging operation,	Z ics	No			
	storage bin, enclosed truck loading station enclosed railcar loading station;					
	crusher or grinding mill at hot mix asphalt plant that reduces the size of nonmetallic					
	minerals embedded in recycled asphalt pavement or subsequent emissions unit up to,					
	but not including, the first storage silo or bin;					
	screening operation (a device for separating material according to size by passing					
	undersize material through one or more mesh surfaces (screens) in series, and retaining oversize material on the mesh surfaces. Grizzly feeders associated with truck dumping					
	and static (non-moving) grizzlies used anywhere in the nonmetallic mineral processing					
	plant are not considered to be screening operations.)					
	building enclosing any of the above EUs if all enclosed EUs are not individually in					
	compliance with emissions limits. {A "vent" is any opening through					
	which there is mechanically induced air flow for the purpose of exhausting from a building					
	air carrying particulate matter (PM) emissions from one or more affected EUs.}					
If.	answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to					
	bpart OOO so skip the following questions and go directly to Question 24.					
	the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.					
20						
	Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or					
	subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process					
	any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	Yes	⊠No			
	capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	Yes	⊠No			
7.	Is the EU located at a portable sand and gravel plant or crushed stone plant with a		<u> </u>			
	capacity less than or equal to 136 megagrams/hour (150 tons/hour)?	Yes	⊠No			
	Is the EU located at a common clay plant or pumice plant with capacity less than or					
	equal to 9 megagrams/hour (10 tons/hour)?	☐ Yes	⊠No			
No.						

### 2 -CEDAR RAPIDS CRUSHER

9. Is the EU a wet screening operation or subsequent screening operation, bucket elevator or belt conveyor in a production line that processes saturated material up to the first crusher,		100000	
grinding mill or storage bin in the production line?	ed d ing	Yes	⊠No
10. Is the EU a screening operation, bucket elevator or belt conveyor in the production line downstream of wet mining operation that process saturated material up to the first crusher, grinding mill or storage bin in the production line?		Yes	⊠No
{Note: Wet mining operation means a mining or dredging operation designed and operated to extract any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic mineral is saturated with water. "Saturated material" means mineral material with sufficient surface moisture such that particulate matter emissions are not generated—from processing of the material through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
If answer to any of the six Questions 5 -10 above is "Yes" then the EU is not subject to subpart OOO so skip the following questions and go directly to Question 24. If the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.			
11. When was the EU last constructed, modified, or reconstructed? <u>01/10/2007</u>			SKY S
12. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?		Yes	⊠No
If answer to Question 12 is "No" skip the following questions and go directly to Question 20			
<b>13. Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?		Yes	□No
If answer to Question 13 is "No" skip the following questions and go directly to Question 19			
a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?		Yes Yes Yes Yes	☐ No ☐No ☐No ☐No
15. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not individually in compliance with emissions limits:  a. Was an initial PM stack test performed on each vent control device within 180 days of initial startup of the EU?		Yes	□ No
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)? c. Was an initial VE test performed on fugitive emissions from non-vent building openings? d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?		Yes Yes Yes	□No □No □No

### 2 - CEDAR RAPIDS CRUSHER

16. Is a baghouse used to control emissions from the EU?	- []	Yes	□No
If yes, the owner operator: conducts quarterly 30-minute VE tests using Method 22;	-		
uses a bag leak detection system specified in 40 CFR 60.674(d);			
follows the requirements of 40 CFR 63AAAAA Lime Manufactur	ing		
as specified in 40 CFR 60.674(e); or			
none of the above (i.e., out of compliance)			
17. If the EU is an individual, enclosed storage bin controlled by a baghouse,			
were initial fugitive emissions less than or equal to 7% opacity? N/A		Yes	No
18. Is a wet scrubber used to control emissions from the EU?		Yes	□No
If yes, does the owner/operator maintain and operate:		168	NO
a. a device for the continuous measurement of the pressure loss of the gas stream through the			
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's	į		
instructions?	-	Yes	□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250			
pascals +1 inch water gauge pressure.}			
and			
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and th	e		
device has been calibrated on an annual basis in accordance with manufacturer's instructions?		Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%			
of design scrubbing liquid flow rate.}			
19. Is wet suppression used to control emissions from the EU?		Vac	M No
19.1s wet suppression used to control emissions from the EU?	$\boxtimes$	Yes	⊠No
If yes:		Yes	⊠No
If yes:  a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?		Yes	⊠No
If yes:  a. Does the owner/operator perform monthly inspections to check that water is flowing to		Yes	⊠No
<ul><li>If yes:</li><li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li><li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li></ul>		Yes	⊠No
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken,</li> </ul>			⊠No
<ul><li>If yes:</li><li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li><li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li></ul>			
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>			
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>			
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>			
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>			
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>		Yes	□No
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>			
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>		Yes	□No
<ul> <li>If yes: <ul> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li> </ul> </li> <li>If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.</li> <li>20. Does the EU have a particulate matter capture system (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?</li> <li>21. Initial Tests: <ul> <li>a. Was an initial PM stack test performed on the control device within 180 days of</li> </ul> </li> </ul>		Yes	□No
<ul> <li>If yes: <ul> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li> </ul> </li> <li>If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.</li> <li>20. Does the EU have a particulate matter capture system (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?</li> <li>21. Initial Tests: <ul> <li>a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?</li></ul></li></ul>		Yes	□No
If yes:  a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?  b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?  c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?		Yes Yes Yes	□No
<ul> <li>If yes: <ul> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li> </ul> </li> <li>If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.</li> <li>20. Does the EU have a particulate matter capture system (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?</li> <li>21. Initial Tests: <ul> <li>a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?</li></ul></li></ul>		Yes Yes Yes Yes Yes	□No □No □No □No □No
If yes:  a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?  b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?  c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?		Yes Yes Yes	□No  □No □No

### 2 -CEDAR RAPIDS CRUSHER

22. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not		
individually in compliance with emissions limits:		
a. Was an initial PM stack test performed on each vent control device within 180 days of		
initial startup of the EU? N/A	_ Y	'es
{A "vent" is any opening through which there is mechanically induced air flow for the		
purpose of exhausting from a building air carrying particulate matter (PM) emissions from		
one or more affected EUs.)  h. Was the EU found to be in compliance with the PM limit of 0.05 g/deem (0.022 gr/deet)?	- N	'es 🗀No
b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?		
c. Were initial rughtive emissions from non-vent building openings less than of equal to 770 opacity:	1	cs
23. Is a wet scrubber used to control emissions from the EU?	- N	'es ⊠No
If yes, does the owner/operator maintain and operate:	ш.	2
a. a device for the continuous measurement of the pressure loss of the gas stream through the		
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer	's	
instructions?	\[ \ \ \ \ \	'es 🔲No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250		
pascals +1 inch water gauge pressure.}		
and		
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and		
device has been calibrated on an annual basis in accordance with manufacturer's instructions?	- U Y	'esNo
-{Note: The monitoring device must be certified by the manufacturer to be accurate within ±5%		
of design scrubbing liquid flow rate.}		
2.1 When were the last VE test conducted by the annoulaneous for this EU2 01/05/2007		
24. When was the last VE test conducted by the owner/operator for this EU? <u>01/05/2007</u> a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?	Пу	esNo
b. If EU is subject to 40 CFR subpart OOO; has the EO been tested within the past 5 years.		C5
i. has the EU been tested during each of the past 4 calendar years?	- D y	es 🛛 No
ii. has the EU been tested yet within the current calendar year?	- П у	es \(\sigma\)No
n. has the 100 occir tested yet within the current enterteal year.		
25. Was a VE test conducted by the owner/operator for this unit during this site visit?	Y	es 🛛 No
a. Was the VE test conducted at a process rate that is representative of the normal rate?		esNo
Rate:		
b. Was the VE test conducted according to EPA Method 9?	- Y	esNo
c. The VE test resulted in an opacity of% for the highest six-minute average.		
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	. [] Y	es []No
		57.
26. Was a VE test conducted by the <i>inspector</i> for this unit during this site visit?		es \( \sum_{\text{No}} \)
a. Was the VE test conducted at a process rate that is representative of the normal rate?	· [] Y	esNo
Rate: b. Was the VE test conducted according to EPA Method 9?	. П у	esNo
c. The VE test resulted in an opacity of% for the highest six-minute average.	1	
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	. П у	es 🔲No
d. Did the 12 test demonstrate companies with the options, mini (see companies).		

# Emissions Unit Section 3-AGGREGATE PLANT PRIMARY CRUSHER (PIONEER)

10	the Emissions Unit (EU) subject to 10 CED part 60 subpart OOO Normatallia Missaul B	DI ( O		
Is the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Processing Plants?  {Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the majority				
	is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Gran	uy u		
	Traprock. Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand an			
	(2) Sand and Convey Class (4) Part (4) Part (5) Part (5) Part (6)	i Gravet;		
	(3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock	Sall;		
	(5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chlory (7) Physics (8) Cilerrics (9) T. Lee J. Phys. J. W. (10) Physics (10) Physi	oride,		
	and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Tale and Pyrophyllite; (10) Boron, including Boras	, Kernile,		
	and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Vermi	culite;		
	(17) Mica; (18) Kyanite, including Andalusite. Sillimanite, Topaz, and Dumortierite.}			
1	Is the EU located at a fixed or portable nonmetallic mineral processing plant			
••	or hot mix asphalt plant that has an aboveground crusher or grinding mill?	M V		
2	Is the EU located above ground (i.e., not in an underground mine)?	⊠ Yes	∐No	
3	Was the EU constructed, modified, or reconstructed after August 31, 1983?	⊠ Yes	∐No	
1	Is the EU one of the following?	ATTENDED IN CO.	∐No	
٦.	☐ crusher, ☐ grinding mill, ☐ bucket elevator, ☐ belt conveyor, ☐ bagging operation,	⊠ Yes	No	
	storage bin, enclosed truck loading station enclosed railcar loading station;			
	crusher or grinding mill at hot mix asphalt plant that reduces the size of nonmetallic			
	minerals embedded in recycled asphalt pavement or subsequent emissions unit up to.			
	but not including, the first storage silo or bin:			
	screening operation (a device for separating material according to size by passing			
	undersize material through one or more mesh surfaces (screens) in series, and retaining			
	oversize material on the mesh surfaces. Grizzly feeders associated with truck dumping			
	and static (non-moving) grizzlies used anywhere in the nonmetallic mineral processing			
	plant are not considered to be screening operations.)			
	building enclosing any of the above EUs if all enclosed EUs are not individually in			
	compliance with emissions limits. [A "vent" is any opening through			
	which there is mechanically induced air flow for the purpose of exhausting from a building			
	air carrying particulate matter (PM) emissions from one or more affected EUs.?			
	san earlying particular matter (1 str) emissions from one of more affected Eos.			
lf:	answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to			
sul	bpart OOO so skip the following questions and go directly to Question 24.		28	
lf	the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.			
	Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or			
	subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process			
	any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	Yes	⊠No	
5.	Is the EU located at a fixed sand and gravel plant or crushed stone plant with a			
	capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	Yes	⊠No	
	Is the EU located at a portable sand and gravel plant or crushed stone plant with a			
5	capacity less than or equal to 136 megagrams/hour (150 tons/hour)?	Yes	⊠No	
	Is the EU located at a common clay plant or pumice plant with capacity less than or		54	
	equal to 9 megagrams/hour (10 tons/hour)?	Yes	⊠No	
Service of the last				

### 3 - AGGREGATE PLANT PRIMARY CRUSHER (PIONEER)

9. Is the EU a wet screening operation or subsequent screening operation, bucket elevator or			
belt conveyor in a production line that processes saturated material up to the first crusher,			
grinding mill or storage bin in the production line?		Yes	⊠No
{Note: "wet screening operation" means a screening operation which removes unwanted material or			
which separates marketable fines from the product by a washing process which is designed and operator			
at all times such that the product is saturated with water. "Saturated material" means mineral materia			
with sufficient surface moisture such that particulate matter emissions are not generated from procession			
of the material through screening operations, bucket elevators and belt conveyors. Material that is wet	red		
solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
10. Is the EU a screening operation, bucket elevator or belt conveyor in the production line			
downstream of wet mining operation that process saturated material up to the first crusher,			
grinding mill or storage bin in the production line?		Yes	⊠No
{Note: Wet mining operation means a mining or dredging operation designed and operated to extract			
any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic			
mineral is saturated with water. "Saturated material" means mineral material with sufficient surface			
moisture such that particulate matter emissions are not generated—from processing of the material			
through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by			
wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
If answer to any of the six Questions 5-10 above is "Yes" then the EU is not subject to			
subpart 000 so skip the following questions and go directly to Question 24.			
If the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.			
11. When was the EU last constructed, modified, or reconstructed?			
12. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?		Yes	⊠No
If answer to Question 12 is "No" skip the following questions and go directly to Question 20			
<b>13. Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures. Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?		Yes	□No
If answer to Question 13 is "No" skip the following questions and go directly to Question 19			
14. Initial Tests:			1000
a. Was an initial PM stack test performed on the control device within 180 days of			
initial startup of the EU?  \[ \sum N/A		Yes	□No
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?		Yes	□No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?		Yes	□No
d. If yes, was the opacity less than or equal to 7% opacity?		Yes	No
15. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not			
individually in compliance with emissions limits:			
a. Was an initial PM stack test performed on each vent control device within 180 days of	-		
initial startup of the EU? N/A		Yes	No
{A "vent" is any opening through which there is mechanically induced air flow for the			
purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
one or more affected EUs.}			
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	_	Yes	∐No
c. Was an initial VE test performed on fugitive emissions from non-vent building openings?d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	_	Yes	No
a be an autical treature americans them non-continued that an annuage lace then are agual to 70% operated	1 1	Yes	No

### 3 – AGGREGATE PLANT PRIMARY CRUSHER (PIONEER)

16. Is a baghouse used to control emissions from the EU?	- [	Yes	□No
If yes, the owner operator: conducts quarterly 30-minute VE tests using Method 22;			
uses a bag leak detection system specified in 40 CFR 60.674(d);			
follows the requirements of 40 CFR 63AAAAA Lime Manufactur	ing		
as specified in 40 CFR 60.674(e); or			
none of the above (i.e., out of compliance)			
17 IC41 - CH : ' P : 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			
17. If the EU is an individual, enclosed storage bin controlled by a baghouse,		123	
were initial fugitive emissions less than or equal to 7% opacity? N/A		Yes	No
18. Is a wet scrubber used to control emissions from the EU?		V	
If yes, does the owner/operator maintain and operate:		Yes	No
a. a device for the continuous measurement of the pressure loss of the gas stream through the			
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's			
instructions?	- I	Yes	□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250			
pascals +1 inch water gauge pressure.}			
and			
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and th	e		
device has been calibrated on an annual basis in accordance with manufacturer's instructions?		Yes	LNo
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.}			
or design scrubbing riquid flow rate.;			
19.1s wet suppression used to control emissions from the EU?		Yes	П No
If yes:		1 05	No
a. Does the owner/operator perform monthly inspections to check that water is flowing to			
the discharge spray nozzles?			
b. Does the owner/operator initiate corrective action within 24 hours and complete			2 1 2 7
corrective action as expediently as practical is water is not flowing properly?			
c. Is each inspection of the spray nozzles, including the date and any corrective action taken,			
recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?		Yes	No
If the FI was constructed modified on reconstructed on an effect 4/23/2009 at the constructed			19 - 17
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.			
questions and go threely to Question 24.			
20. Does the EU have a particulate matter capture system (equipment including enclosures,			
Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	$\Box$	Yes	⊠No
		CECTATION .	2
21. Initial Tests:			
a. Was an initial PM stack test performed on the control device within 180 days of			
initial startup of the EU? N/A		Yes	□ No
b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?		Yes	No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?		Yes	□No
d. If yes, was the opacity less than or equal to 7% opacity?		Yes	∐No

### 3 - AGGREGATE PLANT PRIMARY CRUSHER (PIONEER)

22. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not			
individually in compliance with emissions limits:			
a. Was an initial PM stack test performed on each vent control device within 180 days of		V	
initial startup of the EU? N/A		Yes	∐ No
{A "vent" is any opening through which there is mechanically induced air flow for the purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
one or more affected EUs.;			
b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?		Yes	□No
c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?		Yes	□No
23. Is a wet scrubber used to control emissions from the EU?		Yes	⊠No
If yes, does the owner/operator maintain and operate:			
a. a device for the continuous measurement of the pressure loss of the gas stream through the			
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's			
instructions?		Yes	□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within ±250			
pascals +1 inch water gauge pressure.}  and			
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the	3		
device has been calibrated on an annual basis in accordance with manufacturer's instructions?		Yes	□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within ±5%			
of design scrubbing liquid flow rate.}			
24. When was the last VE test conducted by the owner/operator for this EU? 01/08/2010			
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?		Yes	∐No
<ul><li>b. If EU is subject to 40 CFR subpart OOO:</li><li>i. has the EU been tested during each of the past 4 calendar years?</li></ul>	$\square$	Yes	□No
ii. has the EU been tested during each of the past 4 calendar years?ii. has the EU been tested yet within the current calendar year?		Yes	□No
ii. iias the Lo occir ested yet within the current carcinal year.		1 03	Z10
25. Was a VE test conducted by the owner/operator for this unit during this site visit?	$\boxtimes$	Yes	□No
a. Was the VE test conducted at a process rate that is representative of the normal rate?	$\boxtimes$	Yes	☐No
Rate: 300 tph		Commonwell Commonwell	
b. Was the VE test conducted according to EPA Method 9?	$\boxtimes$	Yes	No
c. The VE test resulted in an opacity of <u>0</u> % for the highest six-minute average.		Vac	□ No
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	$\boxtimes$	Yes	□No
26. Was a VE test conducted by the <i>inspector</i> for this unit during this site visit?	П	Yes	⊠No
a. Was the VE test conducted at a process rate that is representative of the normal rate?		Yes	□No
Rate:			
b. Was the VE test conducted according to EPA Method 9?		Yes	No
c. The VE test resulted in an opacity of% for the highest six-minute average.			
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)		Yes	□No
Sign of the second of the seco			
			41
			11 1 10 10

# Emissions Unit Section 4-AGGREGATE PLANT SECONDARY CRUSHER (CANICA-JAQUES)

	(check ☑	only one
	box for each	question)
Is the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Process		,
{Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the major is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Gran Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand an (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock (5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chl and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Tale and Pyrophyllite; (10) Boron, including Bora, and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Verma (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.}	rity nite, nd Gravel; & Salt; loride, x, Kernite,	
1. Is the EU located at a fixed or portable nonmetallic mineral processing plant		
or hot mix asphalt plant that has an aboveground crusher or grinding mill?	- X Yes	□No
2. Is the EU located above ground (i.e., not in an underground mine)?		No
3. Was the EU constructed, modified, or reconstructed after August 31, 1983?		No
4. Is the EU one of the following?		□No
□ crusher, □ grinding mill, □ bucket elevator, □ belt conveyor, □ bagging operation,		
storage bin, enclosed truck loading station enclosed railcar loading station;		
crusher or grinding mill at hot mix asphalt plant that reduces the size of nonmetallic		
minerals embedded in recycled asphalt pavement or subsequent emissions unit up to,		
but not including, the first storage silo or bin;		
screening operation (a device for separating material according to size by passing		
undersize material through one or more mesh surfaces (screens) in series, and retaining		
oversize material on the mesh surfaces. Grizzly feeders associated with truck dumping		
and static (non-moving) grizzlies used anywhere in the nonmetallic mineral processing plant are not considered to be screening operations.)		
building enclosing any of the above EUs if all enclosed EUs are not individually in		
compliance with emissions limits. [A "vent" is any opening through		
which there is mechanically induced air flow for the purpose of exhausting from a building		
air carrying particulate matter (PM) emissions from one or more affected EUs.}		
in the specific mane in the constant of the confidence different Bess,		
f answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to		
subpart OOO so skip the following questions and go directly to Question 24.		100
f the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.		
5. Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or		
subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process		
any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	Yes	⊠No
. Is the EU located at a fixed sand and gravel plant or crushed stone plant with a		
capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	Yes	⊠No
. Is the EU located at a portable sand and gravel plant or crushed stone plant with a		M
capacity less than or equal to 136 megagrams/hour (150 tons/hour)?	Yes	⊠No
equal to 9 megagrams/hour (10 tons/hour)?	□ Vas	M No
equal to / megagrams nour (10 tons nour);	Yes	⊠No

### 4-AGGREGATE PLANT SECONDARY CRUSHER (CANICA-JAQUES)

9. Is the EU a wet screening operation or subsequent screening operation, bucket elevator or belt conveyor in a production line that processes saturated material up to the first crusher,			
grinding mill or storage bin in the production line?		Yes	⊠No
which separates marketable fines from the product by a washing process which is designed and operat at all times such that the product is saturated with water. "Saturated material" means mineral materia			
with sufficient surface moisture such that particulate matter emissions are not generated from processi			
of the material through screening operations, bucket elevators and belt conveyors. Material that is wet solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}	lea		
10. Is the EU a screening operation, bucket elevator or belt conveyor in the production line downstream of wet mining operation that process saturated material up to the first crusher,			
grinding mill or storage bin in the production line?		Yes	⊠No
{Note: Wet mining operation means a mining or dredging operation designed and operated to extract			
any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic			
mineral is saturated with water, "Saturated material" means mineral material with sufficient surface moisture such that particulate matter emissions are not generated—from processing of the material			
through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
If answer to any of the six Questions 5 -10 above is "Yes" then the EU is not subject to			
subpart OOO so skip the following questions and go directly to Question 24.  If the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.			
11. When was the EU last constructed, modified, or reconstructed? 11/1999			
12. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?		Yes	⊠No
If answer to Question 12 is "No" skip the following questions and go directly to Question 20			
<b>13. Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?		Yes	□No
If answer to Question 13 is "No" skip the following questions and go directly to Question 19			
14. Initial Tests:			
a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?    N/A	П	Yes	□ No
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?		Yes	□No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?d. If yes, was the opacity less than or equal to 7% opacity?		Yes Yes	□No
d. If yes, was the opacity less than of equal to 7% opacity?		1 65	No
15. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not individually in compliance with emissions limits:			
a. Was an initial PM stack test performed on each vent control device within 180 days of			-
initial startup of the EU? N/A		Yes	☐ No
{A "vent" is any opening through which there is mechanically induced air flow for the purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
one or more affected EUs.}			
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)? c. Was an initial VE test performed on fugitive emissions from non-vent building openings?	_	Yes Yes	□No □No
d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?		Yes	No

## 4-AGGREGATE PLANT SECONDARY CRUSHER (CANICA-JAQUES)

16. Is a baghouse used to control emissions from the EU?	Yes	□No
If yes, the owner operator:  conducts quarterly 30-minute VE tests using Method 22; uses a bag leak detection system specified in 40 CFR 60.674(d); follows the requirements of 40 CFR 63AAAAA Lime Manufacturing as specified in 40 CFR 60.674(e); or none of the above (i.e., out of compliance)		
AGUACA CARACTER AND		
17.If the EU is an individual, enclosed storage bin controlled by a baghouse, were initial fugitive emissions less than or equal to 7% opacity?   N/A	Yes	☐ No
18. Is a wet scrubber used to control emissions from the EU?	☐ Yes	No
a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	· 🗌 Yes	□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250 pascals +1 inch water gauge pressure.}		
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions? {Note: The monitoring device must be certified by the manufacturer to be accurate within ±5% of design scrubbing liquid flow rate.}		□No
19. Is wet suppression used to control emissions from the EU?	Yes	No
a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?		a.
b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?		
c. Is each inspection of the spray nozzles, including the date and any corrective action taken.	Yes	□No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.		
<b>20. Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	Yes	⊠No
21. Initial Tests:		ļ
a. Was an initial PM stack test performed on the control device within 180 days of		
initial startup of the EU? $\boxtimes$ N/A	Yes Yes	☐ No
b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?	Yes	□No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	Yes	ПNo
d. If yes, was the opacity less than or equal to 7% opacity?	Yes	□No
the specification where the contract of the specific product of the contract o		

### 4-AGGREGATE PLANT SECONDARY CRUSHER (CANICA-JAQUES)

		s and all enclosed EUs are not			
	ormed on each vent cont		N/A	Yes	☐ No
{A "vent" is any opening through w purpose of exhausting from a buildi one or more affected EUs.}					
b. Was the EU found to be in comp c. Were initial fugitive emissions fr				☐ Yes ☐ Yes	□No □No
23.1s a wet scrubber used to control of If yes, does the owner/operator main		?		Yes	⊠No
a. a device for the continuous measistrubber and the device has be instructions?	urement of the pressure en calibrated on an annu- must be certified by the	loss of the gas stream through the contract with man manufacturer to be accurate with manufacturer to be accurate with the contract with t	nufacturer's	☐ Yes	No
	urement of the scrubbing an annual basis in accord must be certified by the	g liquid flow rate to the wet scrudance with manufacturer's instrumanufacturer to be accurate with	uctions?	Yes	No
24. When was the last VE test conduction a. If EU is not subject to 40 CFR 60 b. If EU is subject to 40 CFR subpation i. has the EU been tested during ii. has the EU been tested yet were subjected.	subpart OOO, has the I rt OOO: ng each of the past 4 calo			☐ Yes ☐ Yes ☐ Yes ☐ Yes	□No □No □No
25. Was a VE test conducted by the or a. Was the VE test conducted at a practice: 300 tph b. Was the VE test conducted according to the VE test resulted in an opacity d. Did the VE test demonstrate com	rocess rate that is repres- ding to EPA Method 9? $\sqrt{100}$ of $\sqrt{100}$ for the highest s	entative of the normal rate? ix-minute average.		<ul><li>Yes</li><li>Yes</li><li>Yes</li><li>Yes</li><li>Yes</li></ul>	No
26. Was a VE test conducted by the <i>in</i> a. Was the VE test conducted at a pr Rate: b. Was the VE test conducted according to the VE test conducted according to the VE test resulted in an opacity	rocess rate that is representing to EPA Method 9?	entative of the normal rate?		Yes Yes Yes	□No
d. Did the VE test demonstrate com		7 J.		Yes	No
		city Limits	0.1	OOO EU	
) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	EU not subject to 40 CFR 60 Subpart OOO	Subpart OOO EU constructed, modified, or reconstructed prior to 4/22/2008	construct	OOO EU ted, modil structed o 2/2008	
		10 4/22/2000			
Crusher with no capture system	20%	15%		12%	

## **Facility Section (continued)**

	REASONABLE PRECAUTIONS FOR UNCONFINED EMISSIONS	(check ☑ box for each	only one question)
1.	. Does the owner/operator of the NMMP Plant take reasonable precautions to control unconfined emissions by:		
	a) Use of water suppression system(s) with spray bars located wherever unconfined emissions occur (at the feeder(s), the entrance and exit of the crusher(s), the classifier screens, and the conveyor drop points)?	⊠ Yes	☐ No
2	b) Use of water trucks equipped with spray bars to apply water or effective dust suppressant(s) on a regular basis (to all stockpiles, roadways and work yards)? N/A c) Paving and maintaining roads and parking areas? N/A d) Removal of particulate matter from roads and other paved areas under control	⊠ Yes ⊠ Yes	☐ No ☐ No
	of the owner/operator to prevent re-entrainment, and from building or work areas to reduce airborne particulate matter? N/A	⊠ Yes	☐ No
	e) Reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles? 🔀 N/A	Yes	☐ No
2.	If reasonable precautions <u>not</u> being taken:  a) Did the inspector perform a general VE test (20% opacity)?	Yes Yes	□ No □No
	c) What caused the problem(s) (if known)?		
	c) what caused the problem(s) (II known)?		
	ONFIRMATION OF GENERAL PERMIT ELIGIBILITY		only one
	ONFIRMATION OF GENERAL PERMIT ELIGIBILITY	box for each of the box f	
1.	ONFIRMATION OF GENERAL PERMIT ELIGIBILITY  Does this facility keep records to show that it does not have the potential to emit: a) 10 tons per year or more of any hazardous air pollutant? b) 25 tons per year or more of any combination of hazardous air pollutants?	box for each of the control of the c	uestion) NoNo

(2	. Is the total combined annual facility-wide fuel usage of all plants less than or equal to: a) 275,000 gallons of diesel fuel?			No  No  No  No  No
1.	Allowed the emission of air pollutants without the proper operation of all applicable air pollution control devices?	box fo	ck 🗹 or each	only one question) ⊠No
	Does the owner or operator:  a) maintain the authorized facility in good condition?  b) ensure that the facility maintains its eligibility to use the air general permit and complies with all terms and conditions of the air general permit?	s	Yes	No
	ELOCATABLE PLANT  The facility:   is stationary;   is relocatable; or   consists of both stationary and relocatable			only one question)
	NMMP and/or concrete batching plants. ( <i>If only stationary, skip the following questions 2 and 3.</i> )  For a relocated NMMP plant: a) did the owner or operator notify the appropriate Department or Local Air Program by telephone, e-mail, fax, or written communication at least one business day prior to changing location?b) did the owner or operator transmit a Facility Relocation Notification Form [DEP No. 62-210.900(6 to the Department or Local Air Program no later than five business days following relocation?	)]		□No
3.	If the relocatable NMMP plant was co-located at a facility with a separate air construction or air operate permit, and the relocatable NMMP plant is not included as an emissions unit in that separate permit.  a) was the relocatable NMMP plant being used for a non-routine purpose?  If YES, what was the purpose?  {Note: crushing recycled asphalt pavement (rap) at an asphalt plant is considered routine and so therefore must be authorized in the facility's air construction or operation permit.}  b) were records kept by the owner/operator to indicate how long it was co-located at the permitted facility?		Yes Yes Yes	□No □No □No

Administrative Changes:  1. Were there any changes in the name, address, or phone number associated with a change in ownership or with a physical reloc operations comprising the facility; or any other similar minor  2. If YES, did the facility provide written notification within 30 of	cation of the facility or any emissions administrative change at the facility?	units or	
<ul> <li>New or Modified Process Equipment or Change in Ownership:</li> <li>3. Since the last registration form submittal has there been <ul> <li>a) Installation of any new process equipment?</li> <li>b) Alterations to existing process equipment without replacen</li> <li>c) Replacement of existing equipment with equipment that is</li> <li>d) A change in ownership?</li> </ul> </li> <li>4. If the answer to any question 3a. – d. is YES, was a new regis <ul> <li>30 days prior to the change?</li> </ul> </li> </ul>	nent?substantially different?tration form and the appropriate fee su	Yes Yes Yes Yes ubmitted	<ul><li>No</li><li>No</li><li>No</li><li>No</li><li>No</li></ul>
Steven Sherman Max Grondahl  Inspector's Name (Please Print)  Stur Sur My Sulf Inspector's Signature	Date of Inspection  03/15/2014  Approximate Date of Next In	5/2011	

COMMENTS: I. Steven Sherman and Max Grondahl went for an inspection and VE test audit conducted on 03/15/2011. We witnessed the full VE tests for the primary crusher (Pioneer), secondary crusher (Canica-Jaques), and the Boehringer crusher. Upon entering the mine we met with the two consultants from Southern Environmental Sciences. The first test consisted of EU 003 (Pioneer), and EU 004 (Canica-Jaques) since they are connected by conveyor belts. The primary crusher had a belt conveyor that dropped to a screen. At the screen water was sprayed on the crushed material. After the screen the material, depending on size were dropped onto two different conveyors which dropped the material into stock piles. A third conveyor fed the secondary crusher (Canica-Jaques). For the Pioneer crusher the VE test was read at three points, above the crusher, the drop onto the first conveyor and the drop point at the screen. The conveyors after the screen are not tested since the material is wet at this point. Since there were two consultants present, the tests on the two crushers were done simultaneously. The next test was performed on EU 001 (Boehringer) crusher EU 004. This crusher was at a separate location in the mine. This crusher consisted of one crusher, connected to a conveyor belt that dropped into a stock pile. The last VE test performed was for the relocatable crusher 7775313. The relocatable facility has a separate checklist that was completed by Max Grondahl. EU 002 (Cedar Rapids Crusher) has not operated since 2007. Therefore the crusher was not tested on this date. I sent Mr. Colitz an email, requesting a letter stating that the crusher has not operated since 2007 and if it is operated at any point during 2011, it will be tested within 30 days of startup. This concluded the inspection and we left the facility at approximately 11:00.

#### DIGITAL PHOTOGRAPHIC LOG

1. Facility Name: Lecanto Mine

2. County / Facility ID No: Citrus 0170363

Inspection Type: INS2 3.

Inspection Date: 03/15/2011 4.

5. Type of Camera Used: Olympus Camedia C-50 Zoom 5.0 mega pixels (Air Section digital camera)

Digital Recording Media: FujiFilm 128 MB xD-Picture Card 6.

7. All Digital Photos Were Copied To: C:\Documents and Settings\sherman SJS\Desktop\Pictures

8. Original Copy Is Stored In/On: C:\Documents and Settings\sherman SJS\Desktop\Pictures

9. Were the photos altered?: NO X YES explain yes:

10. Photographer: Steven Sherman

11. Signature of Photographer: Stu-





Photo ID No. / Date / Time: Picture 01 03-15-2011 Pioneer Crusher onto Conveyor Belt



Photo ID No. / Date / Time: Picture 05 03-15-2011 Drop to Screen and Secondary Canica-Jaques Crusher



Photo ID No. / Date / Time: Picture 07 03-15-2011 Hopper and Conveyor Belt to Canica-Jaques Crusher






Photo ID No. / Date / Time: Picture 013 03-15-2011 Boehringer Crusher and Drop to Belt Conveyor

Inspection Date: 03/15/2011