Facility Name :	Royal Cleaners
Facility Address:	3818 North Nova Rd Port Orange, FL 32129
Date/Time :	September 15, 2008/2:08pm
Persons present :	Danielle D. Owens - FDEP, Jack Bawli - R/O
Responsible Official:	Jack Bawli
Phone/Email :	(386)788-7482

Inspection Question	Rule Reference	Answer	
General Records:			
Type of facility? (CESQG, SQG, LQG*)		□ CESQG □ SQG	
Generator ID #:			
Preparedness & Prevention			
Employee notification system?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(a)]	⊠ Yes □ No	
Device to summon emergency response agencies?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(b)]	⊠ Yes □ No	
Portable fire extinguishers and spill control equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(c)]	⊠ Yes □ No	
Adequate fire suppression equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.32(d)]	⊠ Yes □ No	
Program to test emergency equipment?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.33]		
Minimized possibility of spills and releases	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.31]		
Contingency Planning:			
Designated emergency coordinator?	SQG [40 CFR 262.34(d)(4)(i)] LQG [40 CFR 265.55]	R/O	
 Posted names and telephone numbers of emergency coordinators, locations of fire alarms and extinguishers, fire department telephone numbers, and evacuation routes? 	SQG [40 CFR 262.34(d)(4)(ii)] LQG [40 CFR 265.52]	⊠ Yes □ No	
Storage of hazardous waste:			
The facility must not be storing quantities of waste in excess of the quantity storage limits. To determine whether the facility is in compliance	Maximum quantity limits are:		
calculate the total weight of all perc waste in the storage area as follows:	CESQG = 2,200 lbs SQG = 13,200 lbs		
For 15-gal containers: # of containers2 x 120 lbs/container = lbs stored		240 lbs	
 For 30-gal containers: # of containers x 240 lbs/container = lbs store 			
Are containers marked with an accumulation start date?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(2)]	☐ Yes	

 $\frac{9/29/2008}{\text{*If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.}}$ inspector initial____

Is the facility in compliance with quantity and time limits for I	HW storage?	
SQG: is waste kept onsite ≤ 180 days?	SQG [40 CFR 262.34(d)]	☐ Yes ☐ No ☒N/A
▶ LQG*: is waste kept onsite ≤ 90 days?	LQG [40 CFR 262.34(a)]	Yes No N/A
Is there satellite accumulation?	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	☐ Yes ☐ No ☒N/A
 If applicable, are satellite areas at/near the point of generation? 	SQG [40 CFR 262.34(c)] LQG [40 CFR 262.34(c)]	☐ Yes ☐ No ⊠N/A
Are containers labeled with the words "Hazardous Waste"?	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 262.34(a)(3)]	⊠ Yes □ No
Are containers in good condition and kept closed?	SQG [40 CFR 262.34(d)(2),(4)] LQG [40 CFR 262.34(a)(1)(i)]	
 Are containers compatible with contents? 	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 262.34(a)(1)(i)]	⊠ Yes □ No
 Adequate aisle space and clearly marked exits? 	SQG [40 CFR 262.34(d)(4)] LQG [40 CFR 265.35]	⊠ Yes □ No
 Are weekly inspections conducted and documented? [62-730.160(6) F.A.C.] 	SQG [40 CFR 262.34(d)(2)] LQG [40 CFR 265.174]	☐ Yes ⊠ No
 Are hazardous waste containers stored on a crack- free surface that will contain leaks or spills? 		☐ Yes ☐ No
Is there adequate secondary containment?		⊠ Yes
Is entrance by unauthorized people restricted?		Yes No
 Does the storage area have appropriate signage? 		☐ Yes ☐ No
Record keeping		
Are manifests properly completed?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	☐ Yes ☐ No
Are the originals present?	SQG [40 CFR 262 subpart B] LQG [40 CFR 262 subpart B]	☐ Yes ☐ No
Exception reports?	SQG [40 CFR 268.44] LQG [40 CFR 268.42]	☐ Yes ☐ No ☒N/A
LDR completed?	SQG [40 CFR 268.7] LQG [40 CFR 268.7]	☐ Yes ☐ No ☒N/A
Are logs, shipping records, manifests kept at the facility for at least three years?	CESQG[62-730.030(4) F.A.C.] SQG [40 CFR 262.44] LQG [40 CFR 262.40]	☐ Yes ⊠ No
Does the facility ensure waste disposal to a permitted facility?	CESQG [40 CFR 261.5(g)(3)] SQG [40 CFR 262.12(c)]	⊠ Yes
•	LQG [40 CFR 262.12(c)]	
Employee Training Are employees trained in HW management?	SQG [40 CFR 262.34(d)(5)(iii)]	
Are employees trained in rive management?	LQG [40 CFR 265.16(a)&(b)]	∑ Yes ☐ No
le the facility in the dry eleganer colvent clean up	376.303, F.S.	N/A
Is the facility in the dry cleaner solvent clean-up program? If so, what is the Facility ID #?		IN/ A
Are dikes or other containment structures installed around each machine or item of equipment in which dry cleaning solvents are used and around any area in which solvents or waste-containing solvents are stored?	376.3078(9)(a), F.S.	⊠ Yes □ No
Were all spills of more than 1 quart of dry cleaning solvent outside of a containment structure, on or after	403.161(1)(d), F.S.	☐ Yes ☐ No
July 1, 1995, reported by the owner or operator to the		⊠N/A
state through the State Warning Point?	100 101/11/ 11 5 0	
If a spill occurred, did the owner or operator immediately upon the discovery of such a spill, initiate and complete actions to abate the source of the spill?	403.161(11)(d), F.S.	☐ Yes ☐ No ☑N/A

9/29/2008 Page 2 of 4
*If the facility is an LQG then please refer to the Hazardous Waste Section for inspection.

AST/UST Questions:

Inspection Question		Ansv	ver
The state of the s			
Does the facility store petroleum products in a UST or AST?		☐ Yes ☐ ſ	No ⊠N/A
Separator Water Treatment System Questions:			
Inspection Question		Ansv	ver
Is a separator water treatment system employed?			No N/A
Is the treatment system directly plumbed to the dry		│	No ⊠N/A
cleaning unit? If so, is it within secondary containment?			
Does the system include a filter to reduce the		│ ⊠ Yes □ N	No □N/A
concentrations of chlorinated solvent(s) in the wastewater			
prior to evaporation or discharge?			
Are records available to demonstrate that the filters have		│ ⊠ Yes ☐ N	No □N/A
been changed in accordance with the manufacturer's			
recommendations?			
Are wastewaters that contain soaps, detergents, chlorine,		│ ⊠ Yes □ I	No ∐N/A
rust, etc. excluded from the treatments system in order to			
ensure that the filter is effective to treat the chlorinated			
solvents?			
Industrial Wastowater Standards			
Industrial Wastewater Standards			
Inspection Question:	Rule Reference	Ansv	ver
Described for 20th of the control of	62.660 F.A.C.		
Does the facility discharge separator water, mop water	62.000 F.A.C.		
from cleaning the work area, and vacuum return water to a		N V	□ NIa
sewer, tank, evaporator system provided with a filter to		⊠ Yes	∐ No
reduce chlorinated solvent concentrations, or container,			
and never to septic?	62.600 F.A.C.		
Are solvent-based pre-spotters excluded from use on	62.000 F.A.C.		□ N.
garments that are being laundered in a system that		⊠ Yes	∐ No
discharges to septic?	403.087 F.S.		
Does the vacuum vent upward so that condensed solvent-	403.087 F.S.		
containing water is returned to the vacuum tank rather		⊠ Yes	☐ No
than discharged onto ground?	400 007 5 0		
Is the boiler configured so that no contact water (separator	403.087 F.S.		
water or vacuum return water) is introduced and can be		⊠ Yes	∐ No
discharged to the ground during the boiler bleed-off?			
If the facility discharges to surface waters, is it in	62.620 F.A.C.	☐ Yes ☐ I	No ⊠N/A
compliance with NPDES?			
If the facility discharges to the ground, is it in compliance		i .	
with a state permit?	62.620 F.A.C.	☐ Yes ☐ I	No ⊠N/A

9/29/2008 Page 3 of 4 inspector initial_____

62.625 F.A.C.

64 E-G

☐ Yes ☐ No ☒N/A

No ⊠N/A

Yes

If the facility discharges to sewer, is it in compliance with

Is the facility on sewer other than POTW?

local sewer permit?

Dry Cleaning Equ	ipment
------------------	--------

Туре	Manufacturer	Serial Number	Capacity	Age
	Forenta		45 lbs	

Other

FACILITY HAD PERC CONTAINING WASTE (MUCK) ON FLOOR BEHIND THE PERC MACHINE. 2) FACILITY DID NOT
HAVE A HALOGEN LEAK DETECTOR. 3) FACILITY DID NOT HAVE PERC PURCHASE RECEIPTS AND MANIFEST
AVAILABLE FOR REVIEW DURING THE INSPECTION. FACILITY IS BEING REFERED TO HAZARDOUS WASTE
SECTION FOR ENFORCEMENT