

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INSTRE-INSPECTIO	
AIRS ID#: 0112634 DATE: <u>06/23/2006</u>	ARRIVE: <u>11:02 AM</u> DEPART: <u>11:17 AM</u>
FACILITY NAME: ATLANTIC COAST	PLATING
FACILITY LOCATION: 887 NE 30	Oth Court
OAKLAN	ID PARK 33334
RESPONSIBLE OFFICIAL: SANDRA	PAPIERSKI <b>PHONE:</b> (954)563-5859
CONTACT NAME: See NOTES	PHONE:
REMITTANCE YEAR: 2005	ENTITLEMENT PERIOD: 5/27/2004 / 5/27/2009 (effective date) (end date)
PART I: <u>INSPECTION</u> <u>COMPLIANCE</u> ☐ IN COMPLIANCE ☐ MINO	STATUS (check only one box)  R Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE
PART II: CLASSIFICATION – Rule 62 Facility type(s)/applicable standard as in  1. Hard Chromium Plating  a. Existing Large (0.015 mg/dscm) c. New (0.015 mg/dscm)	dicated on notification form:
2. Decorative Chromium Plating/Ano	dizing
a. <u>Chromic Acid Bath</u>	<ol> <li>Emissions of ≤ 0.01/mg/dscm (4.4x10<sup>-6</sup> gr/dscf)</li> <li>Surface tension of ≤ 45 dynes/cm (3.1x10<sup>-3</sup> lb-f/ft) (May only be selected if a wetting agent is used.)</li> </ol>
b. <u>Trivalent</u> <u>Chromium</u> <u>Bath</u>	1) With wetting agent
c. <u>Chromium Anodizing</u>	<ol> <li>Emissions of ≤ 0.01 mg/dscm (4.4x10<sup>-6</sup> gr/dscf)</li> <li>Surface tension of 45 dynes/cm (3.1x10<sup>-3</sup> lb-f/ft)</li> <li>(May only be selected if a wetting agent is used.)</li> </ol>

PART III: <u>CONTROL TECHNOLOGY</u> – Rule 62-213.300 FAC	
(Select control	DELICE IN LIGHT
<u>device</u> )	<u>DEVICE</u> <u>IN</u> <u>USE</u> ?
1. Composite Mesh Pad	□Yes □No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	Yes No
4. Packed Bed Scrubber/Composite Mesh Pad	Yes No
5. Foam Blanket Fume Suppressant	Yes No
6. Fume Suppressant w/ Wetting Agent	Yes No
Has the facility conducted an initial performance test to establish monitoring parameters?	☐Yes ☐No ☐N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	
PART IV: RECORDKEEPING/REPORTING REQUIREMENTS - Rule 62-213.300	0(3)
	(-)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	
monitoring equipment. (applicable only to a facility using a packed bed scrubbed	
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	
scrubber, fiber-bed mist eliminator, or composite mesh pad)	- □Yes □No □N/A
3. Maintenance records for the source, add-on pollution control devices, and	
monitoring equipment (equipment identified, date performed, description).	- LYes LNo
4. Records of date of occurrence, duration, cause, and corrective action of each	-4 DV DV-
malfunction of process, add-on pollution control device, and monitoring equipmer 5. Results of all performance tests	it.
6. Records of monitoring data. (not applicable to trivalent chromium baths using	
agent)	
ugem)	
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	- Tyes TNo
Packed Bed Scrubber	
Measure the pressure drop across the PBS and the inlet velocity daily	Yes No
Fiber-Bed Mist Eliminator	
Measure the pressure drop across the FBME and the upstream device daily	☐Yes ☐No
Packed Bed Scrubber/Composite Mesh Pad	
Measure the pressure drop across the CMP daily	Yes No
Foam Blanket Fume Suppressant	
Measure the foam blanket thickness at the appropriate interval	□Yes □No
Fume Suppressant w/ Wetting Agent	
Measure the surface tension at the appropriate interval.	
<ul><li>7. Purchase records of wetting agent components</li><li>8. Records of the date and time that fume suppressants are added to the bath</li></ul>	
9. Records of rectifier capacity, if used to determine facility size	
10. Records of the total process operating time	
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	
1/	

Inspector's Name (Please Print)	Date of Inspection
Inspector's Signature	Approximate Date of Next Inspection

**COMMENTS:** The facility is closed down and relocating to Tennesse (as seen in notation posted on Door). Facility owners have been contacted to verify closure and to find out what the owners plan on relocating all the equipment.