

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INST		· / <u>-</u>	
AIRS ID#: 0112643 DATE: 4/24/2012	ARRIVE: <u>1000</u>	DEPART: <u>1100</u>	
FACILITY NAME: TELEFAX MARKET	ΓING		
FACILITY LOCATION: 2339 NW	30TH CT		
OAKLAN	ND PARK 33311-1415		
OWNER/AUTHORIZED REPRESENTA Email: CONTACT NAME: FELIX REYNOSO Email: ENTITLEMENT PERIOD: 6/27/2009 (effective date)	M F M / 6/27/2014	PHONE: (954)497-2330  Mobile: (954)605-9710  PHONE: (954)497-2330  Mobile: (954)605-9710	
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:  1. Hard Chromium Plating			
a. Existing Large (0.015 mg/dscm) c. New (0.015 mg/dscm)	b. Existing Small (0.03 m) d. Alternative Standard f (0.03 mg/dscm) using a r rectifier capacity (less th	for existing facilities	
2. <u>Decorative Chromium Plating/Anodizing</u>			
a. Chromic Acid Bath	<ol> <li>Emissions of ≤ 0.01/mg/dscm (4.4.2)</li> <li>Surface tension of ≤ 45 dynes/cm (May only be selected if a wetting)</li> </ol>	$\ln (3.1 \times 10^{-3} \text{ lb-f/ft})$	
b. Trivalent Chromium Bath	<ol> <li>With wetting agent</li> <li>Without wetting agent ≤ 0.01mg/g</li> </ol>	dscm (4.4x10 <sup>-6</sup> gr/dscf) □	
c. <u>Chromium Anodizing</u>	<ol> <li>Emissions of ≤ 0.01 mg/dscm (4.4.2)</li> <li>Surface tension of 45 dynes/cm (3.4.4)</li> <li>(May only be selected if a wetting)</li> </ol>	3.1x10 <sup>-3</sup> lb-f/ft)	

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(Select control	NEVILCE IN LIGEO
<u>device</u> )	DEVICE IN USE?
1. Composite Mesh Pad	∏Yes ∏No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	☐Yes ☐No
4. Packed Bed Scrubber/Composite Mesh Pad	☐Yes ☐No
5. Foam Blanket Fume Suppressant	□Yes □No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters?	□Yes □No □N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	
PART IV: RECORDKEEPING/REPORTING REQUIREMENTS - Rule 62-213.300(3	3)
TART IV. MECADINEM HIGHEN CATETO MOVEMBER 11 OF 122000	3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	0.7 7 7
monitoring equipment. (applicable only to a facility using a packed bed scrubber,	
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a scrubber, fiber-bed mist eliminator, or composite mesh pad)	
3. Maintenance records for the source, add-on pollution control devices, and	Tes LINO MIN/A
monitoring equipment (equipment identified, date performed, description)	
4. Records of date of occurrence, duration, cause, and corrective action of each	LIES LINO
malfunction of process, add-on pollution control device, and monitoring equipment	· □Vas □No
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using a	
agent)	
,	
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	∐Yes ∐No
Packed Bed Scrubber	
Measure the pressure drop across the PBS and the inlet velocity daily	☐Yes ☐No
Fiber-Bed Mist Eliminator	
Measure the pressure drop across the FBME and the upstream device daily	□Yes □No
Packed Bed Scrubber/Composite Mesh Pad	
Measure the pressure drop across the CMP daily	☐Yes ☐No
Foam Blanket Fume Suppressant  Measure the foam blanket thickness at the appropriate interval	$\square_{\mathbf{V}_{22}} \square_{\mathbf{N}_{2}}$
Fume Suppressant w/ Wetting Agent	∐Yes ∐No
Measure the surface tension at the appropriate interval	⊠Yes □No
7. Purchase records of wetting agent components	⊠Yes □No □N/A
8. Records of the date and time that fume suppressants are added to the bath	Yes No N/A
9. Records of rectifier capacity, if used to determine facility size	Yes No N/A
10. Records of the total process operating time	Yes □No
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	

Elizabeth F. Susky	4/24/2012
Inspector's Name (Please Print)	Date of Inspection
	4/24/2013
Inspector's Signature	Approximate Date of Next Inspection

**COMMENTS:** In a compliance inspection conducted on 4/24/2012, AQD staff (E.Susky) observed operations at R and H Plating. Mr Felix Reynoso (owner) was present for the pre-inspection meeting and Mr. Gustavo Martinez (shop manager) accompanied staff on the inspection. Mr. Martinex keeps excellent records of his fume suppressant application and had the records were available for the inspection. Houskeeping is excellent.