

CHROMIUM ELECTROPLATING/ANODIZING



COMPLIANCE INSPECTION CHECKLIST

<u> </u>	TUAL (INS1, INS2)	COMPLAINT/DISCO	, ,		
AIRS ID#: 0112643 DATE: <u>09/16/2013</u> ARRIVE: <u>1000</u>			DEPART: _1	1100	
FACILITY NAME: TELEFAX MARKETING					
FACILITY LOCATION: 2339 NW 30TH CT					
	OAKLAND PARK 333	311-1415			
OWNER/AUTHORIZED REI Email: CONTACT NAME: FELIX I Email: ENTITLEMENT PERIOD:	REYNOSO	Mol	ONE: (954)497-2330		
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE					
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form: 1. Hard Chromium Plating					
a. Existing Large (0.01 c. New (0.015 mg/dscm)) d. <u>A</u>	Existing Small (0.03 mg/d Alternative Standard for 6 0.03 mg/dscm) using a rolli ectifier capacity (less than 6	existing facilities ing average of		
2. <u>Decorative Chromium Plating/Anodizing</u>					
a. Chromic Acid Bath	2) Surface te	of $\leq 0.01/\text{mg/dscm}$ (4.4x1) nsion of ≤ 45 dynes/cm (3 y be selected if a wetting a	$.1x10^{-3}$ lb-f/ft)		
b. Trivalent Chromium	1) With wett 2) Without w	ing agentvetting agent ≤ 0.01 mg/dsc1	m (4.4x10 ⁻⁶ gr/dscf)		
c. <u>Chromium</u> <u>Anodizin</u>		of \leq 0.01 mg/dscm (4.4x1) nsion of 45 dynes/cm (3.1x by be selected if a wetting a			

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(<u>Select control</u>	
<u>device</u>)	<u>DEVICE</u> <u>IN</u> <u>USE</u> ?
1. Composite Mesh Pad	∐Yes ∐No
2. Fiber Bed Mist Eliminator	∐Yes ∐No
3. Packed Bed Scrubber	☐Yes ☐No
4. Packed Bed Scrubber/Composite Mesh Pad	☐Yes ☐No
5. Foam Blanket Fume Suppressant	Yes No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters? (Not required for sources using a wetting agent or 1-inch foam blanket thickness)	□Yes □No □N/A
PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.300	0(3)
TT d	
Has the responsible official maintained the following records?	
Quarterly inspection records for add-on air pollution control devices and	
monitoring equipment. (applicable only to a facility using a packed bed scrubber	r fiher-hed
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	
scrubber, fiber-bed mist eliminator, or composite mesh pad)	
3. Maintenance records for the source, add-on pollution control devices, and	
monitoring equipment (equipment identified, date performed, description)	$- \square V_{es} \square N_0$
4. Records of date of occurrence, duration, cause, and corrective action of each	- [103 [110
malfunction of process, add-on pollution control device, and monitoring equipmer	nt TVes TNo
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using	
agent)	
,	
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	- Tyes No
Packed Bed Scrubber	
Measure the pressure drop across the PBS and the inlet velocity daily	Yes No
Fiber-Bed Mist Eliminator	_
Measure the pressure drop across the FBME and the upstream device daily	Yes No
Packed Bed Scrubber/Composite Mesh Pad	
Measure the pressure drop across the CMP daily	Yes No
Foam Blanket Fume Suppressant	
Measure the foam blanket thickness at the appropriate interval	☐Yes ☐No
<u>Fume Suppressant w/ Wetting Agent</u>	
Measure the surface tension at the appropriate interval	
7. Purchase records of wetting agent components	
8. Records of the date and time that fume suppressants are added to the bath	
9. Records of rectifier capacity, if used to determine facility size	
10. Records of the total process operating time	
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	⊠Yes □No

Elizabeth F. Susky	09/16/2013	
Inspector's Name (Please Print)	Date of Inspection	
	09/16/2014	
Inspector's Signature	Approximate Date of Next Inspection	

COMMENTS: In a compliance inspection conducted on 09/16/2013, AQD staff (E. Susky) observed operations at R and H plating. The facility houskeeping is excellent and they keep very good records of their fume suppressant application.