

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)			
RE-INSPECTION (FUI) ARMS COMPLAINT NO:			
AIRS ID#: 1090453 DATE: <u>8/27/09</u> ARRIVE: DEPART:			
FACILITY NAME: PONTE VEDRA VALLEY			
FACILITY LOCATION: 4750 Palm Valley Road			
PONTE VEDRA BEACH 32082			
OWNER/AUTHORIZED REPRESENTATIVE: PATRICIA WEST PHONE: (904)285-3392			
CONTACT NAME: PHONE:			
ENTITLEMENT PERIOD: 4/8/2007 / 4/8/2012			
(effective date) (end date)			
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)			
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-296.401, F.A.C.			
(check ☑ appropriate box(es))			
1. Were there any objectionable odor(s) detected? ☐ Yes ☒ No			
2. Was a visible emissions test conducted during this site visit according to EPA Method 9 (Ref.: Chapter 62-297, F.A.C.)? □Yes No			
3. In order to demonstrate individual source compliance, was an annual visible emissions test conducted 60			
days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date? (Rule 62-296.401(5)(i), F.A.C.)			
4. In order to demonstrate individual source compliance were the remaining applicable standards testing			
completed within 60 days prior to the AGP Notification form submission? (Rule 62-210.300(4), F.A.C.) Yes No a) Carbon Monoxide (CO) emissions equal to or below the requirements of 100 parts per million by			
volume, dry basis, corrected to 7% O2 on an hourly average basis and tested according to EPA Method			
10 (Ref.: Chapter 62-297, F.A.C.)?			
c) Particulate matter emissions test with results equal to or below the requirements of 0.080 grains per			
dry standard cubic foot (ft ³)of flue gas, corrected to 7% O_2 and tested according to EPA Method 5 (Ref.: Chapter.62-297, F.A.C.)?			
(Ref.: Chapter.02 277, 1.17.C.):			
5. Was all emissions testing conducted with the source operating at the manufacturers recommended			
capacity?			
5. Was all emissions testing conducted with the source operating at the manufacturers recommended capacity?			
capacity?			

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))	
1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record to primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber contact accordance with the manufacturer's instructions?	mbustion zone in
a) Do temperature probes seem to be properly placed?	
b) Are the following records kept on file, available for inspection for at least two years following the recommensurements, maintenance, reports and records?	
1) All measurements (including CEMS)	□Yes □ No
2) Monitoring device	Yes No
2) Mointoinig device	= =
3) Performance Testing Measurements	☐Yes ☐ No
4) CEMS Performance Evaluation	
5) All CEMS or monitoring device calibration checks	☐Yes ☐ No
6) Adjustments	☐Yes ☐ No
7) Preventive maintenance performed on systems/devices	☐Yes ☐ No
8) Corrective maintenance performed on systems/devices	☐Yes ☐ No
2. Was this crematory unit constructed: (check only one ☑ box)	_ _
a) BEFORE August 30, 1989? (If this box checked, continue on to #3 and skip #4)	
b) ON or AFTER August 30, 1989? (If this box checked, skip #3 and continue on to #4)	
3. If constructed BEFORE August 30, 1989 is the:	
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F ?	∐Yes ∐ No
b) actual operating temperature of the secondary chamber combustion zone no less than 1400°F	
throughout the combustion process in the primary chamber?	☐Yes ☐ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature	
is equal to or greater than 1400°F ?	☐Yes ☐ No
d) required monitoring equipment installed and operational, and providing continuous monitoring to	
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	
secondary chamber combustion zone according to the manufacturer's instructions?	☐Yes ☐ No
4. If constructed <u>ON</u> or <u>AFTER</u> August 30, 1989 is the:	
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence tim @ 1800° F?	
	⊠Yes ☐ No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F	
throughout the combustion process in the primary chamber?	⊠Yes ☐ No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation process begins in the primary chamber?	n ⊠Yes □ No
5. Are appropriate cremation containers containing no more than 0.5 % (percent) by weight chlorinated	
plastics used during the cremation of dead human bodies?	⊠Yes □ No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that they	
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of	
their use and for at least two years after their use?	□Yes □ No
b) Are there any other materials, including biomedical wastes (Rule 62-210.200, FAC) incinerated at	
this location?	□Yes □ No
6. Have all crematory operators been trained and certified by a Department-approved training program?	∑Yes ☐ No
a) Are copies of the training certificates for all crematory operators kept on file at the facility for the dur	
of the operator's employment & for an additional two years after termination of employment?	☐Yes ☐ No

PART IV: SPECIAL CONDITIONS AND PROCEDURI A. New or Modified Process Equipment	<u>ES</u> – Rule 62-296.401, F.A.C.	
 Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without or replacement of existing equipment substantially recent notification form? d) If you answered <u>YES</u> to any of the above, did notification form and appropriate fee (Rule 62- 	out replacement?	
local program office?	that a Department air construction permit operate the modified unit?	
Stuart Bartlett	8/27/09	
Inspector's Name (Please Print)	Date of Inspection	
Inspector's Signature	Approximate Date of Next Inspection	
COMMENTS: All temperature charts above 1600 F. Unit not operating during inspection.		