

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INST			
AIRS ID#: 0090216 DATE: <u>07/31/2006</u> ARRIVE: <u>12:15</u> DEPART: <u>12:45</u>			
FACILITY NAME: TECHNI-CHROME CORPORATION			
FACILITY LOCATION: 895 Buffalo Road			
TITUSVILLE 32796			
RESPONSIBLE OFFICIAL: CURTIS C	LARK <b>PHONE:</b> (321)239-2068		
CONTACT NAME:	PHONE:		
REMITTANCE YEAR: 2005	<b>ENTITLEMENT PERIOD:</b> 5/23/2005 / 5/23/2010 (end date)		
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:  1. Hard Chromium Plating  a. Existing Large (0.015 mg/dscm)			
2. <u>Decorative Chromium Plating/Anodizing</u>			
a. Chromic Acid Bath	<ol> <li>Emissions of ≤ 0.01/mg/dscm (4.4x10<sup>-6</sup> gr/dscf)</li> <li>Surface tension of ≤ 45 dynes/cm (3.1x10<sup>-3</sup> lb-f/ft) (May only be selected if a wetting agent is used.)</li> </ol>		
b. Trivalent Chromium Bath	1) With wetting agent		
c. <u>Chromium Anodizing</u>	<ol> <li>Emissions of ≤ 0.01 mg/dscm (4.4x10<sup>-6</sup> gr/dscf)</li></ol>		

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(Calcot control	
(Select control	DEVICE IN USE?
<u>device</u> )	<u>DEVICE IN USE</u> !
1. Composite Mesh Pad	□Yes □No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	Yes No
4. Packed Bed Scrubber/Composite Mesh Pad	Yes No
5. Foam Blanket Fume Suppressant	Yes No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters? (Not required for sources using a wetting agent or 1-inch foam blanket thickness)	□Yes □No □N/A
PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.300	0(3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	
monitoring equipment. (applicable only to a facility using a packed bed scrubbed	r, fiber-bed
mist eliminator, or composite mesh pad)	- ☐Yes ☐No ⊠N/A
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	packed bed
scrubber, fiber-bed mist eliminator, or composite mesh pad)	- □Yes □No ⊠N/A
3. Maintenance records for the source, add-on pollution control devices, and	
monitoring equipment (equipment identified, date performed, description)	- ⊠Yes □No
4. Records of date of occurrence, duration, cause, and corrective action of each	
malfunction of process, add-on pollution control device, and monitoring equipment	
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using	a wetting
agent)	⊠Yes ∐No ∐N/A
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	- LYes LNo
Packed Bed Scrubber	
Measure the pressure drop across the PBS and the inlet velocity daily	Yes No
Fiber-Bed Mist Eliminator  Macana the appropriate access the EDME and the appropriate desires desired	DV. DV.
Measure the pressure drop across the FBME and the upstream device daily	∐Yes ∐No
Packed Bed Scrubber/Composite Mesh Pad  Measure the pressure drop across the CMP daily	Yes No
Foam Blanket Fume Suppressant	
Measure the foam blanket thickness at the appropriate interval	□Yes □No
Fume Suppressant w/ Wetting Agent	165 110
Measure the surface tension at the appropriate interval	Yes No
7. Purchase records of wetting agent components	
8. Records of the date and time that fume suppressants are added to the bath	
9. Records of rectifier capacity, if used to determine facility size	
10. Records of the total process operating time	
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	

Michael Young	07/31/2006
Inspector's Name (Please Print)	Date of Inspection
	07/2007
Inspector's Signature	Approximate Date of Next Inspection
COMMENTS:	