

## PERCHLOROETHYLENE DRY CLEANERS



## COMPLIANCE INSPECTION CHECKLIST

| <b>INSPECTION TYPE</b> :  | ANNUAL (INS1, INS2)  | COMPLAINT/DISCOVERY  | (CI)                      |  |
|---|--|--|---------------------------|--|
|   | RE-INSPECTION (FUI)  | ARMS COMPLAINT NO:   |                           |  |
|   |  |  |                           |  |
| AIRS ID#: 0251198 DAT   | E: <u>4/11/06</u>  | ARRIVE: <u>11:29 AM</u>  | DEPART: <u>12:15 PM</u>   |  |
| FACILITY NAME: DEV  | ON CLEANERS  |  |                           |  |
| FACILITY LOCATION   | : 12936 SW 120th ST  |  |                           |  |
|   | MIAMI 33196  |  |                           |  |
| RESPONSIBLE OFFICI  | AL: FARYAU SIDDIQKAR   | A PHONE:   | (305)662-3737             |  |
| CONTACT NAME:   |  | PHONE:   | PHONE:                    |  |
| REMITTANCE YEAR:  | ENTITI   | LEMENT PERIOD: 7/15/2005 (effective date)  | / 7/15/2010<br>(end date) |  |
|   |  |  |                           |  |
| PART I: INSPECTION  | COMPLIANCE STATUS (c   | heck <b>☑</b> only one box)  |                           |  |
| IN COMPLIANC  | E MINOR Non-COM  | IPLIANCE SIGNIFICANT   | Non-COMPLIANCE            |  |
|   |  |  |                           |  |
|   | LASSIFICATION - Rule 62-2<br>y one box in A)   | 213.300 FAC  |                           |  |
| transfer only, so both types, x < (constructed by a constructed by a construction of the construction | y, x < 140 gal/yr<br>x < 200 gal/yr<br>< 140 gal/yr<br>efore 12/9/91)<br>e area source $\Box$<br>y, $140 \le x \le 2,100$ gal/yr | <ul> <li>2. New small area source dry-to-dry only, x &lt; 140 g transfer only, x &lt; 200 gal/both types, x &lt; 140 gal/yr (constructed on or after 12</li> <li>4. New large area source dry-to-dry only, 140 ≤ x ≤ transfer only, 200 x = x 1</li> </ul> | /yr<br>2/9/91)<br>        |  |
| both types, 14<br>(constructed b  |  | transfer only, $200 \le x \le 1$ , both types, $140 \le x \le 1,80$ (constructed on or after 12)   | 00 gal/yr                 |  |
| 5. Ineligible for drop store/out facility exceed  | of business/petroleum  |  |                           |  |
| <b>B</b> . The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was gallons.   |  |  |                           |  |

|    | RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC   | (check only one box                      |  |  |  |  |
|----|--|--|--|--|--|--|
| Do | es the responsible official of the dry cleaning facility:  | for each question)                       |  |  |  |  |
| 1. | Store perc, and wastes containing perc, in tightly sealed & impervious containers?   | □Yes □No □N/A                            |  |  |  |  |
| 2. | Examine the containers for leakage?  | □Yes □ No □ N/A                          |  |  |  |  |
| 3. | Close and secure machine doors except during loading/unloading?  | ☐ Yes ☐ No                               |  |  |  |  |
|    | Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  | □Yes □ No □ N/A                          |  |  |  |  |
|    | Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  | □Yes □ No □ N/A                          |  |  |  |  |
|    | ART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)  |  |  |  |  |  |
|    | 1. If the facility classification is a <b>Existing small</b> area source, no controls are requ   | nired. Proceed to Part V.                |  |  |  |  |
|    | 2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. <b>Complete section A. below.</b>  |  |  |  |  |  |
|    | <ol> <li>If the facility classification is a <u>Existing large area source</u>, the machine should refrigerated condenser or a carbon adsorber. Complete both sections A and B belomust have been installed prior to September 22, 1993</li> <li>If the facility classification is a <u>New large area source</u>, the machine should be excondenser. Complete both sections A and B below.</li> </ol> | ow. Carbon adsorber                      |  |  |  |  |
|    |  |  |  |  |  |  |
| Α. | Has the responsible official of all <u>existing large</u> <u>area &amp; new sources</u> :  | (check ☑ only one box for each question) |  |  |  |  |
| 1. | Equipped all machines with the appropriate vent controls?  | - Yes No                                 |  |  |  |  |
| 2. | Equipped dry-to-dry machines with a closed-loop vapor venting system?  | Yes  No  N/A                             |  |  |  |  |
| 3. | Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  | Yes  No  N/A                             |  |  |  |  |
| 4. | Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?  | -  Yes  No                               |  |  |  |  |
| 5. | Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?   | Yes  No  N/A                             |  |  |  |  |
| 6. | Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?   | - ∐Yes ∏No                               |  |  |  |  |

| PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued) |  |  |  |  |  |
|--|--|--|--|--|--|
| В.   | Does the responsible official of an existing large or new large area source also:  | (check ☑ only one box for each question) |  |  |  |
| 1.   | Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?   | □Yes □No                                 |  |  |  |
| 2.   | Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?  | Yes No No                                |  |  |  |
|  | a) Is the temperature differential equal to, or greater than $20^{\rm o}$ F?   | Yes No N/A                               |  |  |  |
| 3.   | Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?   | Yes No N/A                               |  |  |  |
|  | a) Is the perc concentration equal to, or less than 100 ppm?   | ☐Yes ☐ No ☐ N/A                          |  |  |  |
| 4.   | Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?   | - Yes No N/A                             |  |  |  |
| 5.   | Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | Yes No N/A                               |  |  |  |
| 6.   | Route airflow to the carbon adsorber (if used) at all times?   | Yes No N/A                               |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
| PA   | ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC  | (check ☑ only one box for                |  |  |  |
|  | ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC best he responsible official:  | (check ☑ only one box for each question) |  |  |  |
| Do   |  | each question)                           |  |  |  |
| <b>D</b> o   | pes the responsible official:  | each question) Yes No                    |  |  |  |
| 1.<br>2.   | Des the responsible official:  Maintain receipts for perc purchased?   | each question) Yes No                    |  |  |  |
| 1.<br>2.   | Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  | each question)  Yes No Yes No            |  |  |  |
| 1.<br>2.   | Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  | each question)  Yes No Yes No            |  |  |  |
| 1.<br>2.<br>3.   | Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days   | each question)                           |  |  |  |
| 1. 2. 3.   | Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?   | each question)                           |  |  |  |
| 1. 2. 3. 4. 5.   | Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;  b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Maintain calibration data? (for applicable direct reading instruments) | each question)                           |  |  |  |
| 1. 2. 3. 4. 5. 6.  | Maintain receipts for perc purchased?  | each question)                           |  |  |  |
| 1. 2. 3. 4. 5. 6.  | Maintain receipts for perc purchased?  Maintain rolling monthly total of yearly perc consumption?  Maintain leak detection inspection and repair reports for the following:  a) documentation of leaks repaired w/in 24 hrs? or;   | each question)                           |  |  |  |
| 1. 2. 3. 4. 5. 6. 7.   | Maintain receipts for perc purchased?  | each question)                           |  |  |  |

## PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

| detection and repair inspection? Yes No   |   |
|---|---|
| 2. Does the facility maintain a leak log? Yes No  | I |
| 3. Does the responsible official check the following areas for leaks?  a) Hose connections, fittings,     couplings, and valves |   |
| 4. Which method(s) of detection (is/are) used by the responsible official?  | 1 |
| a) Visual examination (condensed solvent on exterior surfaces)  |   |
| 2) Calibrated against a standard gas prior to and after each use (PID/FID only)? 2) Yes No                                      |   |
| 3) Inspected for leaks and obvious signs of wear on a weekly basis? 3) Yes No   |   |
| 4) Kept in a clean and secure area when not in use?   |   |
| 5) Verified for accuracy by use of duplicate samples (calorimetric omy): 5/_ 105  |   |
| TERRENCE ANDERSON 4/11/06   |   |
|   |   |
| Inspector's Name (Please Print)  Date of Inspection   |   |
| 4/07  |   |
| Inspector's Signature Approximate Date of Next Inspection   |   |
| COMMENTS:   | _ |
| NO DRY CLEANING MACHINE ON SITE YET FACILITY OPERATING AS A DROP STORE  |   |