

CONCRETE BATCHING PLANT



COMPLIANCE INSPECTION CHECKLIST

| INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI) ARMS COMPLAINT NO: | | | | | | | |
|---|--|--|--|--|--|--|--|
| AIRS ID#: 1050382 DATE: <u>01/24/2012</u> ARRIVE: <u>1:32 pm</u> DEPART | Γ: <u>1:50 pm</u> | | | | | | |
| FACILITY NAME: LAKELAND YARD | | | | | | | |
| FACILITY LOCATION: 4140 SOUTHSIDE FRONTAGE RD | | | | | | | |
| LAKELAND 33815-3241 | | | | | | | |
| OWNER/AUTHORIZED REPRESENTATIVE: BILL PAGANO Email: bpagano@prestige-concrete.com CONTACT NAME: JOE LUCIA Email: ENTITLEMENT PERIOD: 1/17/2008 / 1/17/2013 (effective date) (end date) PHONE: (561)478-9 Mobile: PHONE: (863)688-8 Mobile: | | | | | | | |
| Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE | | | | | | | |
| DADE H. ONGREE INTEROPLICATORY MEDITING | | | | | | | |
| PART II: ONSITE INTRODUCTORY MEETING | (check ☑ only one box for each question) | | | | | | |
| Brief Notes: Mr. Lucia is the last known operator at this location. Facility gate was closed and chained so I did not have an opportunity to speak with anyone at the facility site. | | | | | | | |
| 2. Is the Authorized Representative still MICHAEL MAHONEY? | ☐ Yes ⊠No | | | | | | |
| If different, did the facility provide an administrative update within 30 days? 3. Is the facility contact still MIKE TOWNS? If no, who is?: Mr. Joe Lucia | | | | | | | |
| 4. Will facility be conducting VE test(s) during today's inspection? | | | | | | | |

Emissions Unit Section 1 -CEMENT SILO with Baghouse subject to 5% Opacity Limit

| PART I: FILE REVIEW PRIOR TO INSPECTION | (check 🗹 | only one |
|--|------------------|--------------|
| 1. Date of last inspection: <u>05/15/2009</u> | box for each | question) |
| 2. Past Visible Emissions (VE) tests: | | |
| a. Was a VE test performed within each of the past 4 calendar years? | | ⊠ No |
| b. Has a VE test been performed yet within the current calendar year? | - Yes | ⊠ No |
| c. If first year of operation, was a VE test performed within 30 days of commencing operation? N/A d. Date of last VE test: 05/05/2010 | ☐ Yes | ☐ No |
| d. Date of last VE test: 05/05/2010 e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the report state the actual silo loading rate during emissions testing? g. What was the actual silo loading rate? 26 tons/hour | | ☐ No ☐ No |
| h. If weigh hopper(batcher) emissions controlled by the silo dust collector, did the report state whether or not batching occurred during emissions testing? N/A i. Did the test report state the actual batching rate during emissions testing? j. What was the actual batching rate? tons/hour | Yes Yes | ☐ No ☐ No |
| k. Did the emissions unit demonstrate compliance with the 5% opacity limit during the last VE test?- If not, what was the problem (if known)? | - X Yes | □ No |
| DADT H. STACK EMISSIONS from a sile maigh homen (hotaken) an athen | 1 | |
| PART II: <u>STACK EMISSIONS</u> from a silo, weigh hopper(batcher) or other enclosed storage and conveying equipment | (check ☑ | only one |
| enciosed storage and conveying equipment | box for each | question) |
| | | |
| 1. Was a visible emissions test conducted by the facility for this unit during this site visit? | - Yes | ⊠ No |
| a. Was the visible emissions test conducted according to EPA Method 9? | Yes | ☐ No |
| b. The visible emission test resulted in an opacity of % for the highest six-minute average.c. Did the visible emissions test demonstrate compliance with the 5% opacity limit? | Yes | ☐ No |
| If not, what was the problem (if known)? | | |
| d. During visible emissions tests of the silo dust collector exhaust points was the loading of the silo conducted at a rate | | |
| that is representative of the normal silo loading rate? \(\subseteq\) Yes \(\subseteq\) No \(\subseteq\) N/A – silo not lo | aded during insp | |
| e. If silo loaded, was the minimum loading rate of 25 tons/hour achievable in practice? | Yes | ☐ No |
| f. What was the silo loading rate? tons/hour g. Are emissions from the weigh hopper (batcher) operation controlled by the silo dust collector? | ☐ Yes | □ No |
| If YES, then continue on to questions $g.1) - g.3$ below. If answer NO, then skip $g.1) - g.3$ and go t | | |
| 1) Was the weigh hopper (batcher) in operation during the visible emissions test? | | ☐ No |
| 2) During the visible emissions test, was the batching rate representative of the normal batching a duration? | | ☐ No |
| 3) What was the batching rate? tons/hour. What was the batching duration? mir | | |
| h. 1) If emissions from the weigh hopper (batcher) operation are controlled by a dust collector whi | | |
| from the silo dust collector, was the visible emissions test of the weigh hopper (batcher) dust co- conducted while batching at a rate that is representative of the normal batching rate and duration | | ☐ No |
| 2) What was the batching rate? tons/hour. What was the batching duration? minu | | |
| 2. Was a visible emissions test conducted by the inspector for this unit during this site visit? | | No No |
| a. Was the visible emissions test conducted according to EPA Method 9? b. The visible emission test resulted in an opacity of % for the highest six-minute average. | U Yes | ∐ No |
| c. Did the visible emissions test demonstrate compliance with the 5% opacity limit? | Yes | ☐ No |
| d. What was the process rate? tons/hour. | | |
| | | |

Facility Section (continued)

| _ | • | | 1 |
|-----------|---|------------------------------|------------------------------------|
| <u>C(</u> | ONFIRMATION OF GENERAL PERMIT ELIGIBILITY | (check v box for each | • |
| 1. | Does this facility keep records to show that it does not have the potential to emit: a. 10 tons per year or more of any hazardous air pollutant? b. 25 tons per year or more of any combination of hazardous air pollutants? c 100 tons per year or more of any other regulated air pollutant? | ☐ Yes | ☐ No ☐ No ☐ No |
| 2. | Does this facility include: a. Any emission units or activities not covered by the applicable air general permit (with the exception units and activities that are exempt from permitting pursuant to subsection Rule 62-210.300(3) or Rule 62-4.040, F.A.C.)? | | ⊠ No |
| | b. Any emissions units or activities authorized by another air general permit where such other air general permit and this general permit specifically allow the use of one another at the same facility? | | ⊠ No |
| 3. | Is the total combined annual facility-wide fuel usage of all plants less than or equal to: a. 275,000 gallons of diesel fuel? b. 23,000 gallons of gasoline? c. 44 million standard cubic feet on natural gas? d. 1.3 million gallons of propane? e. Or an equivalent prorated amount if multiple fuels are used onsite (use equation below)? | Yes Yes Yes Yes Yes Yes | No No No No No |
| 4. | gal diesel/yr + gal gasoline/yr + MM SCF nat. gas/yr + MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM SCF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 23,000 gal gasoline/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr 44 MM scF nat. gas/yr + 1.3 MM gal propagation of gal diesel/yr + 1.3 MM gal propagation | e/yr aption | □ No |
| | | | |
| GI | ENERAL CONDITIONS | (check 🗹 box for each | |
| 1. | Has the owner or operator allowed the circumvention of any air pollution control device, or allowed the emission of air pollutants without the proper operation of all applicable air pollution control devices? | Yes | ☐ No |
| 2. | Does the owner or operator: a. Maintain the authorized facility in good condition? b. Ensure that the facility maintains its eligibility to use the air general permit and complies with all | Yes | ☐ No |
| 3. | terms and conditions of the air general permit? | Yes | ☐ No |
| | to the facility at reasonable times to inspect and test and to determine compliance with the air general permit and Department rules? | - Yes | ☐ No |

| RELOCATABLE PLANT: 1. Is the facility: stationary □; relocatable □; or consisting of both | stationary and relocatable box for | ek 🗹 only one each question) |
|--|--|------------------------------|
| concrete batching and/or nonmetallic mineral processing plants? (<i>I</i> 2. Is the relocatable concrete batching plant used to mix cement and | f only stationary, skip the following question | on 2.) |
| soil for onsite soil augmentation or stabilization?(If YES, answer 2. a and 2.b; if NO, answer question 2.c below.) | _ | es 🛭 No |
| a. Did the owner or operator notify the appropriate Department or e-mail, fax, or written communication at least one business day b. Did the owner or operator transmit a Facility Relocation Notific | prior to changing location? Y | es No |
| to the Department or Local Air Program no later than five busin c. Did the owner or operator transmit a Facility Relocation Notification. | ess days following a relocation? Yation Form [DEP No. 62-210.900(6)] | es No |
| to the appropriate Department or Local Air Program at least five 3. If the relocatable plant was co-located at a facility with a separate a | air construction or air operation permit, | es |
| and the relocatable batch plant is not included as an emissions unit a. Was the relocatable batch plant being used for a non-routine pur If YES, what was the purpose? | | es 🗌 No |
| b. Were records kept by the owner/operator to indicate how long it co-located at the permitted facility? | Y | es No |
| ,, p | | |
| CHANGES | (chec | ck 🗹 only one |
| Administrative Changes: | box for | each question) |
| Were there any changes in the name, address, or phone number of associated with a change in ownership or with a physical relocation operations comprising the facility; or any other similar minor admit 2. If YES, did the facility provide written notification within 30 days New or Modified Process Equipment or Change in Ownership: | n of the facility or any emissions units or nistrative change at the facility? X | |
| 3. Since the last registration form submittal has there been | | |
| a. Installation of any new process equipment? b. Alterations to existing process equipment without replacement? c. Replacement of existing equipment with equipment that is subs d. A change in ownership? | tantially different? Y | es |
| 4. If the answer to any question 3a. – d. is YES, was a new registration 30 days prior to the change? | | es 🗌 No |
| | | |
| Wendy D. Akins | 01/24/2012 | |
| Inspector's Name (Please Print) | Date of Inspection | _ |
| | 1/24/2015 | |
| Inspector's Signature | Approximate Date of Next Inspection | _ |

COMMENTS: This facility attempted to conduct VE testing several times in 20ll, but did not. According to phone call with Mr. Bill Pagano, in the Prestige corporate office, this facility is not currently operating. Inspection Findings: Upon arrival at facility, I found gates closed and chained. A testing letter was requested for 2011, letter was not received. Photos were taken at gate and are attached to this report. Certain questions on this checklist have been left blank because they could not be answered without speaking with a facility site representative.