

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/DISCOVER ARMS COMPLAINT NO:	Y (CI)						
AIRS ID#: 0951289 DATE: <u>10/23/2012</u>	ARRIVE: 9:30 AM	DEPART: <u>11:30 AM</u>						
FACILITY NAME: COMMUNITY FUNERAL HOME&SUNSET CREMATIONS								
FACILITY LOCATION: 910 W MICHIGAN ST								
ORLANDO 32805-54	104							
OWNER/AUTHORIZED REPRESENTATIVE: CHRISTOPHER HORA Email: scotthora@aol.com CONTACT NAME: CHRISTOPHER HORA Email: scotthora@aol.com ENTITLEMENT PERIOD: 9/29/2011 / 9/29/2016 (effective date) (end date) PHONE: (407)841-4424 PHONE: (407)841-4424 Mobile: (407)489-6326								
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE								
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): Scott Hora Brief Notes:		(check ☑ only one box for each question)						
2. Is the Authorized Representative still CHRISTOPHER If no, who is?:	R HORA?							
If different, did the facility provide an administrative u 3. Is the facility contact still CHRISTOPHER HORA? If no, who is?:								
4. Will facility be conducting VE test(s) during today's in If yes, was the compliance authority notified at least 1								

Emissions Unit Section 1 – Human Crematory-prim/2ndarychmbr,NG,tempM/R,opac.M,150lbs/hr

PART I: FILE REVIEW PRIOR TO INSPECTION		(check only one box for each question)	
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the	⊠ Yes	□No
3.	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	∑ Yes □ Yes	□No ⊠No
4.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	⊠ Yes □ Yes	□No ⊠No
	operation? N/A d. Date of last VE test: 11/30/2011 e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	☐ Yes ☐ Yes	□No
	f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		□No
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each o	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver?b. Was the visible emissions test conducted according to EPA Method 9?	Yes	□No □No □No
	c. The visible emission test resulted in an opacity of 0% for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit?(5\% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?	Yes	□No □No □No
3.	d. Did the visible emission test demonstrate compliance with the limit?		□No
	If yes, what reason?	Yes	⊠No
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check 🗹 box for each o	only one question)
1.	Were there any objectionable odors detected?	Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	□No
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at $\Box 1,800^1$ $\boxtimes 1,600^2$ degrees was determined?	⊠ Yes	□No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)							
c. Are the following records kept on file, available for inspection, for at least the past two years?							
1) All temperature measurements	Yes	□No					
2) all continuous monitoring systems, monitoring devices, and performance testing measurements; monitoring system all continuous performance evaluations	⊠ Yes	ПNо					
3) All CEMS or monitoring device calibration checks (last performed on ()	⊠ Yes	□No					
4) Adjustments	Yes	□No					
5) Preventive maintenance performed on systems/devices	X Yes	□No					
6) Corrective maintenance performed on systems/devices	⊠ Yes	∐No					
d. Are the temperature charts properly documented with operator name, operator indication of	-						
when cremation in the primary chamber was begun, date, time, and temperature markingse. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	⊠ Yes □ Yes	∐No ⊠No					
(1) Is the crematory unit installed after 2/1/07: If no, skip e.(1) = (3)		△100					
control combustion based on continuous in-stack opacity measurement?	Yes	□No					
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	□ v ₇						
exceeds 15% opacity?(3) Has the opacity measurement system been cleaned and checked for proper operation in	∐ Yes	∐No					
accordance with the manufacturer's recommended maintenance schedule?	Yes	□No					
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹	only one					
	box for each	question)					
	box for each	question)					
1. If the application to construct was BEFORE August 30, 1989 is the:	box for each	question)					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F 		question)					
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical secondary chamber.	Yes On						
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes						
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: 	Yes On	□No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	□No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes	□No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes	□No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	No No					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	NoNoNo					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo only one					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? PART V: <u>ALLOWED MATERIALS</u> 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one					
1. If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? 2. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? PART V: ALLOWED MATERIALS 1. Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one question)					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? PART V: <u>ALLOWED MATERIALS</u> Other than human or fetal remains with appropriate containers or clothing, are any materials, 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one question)					

PART VI: EQUIPMENT MAINTENANCE		(chack M	only one			
<u></u>	(eneck E		only one n question)			
1. Is the crematory unit maintained in accordance with the m	_	X Yes	□No			
2. Is there a written plan onsite which addresses the operating shutdown and malfunction?	g procedures during startup,	🛛 Yes	□No			
3. Does the crematory allow for a visible check on the flame If no, skip a. – b.	characteristics?	X Yes	□No			
a. Was the flame characteristic visually checked at least o b. Was the flame adjusted when necessary?			□No □No			
PART VII: EU INSPECTION COMPLIANCE STATUS		NAMCE				
☑ IN COMPLIANCE ☐ MINOR Non-COMPLIA	ANCE SIGNIFICANT Non-COMI	PLIANCE				
Facility Se	ection (continued)					
Tuemey 50	cetton (continueu)					
SPECIAL CONDITIONS AND PROCEDURES		(check ✓ box for eac	•			
Administrative Changes:						
1. Were there any changes in the name, address, or phone number of the facility or authorized representative not						
associated with a change in ownership or with a physical r operations comprising the facility; or any other similar min			⊠No			
2. If yes, did the facility provide written notification within 3			□No			
New or Modified Process Equipment or Change in Ownership	<u>o</u> :					
3. Since the last registration form submittal has there been			⊠No			
a. Installation of any new process equipment?b. Alterations to existing process equipment without replacement?			⊠No ⊠No			
b. Alterations to existing process equipment without replacement? Yes c. Replacement of existing equipment with equipment that is substantially different? Yes						
d. A change in ownership? Yes						
If the any answer to 3a. – d. is Yes, was a new regist submitted 30 days prior to the change?		\ \ Yes	□No			
3 1						
Bill Rhodes	10/23/2012					
Inspector's Name (Please Print)	Date of Inspection					
	12/31/2013					
Inspector's Signature	Approximate Date of Next In	nspection				

COMMENTS: Bill Rhodes met with Scott Hora, Funeral Director, of A Community Funeral Home & Sunset Cremations, as well as Mrs. Kaye Arlington, the consultant, representing Arlington Environmental Services, Inc. A records review and a VE compliance test were conducted on this date. The facility uses a Matthews IE-43 Power Pak II human cremation unit, which is approximately 5-years old, and is equipped with an opacity monitor. The unit was charged with a 172 pound female body. The temperature was verified to be 1746 degrees F from the M-Pyre digital panel read-out. The Partlow MRC-5000 strip chart recorder had a temperature of 1750 degrees F. Scott Hora performs the daily, weekly, and monthly maintenance on the cremation unit. Records are kept on file and were available for review. Partlow charts were randomly reviewed for information, including maintenance, operating times and other pertinent data. A 60-minute VE was performed with an observed opacity of 0%. There were no noticeable odors present at the time of the inspection.