

CONCRETE BATCHING PLANT



COMPLIANCE INSPECTION CHECKLIST

	NUAL (INS1, INS2)	COMPLAINT/DISCOVERY (Cl ARMS COMPLAINT NO:	
AIRS ID#: 7775310 001 FACILITY NAME: Action (DATE: <u>7/5/07</u>	ARRIVE: 1:00 PM	DEPART: <u>2:00 PM</u>
FACILITY LOCATION: 62			
	Seminole, FL		
RESPONSIBLE OFFICIAL	: <u>Richard K. Bailey</u> ?	PHONE: 727-	-391-6442
CONTACT NAME: Richard	1 K. Bailey?	PHONE: 727-	-391-6442
REMITTANCE YEAR: N/	'A ENTITLEM	IENT PERIOD: 1/8/2006 (effective date)	/ 1/8/11 (end date)
 (check ☑ appropriate box Stack Emissions Were visible emissions 62-297, F.A.C.)? Are emissions from sile controlled to the extent During visible emission at a rate that is represer unless such rate is unact that is represer unless such rate is unact. Are emissions from the to this question is "Yes skip 4.a) and 4.b) and ca Was the batching op b) During the visible enduration? 	x(es)) s tests conducted during this sit os, weigh hoppers (batchers), a t necessary to limit visible emis ns tests of the silo dust collecto ntative of the normal silo loadi chievable in practice? e weigh hopper (batcher) opera s", then continue on to question continue on to question 5.) peration in operation during the emissions test, was the batching	and other enclosed storage and con- ssions to 5 percent opacity? or exhaust points was the loading of ng rate, or at least at the minimum attion controlled by the silo dust coll hs 4.a) and 4.b) below. If answer is e visible emissions test?	Yes No veying equipment No Yes No f the silo conducted 25 tons per hour rate, 25 tons per hour rate, No Yes No ector? (If answer Yes No "No" then Yes No Yes No oatching rate and Yes No
from the silo dust colle	ector, are the visible emissions	on are controlled by a dust collector tests of the weigh hopper (batcher) ve of the normal batching rate and	dust collector

PART II: <u>TESTING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414, F.A.C. – (continued)					
(check 🗹 appropriate box(es)					
<u>Compliance Demonstration</u> - (Rule 62-296.401(5)(i), F.A.C.) Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of the annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.) Xerometric Standard Standar					
New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)					
2. Did this facility demonstrate:					
a) initial compliance no later than 30 days after beginning operation?					
b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date? Yes No					
Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)					
3. In order to demonstrate annual compliance, was an annual visible emissions test conducted 60days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date? XYes No					
Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.)					
4. Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed? ⊠Yes □ No					

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-210.300(4)(c)2., F.A.C.	
(check ☑ appropriate box(es))	
1. Is this facility: 1) a stationary ⊠; 2) a relocatable □; or does it have: 3) both, stationary and relocatable concrete batching and/or nonmetallic mineral processing plants? (<i>Please check ⊠ only one box.</i>)	le 🗌
 2. If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral process plants using individual air general permits at the same location? (<i>If your answer to this question is YES, then proceed to questions 2.a), thru 2.d), below.</i>)	□Yes ⊠ No □Yes ⊠ No
 3. Does the owner/operator of the concrete batching plant maintain a log book or books to account for: a) fuel consumption on a monthly basis? b) material processed on a monthly basis? c) the sulfur content of the fuel being burned (Fuel supplier certifications)? 	□Yes □ No □Yes □ No □Yes □ No

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.414(2)(a) and (b), F.A.C. (*continued*) (check ☑ appropriate box(es))

Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.)

1.	Does the owner /operator of the concrete batching plant take reasonable precautions to control unconfin	ied
	emissions by:	

a)	management of roads,	parking areas, stock	c piles, and yards	, which shall include one of	or more of the following:

1)	paving	and n	naintenance	of roads,	parking	g areas	, stock piles	, and yar	ds?	 	⊠Yes	🗌 No
-												

-2)) application of water or environmentally safe dust-suppressant chemicals when necessary to control		
	emissions?	⊠Yes	🗌 No

- 3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne particulate matter?----- Xes No
 - 4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles?----- ∑Yes □ No

b) use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck?----- 🗌 Yes 🗌 No

d) If you answered <u>YES</u> to any of the above, did the owner submit a new and complete notification form and appropriate fee (Rule 62-4.050, FAC) to the appropriate DEP or local program office?------ [Yes] No

Mike Ojo Thomas

Inspector's Name (Please Print)

____7/5/07____ Date of Inspection

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: See the attached Pinellas County inspection report form for additional information

CONCRETE BATCHING PLANT

FA	ACII	LIT	Action Concrete LLC	Per_ID: 2758	DISTRICT:		
			Seminole Yard		Southwest		
Al	DDR	ESS	5: 6201 Seminole Boulevard	CONTACT: Richard Bailey			
			Seminole, FL		Phone No: 727-391-6442		
	RMS 7775		: 001	<i>PERMIT NO.:</i> 7775310-001-AG	EXPIRATION DATE: 1/8/11		
	MIS: ghou		N UNIT DESCRIPTION: Co	oncrete Batch with 350 barrel Belgrade co	ement silo, emissions controlled by a 225		
	SPE 7/5/2		ION DATE:	ARMS INSPECTION TYPE: \square INS2orINS2	<i>COMPLIANCE STATUS:</i> ⊠IN □MNC □SNC		
	Ty	pe o	f Inspection:	□Re-inspection □Compla	int Drive-by Quarterly		
			-	A. General Review:			
1.	.	Peri	nit File Review		Yes No		
2	•	Intro	oduction and Entry		Yes No		
		regi		wner) was present during the facility in	cility has been operating within applicable aspection of the emission unit. He stated his		
3.			ne Authorized Representative nments: Mr. Bailey still the Aut		Yes No		
4			ne facility contact still: Richard		Xyes No		
			ments: Mr. Bailey stills the fa	· · · · · · · · · · · · · · · · · · ·			
	Μ	S					
Ι	Ν	Ν					
N	C	C		B. Specific Conditions			
			Relocation Notification Form [62-210.300(4)(c)2.c., F.A.C.	(DEP Form No.62-21 0.900(6)) to the D	osing to change location shall submit a Facility epartment at least 30 days prior to relocation;		
\boxtimes					air general permit may operate, or allow the		
			same location as the concrete total combined annual facility material processed is less than by weight. The owner or oper consumption and material pro	batching plant provided the resultant fac -wide fuel oil usage of all plants is less t a 10 million tons per calendar year, and t ator of the concrete batching plant shall	certifications shall be maintained to account for		
					tallic mineral processing plant on-site under		
			maximum 12 month totals of _ Pressure relief pop-up val	n/agallons/year of fuel and _n/a_ tons	t around the pop-off valves? 🗌 Yes 🔀 No		

Ŧ	M	S	
I N	N C	N C	B. Specific Conditions
			 Unconfined Emissions. The owner or operator shall take reasonable precautions to control unconfined emissions from hoppers, storage and conveying equipment, conveyor drop points, truck loading and unloading, roads, parking areas, stock piles, and yards as required by Rule 62-296.320(4)(c), F.A.C. For concrete batching plants the following shall constitute reasonable precautions: (a) Management of roads, parking areas, stock piles, and yards, which shall include one or more of the following: 1. Paving and maintenance of roads, parking areas, and yards. 2. Application of water or environmentally safe dust- suppressant chemicals when necessary to control emissions. 3. Removal of particulate matter from roads and other paved areas under control of the owner or operator to mitigate re-entrainment, and from building or work areas to reduce airborne particulate matter. 4. Reduction of stock pile height or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles. (b) Use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck. [62-296.414(2)] <i>Comments: The yard was wet, there were no unconfined emissions, from site activity at the time of inspection.</i>
			Visible emissions tests of silo dust collector exhaust points shall be conducted while loading the silo at a rate that is representative of the normal silo loading rate. The minimum loading rate shall be 25 tons per hour unless such rate is unachievable in practice. If emissions from the weigh hopper (batcher) operation are also controlled by the silo dust collector, the batching operation shall be in operation during the visible emissions test. The batching rate during the emissions test shall be representative of the normal batching rate and duration. Each test report shall state the actual silo loading rate during emissions testing and, if applicable, whether or not batching occurred during emissions testing. [62-296.414(3)(c), F.A.C.]
\boxtimes			If emissions from the weigh hopper (batcher) operation are controlled by a dust collector which is separate from the silo dust collector, visible emissions tests of the weigh hopper (batcher) dust collector exhaust point shall be conducted while batching at a rate that is representative of the normal batching rate and duration. Each test report shall state the actual batching rate during emissions testing. [62-296.414(3)(d), F.A.C.] Comments: Emissions from the weigh hopper are are not controlled by a separate dust collector. A separate test was not conducted at the appropriate rate.
			Each dust collector exhaust point shall be tested annually. New facilities permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits, shall demonstrate initial compliance no later than 30 days after beginning operation, and annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date. Existing facilities permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits, shall demonstrate compliance within 60 days prior to submitting an air general permit notification form and within 60 days prior to each anniversary of the air general permit be days prior to each anniversary of the air general permit notification form submittal date. Existing facilities permit notification form submittal date. [62-296.414(4), F.A.C.] Comments: The test should be completed between 10/9/06 and 12/9/06. The last test was conducted on 10/20/06, and the test results were submitted on 10/30/06.
\boxtimes			Test Reports The required test report shall be filed with the PCDEM as soon as practical but no later than 45 days after the test is completed. [Rules 62-213.440 and 62-297.310(8)(b), F.A.C.] <i>Comments: The last test was conducted on 10/20/06, and the test results were submitted on 10/30/06.</i>

Т	M N	S N					
N	C	C	B. Specific Conditions				
			 The pollution control equipment shall be operated and maintained in accordance to the operation and maintenance (O&M) plan. The O&M plan shall include, but is not limited to: Operating parameters of the pollution control device; Time table for the routine maintenance of the pollution control device as specified by the manufacturer; Time table for routine periodic observations of the pollution control device sufficient to ensure proper operation; A list of the type and quantity of the required spare parts for the pollution control device which are stored on the premises of the permit applicant; A record log which will indicate, at a minimum: When maintenance and observations were performed; What maintenance and observations were performed; and Acceptable parameter ranges for each operational check. [Pinellas County Code, Subsection 58-128] 				
57	·		C. General Procedure Requirements and Conditions				
			 Administrative Corrections. Within 30 days of any changes requiring corrections to information contained in the notification form, the owner or operator shall notify the Department in writing. Such changes shall include: a. Any change in the name of the authorized representative or facility address or phone number; or b. Any other similar minor administrative change at the facility or emissions unit. [62-210.300(4)(d)3., F.A.C.] 				
			Comments: This is non applicable at this time.				
			Equipment Changes. In case of the installation of new process equipment, alteration of existing process equipment without replacement, or the replacement of existing process equipment with equipment substantially different than that noted on the most recent notification form, the owner or operator shall submit a new and complete general permit notification form with the appropriate fee pursuant to Rule 62-4.050, F.A.C., to the Department. [62-210.300(4)(d)4., F.A.C.]				
			Comments: No facility changes.				
			A permittee's use of a general permit is limited to five years. No later than 30 days prior to the fifth anniversary of the filing of intent to use the general permit, the owner or operator shall submit a new notice of intent which shall contain all current information regarding the facility or emissions unit. Eligibility to use the general permit is not transferable and does not follow a change in ownership of the facility or emissions unit. Prior to any sale, other change of ownership, or permanent shutdown of the facility, the owner or operator is encouraged to notify the Department of the pending action. The owner shall remain liable for corrective actions that may be required as a result of any violations occurring in the time after the sale or legal transfer of the facility or emissions unit, but before a new owner is entitled to use an air general permit. [General Conditions - 62-210.300(4)(e)1., F.A.C.]				
			Comments: The permit expires on 1/8/11. A new notification form is required to be submitted no later than 12/9/10.				
			D. Other:				
\blacktriangleright	P2	2 Ha	Pollution Prevention Activities Pollution Prevention Activities ndouts Provided: P2 Brochure; P2 Manual; P2 Checklist				
\triangleright	Ha	ave	any emissions reductions occurred Yes / No				
		C	hemical Substitution; Equipment Changes; Process Changes				
	Chemical/Material Reuse; On-site Recycling; Other:						
Ca	mm	ent.	s:				

Other Comments: Mr. Bailey stated his business has been very slow this year. I explained to Mr. Bailey that our office would like to observe his cement storage silo next time they plan to load the silo. He stated he does not known the date as to when he would need a load of cement. He said would contact me next time they plan to load the silo.

Inspector(s): Mike Ojo Thomas, Pinellas County, Air Quality Division

Signature(s)

Date: 7/24/07

CONTACT LOG? _yes__, ACCESS? _yes__, ARMs? _yes__ H:\users\wpdocs\airqual\Air_Compliance\AQI\7775310 001 57492.doc