

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

	ANNUAL (INS1, INS2)	∠ COMPLAINT/DISCOVER	Y (CI)				
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO:					
AIRS ID#: 0694847 DA 7	ΓΕ: <u>02/25/10</u>	ARRIVE: <u>12:03pm</u>	DEPART: <u>12:15pm</u>				
FACILITY NAME: CAI	PRI CLEANERS						
FACILITY LOCATION	4420 S HWY 27						
	CLERMONT 3471	1-8600					
OWNER/AUTHORIZEI	OWNER/AUTHORIZED REPRESENTATIVE: WAYNE STAHLMAN PHONE: (321)228-2741						
CONTACT NAME:		PHONE:					
ENTITLEMENT PERIC	DD: 1/19/2006 / 1/19/20	011					
	(effective date) (end date	2)					
PART I: INSPECTION	COMPLIANCE STATUS	(check 🗹 only one box)					
☐ IN COMPLIANO		· —	Γ Non-COMPLIANCE				
PART II. FACILITY C	LASSIFICATION - Rule 6	2-213 300 FAC					
	y one box in A)	2-213.300 FAC					
transfer only, both types, x <	ly, x < 140 gal/yr x < 200 gal/yr	2. New small area source dry-to-dry only, x < 140 transfer only, x < 200 ga both types, x < 140 gal/y (constructed on or after	l/yr r				
dry-to-dry onl transfer only, both types, x < (constructed b 3. Existing large dry-to-dry onl transfer only, both types, 14	y, x < 140 gal/yr x < 200 gal/yr < 140 gal/yr pefore 12/9/91)	dry-to-dry only, $x < 140$ transfer only, $x < 200$ ga both types, $x < 140$ gal/y	l/yr r (2/9/91)				
dry-to-dry onl transfer only, both types, x < (constructed b 3. Existing large dry-to-dry onl transfer only, both types, 14 (constructed b 5. Ineligible for drop store/out	y, x < 140 gal/yr x < 200 gal/yr < 140 gal/yr before $12/9/91$) e area source y, $140 \le x \le 2,100 \text{ gal/yr}$ $1200 \le x \le 1,800 \text{ gal/yr}$	dry-to-dry only, x < 140 transfer only, x < 200 ga both types, x < 140 gal/y (constructed on or after dry-to-dry only, 140 \le x transfer only, 200 \le x \le both types, 140 \le x \le 1,\$\$	l/yr r (2/9/91)				

PA	RT III: GENERAL CONTROL REQUIREMENTS – Rule 62-213.300 FAC	(check 5	only or	ne box		
Do	es the responsible official of the dry cleaning facility:	for ea	ch questi	ion)		
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	Yes	□No	□N/A		
2.	Examine the containers for leakage?	Yes	☐ No	□ N/A		
3.	Close and secure machine doors except during loading/unloading?	Yes	☐ No			
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	□Yes	□ No	□ N/A		
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	□Yes	□No	□ N/A		
	RT IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)					
	1. If the facility classification is a Existing small area source , no controls are required.	red. Pro	ceed to I	Part V.		
	2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.					
	3. If the facility classification is a Existing large area source , the machine should be equipped with either a refrigerated condenser or a carbon adsorber. Complete both sections A and B below. Carbon adsorber must have been installed prior to September 22, 1993					
	4. If the facility classification is a <u>New large area source</u> , the machine should be equivalent condenser. Complete both sections A and B below.	ıuipped v	vith a ref	rigerated		
A.	Has the responsible official of all <u>existing large area & new sources</u> :		only each ques	one box for stion)		
1.	Equipped all machines with the appropriate vent controls?	Yes	□No			
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes	□No	□N/A		
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	□Yes	□No	□N/A		
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	□Yes	□No			
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	□Yes	□No	□N/A		
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	□Yes	□No			

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)					
В.	Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1.	Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
2.	Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- Yes No N/A			
	a) Is the temperature differential equal to, or greater than $20^{\rm o}F?$	☐Yes ☐ No ☐ N/A			
3.	Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
	a) Is the perc concentration equal to, or less than 100 ppm?	□Yes □ No □ N/A			
4.	Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	Yes No N/A			
5.	Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A			
6.	Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A			
PA	PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC (check ✓ only one box for				
	ART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ☑ only one box for			
Do	OPEN TO SERVICE OF THE PROPERTY OF THE PROPERT	(check ☑ only one box for each question)			
		each question)			
1.	pes the responsible official:	each question) - Yes No			
1. 2.	Des the responsible official: Maintain receipts for perc purchased?	each question) - Yes No			
1. 2.	Maintain receipts for perc purchased? Maintain rolling monthly total of yearly perc consumption?	each question) - Yes No Yes No			
1. 2.	Maintain receipts for perc purchased? Maintain rolling monthly total of yearly perc consumption? Maintain leak detection inspection and repair reports for the following:	each question) - Yes No Yes No			
1. 2. 3.	Maintain receipts for perc purchased? Maintain rolling monthly total of yearly perc consumption? Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days	each question) - Yes No Yes No - Yes No No			
1. 2. 3.	Maintain receipts for perc purchased? Maintain rolling monthly total of yearly perc consumption? Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	each question) -			
1. 2. 3. 4. 5.	Maintain receipts for perc purchased? Maintain rolling monthly total of yearly perc consumption? Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintain calibration data? (for applicable direct reading instruments)	each question) -			
1. 2. 3. 4. 5. 6.	Maintain receipts for perc purchased?	each question) -			
1. 2. 3. 4. 5. 6.	Maintain receipts for perc purchased?	each question) -			
 1. 2. 3. 4. 6. 7. 	Maintain receipts for perc purchased? Maintain rolling monthly total of yearly perc consumption? Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintain calibration data? (for applicable direct reading instruments) Maintain exhaust duct monitoring data on perc concentrations?	each question) -			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check ☑ only one box for each question)

detection and repair inspection?			
2. Does the facility maintain a leak log?	Yes No		
b) Door gaskets and seating c) Filter gaskets and seating d) Pumps Yes No N/A h) Stills - Yes No N/A i) Exhaus Yes No N/A j) Diverter	cookers Yes No N/A Yes No N/A st dampers Yes No N/A er valves Yes No N/A dge filter housings Yes No N/A		
4. Which method(s) of detection (is/are) used by the responsible official?			
a) Visual examination (condensed solvent on exterior surfaces) b) Physical detection (airflow felt through gaskets) c) Odor (noticeable perc odor) d) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) e) Halogen leak detector **If using direct-reading instrumentation, is the equipment: 1) Capable of detecting perc vapor concentrations in a range of 0-500 2) Calibrated against a standard gas prior to and after each use (PID/F 3) Inspected for leaks and obvious signs of wear on a weekly basis? 4) Kept in a clean and secure area when not in use?	b)		
Danielle D. Owens	February 25, 2010		
Inspector's Name (Please Print)	Date of Inspection		
Inspector's Signature	Approximate Date of Next Inspection		
COMMENTS: Facility is no longer in business. The perc machine is still located on the premises, but no other items are in the facility.			