

## $\frac{POLYESTER}{FABRICATION} \frac{PRODUCTS}{FABRICATION}$



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:		
AIRS ID#: 0710243 DATE: <u>05/27/2009</u> ARRIVE: <u>2:15 P.M.</u> DEPART: <u>2:40 P.M.</u>		
FACILITY NAME: FORT MYERS, FLORIDA		
FACILITY LOCATION: 15821 Chief Court		
FORT MYERS 33912-2261		
OWNER/AUTHORIZED REPRESENTATIVE: MARK MC MANUS PHONE: (239)454-1114		
CONTACT NAME: PHONE:		
<b>ENTITLEMENT PERIOD:</b> 2/26/2006 / 2/26/2011 (effective date) (end date)		
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE		
PART II: CONTROL TECHNOLOGY/RECORDKEEPING REQUIREMENTS — Rule 62-210.300, F.A.C. (check ☐ appropriate box(es))  1. Does the facility operate any emissions units other than the polyester resin plastic products fabrication units and emissions units which are exempt from permitting pursuant to the criteria of paragraph 62-210.300(3)(a) or (b), F.A.C., or have been exempted from permitting under Rule 62-4.040, F.A.C.? (Rule 62-210.300(3)(c)5.a., F.A.C.)——————————————————————————————————		

PART III: CONTROL/OPERATING/MAINTENANCE REQUIREMENTS – Rule 62-210.300, F.A.C. (check ☑ appropriate box(es))		
1. Does the owner or operator voluntarily encourage pollution prevention through such measures as training employees involved in product fabrication on methods of reducing evaporative losses by:  a) lessening the exposure of fresh resin surfaces to the air?		
PART IV: <u>SPECIAL CONDITIONS AND PROCEDURES</u> – Rule 62-210.300(4)(d)4., F.A.C. (check ☑ appropriate box(es))  A. <u>New or Modified Process Equipment</u>		
1. Since the last inspection has there been  a) installation of any new process equipment?		
ROBERT J. STEWART	05/27/2009	
Inspector's Name (Please Print)	Date of Inspection	
Robert J. Stewart	05/2010	
Inspector's Signature	Approximate Date of Next Inspection	

**COMMENTS:** Total combined quantity of styrene containing resin and gel-coat used in the last consecutive twelve month period is 3,198 lbs.