

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:) 🗌							
AIRS ID#: 0710245 DATE: <u>5/13/14</u> ARRIVE: <u>14:00</u> DI	EPART: <u>15:40</u>							
FACILITY NAME: FULLER-METZ CREMATION & FUNERAL SERVICES								
FACILITY LOCATION: 3740 DEL PRADO BLVD S								
CAPE CORAL 33904-7141								
OWNER/AUTHORIZED REPRESENTATIVE: MELVIN PAYNE Email: CONTACT NAME: DANIEL FULLER Email: ENTITLEMENT PERIOD: 6/28/2010 / 6/28/2015 PHONE: (713 Mobile: PHONE: (239 Mobile:								
(effective date) (end date)								
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE								
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): Tim Hauck, Funeral Director Brief Notes:	(check ☑ only one box for each question)							
2. Is the Authorized Representative still MELVIN PAYNE?	⊠ Yes □No							
If different, did the facility provide an administrative update within 30 days? 3. Is the facility contact still DANIEL FULLER?								
4. Will facility be conducting VE test(s) during today's inspection?								

Emissions Unit Section 1 – Human Crematory-2chamber, LPgas, w/temp/opacitymonitor, 150#/hr

PA	ART I: FILE REVIEW PRIOR TO INSPECTION	(check 🗹 box for each	
1.	 a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the 	Yes	□No
3.	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	Yes Yes	□No ⊠No
4.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	☐ Yes ☐ Yes	⊠No ⊠No
	operation?	Yes	□No
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		∐No ∏No
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check 🗹 box for each	
1.	Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?	⊠ Yes	□No □No □No
	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		nNo
2.	Was a visible emissions test conducted by the inspector during this site visit?		□No □No □No
3.	d. Did the visible emission test demonstrate compliance with the limit?	rds?	□No
İ	If yes, what reason?	∐ Yes	⊠No
PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check b ox for each	•
1.	Were there any objectionable odors detected?	Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
	Continuous Monitoring Systems –		
	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	□No
D	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at \Box 1,800 ¹ \boxtimes 1,600 ² degrees was determined?	⊠ Yes	□No

PA	PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)				
· · · · · ·					
c.	Are the following records kept on file, available for inspection, for at least the past two years?				
	1) All temperature measurements	Yes	□No		
	2) all continuous monitoring systems, monitoring devices, and performance testing measurements; monitoring system all continuous performance evaluations	⊠ Yes	ПNо		
	3) All CEMS or monitoring device calibration checks (last performed on ()	Yes	□No		
	4) Adjustments	Yes	□No		
	5) Preventive maintenance performed on systems/devices	Yes	No		
	6) Corrective maintenance performed on systems/devices	Yes	∐No		
d.	Are the temperature charts properly documented with operator name, operator indication of	_			
	when cremation in the primary chamber was begun, date, time, and temperature markings	Yes	∐No		
e.	Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical	Yes	⊠No		
	control combustion based on continuous in-stack opacity measurement?	Yes	□No		
	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity				
	exceeds 15% opacity?	Yes	□No		
	(3) Has the opacity measurement system been cleaned and checked for proper operation in	□ Van	□ Na		
	accordance with the manufacturer's recommended maintenance schedule?	Yes	No		
			, 71		
PA	ART IV: <u>SECONDARY COMBUSTION ZONE TEMPERATURES</u>	(check 🗹	only one		
		hox for each	n question)		
		box for each	n question)		
	If the application to construct was BEFORE August 30, 1989 is the:	box for each	n question)		
	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		_		
	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes	n question) □No		
	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical combustion.	Yes	□No		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes	_		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	Yes	□No		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	Yes on Yes	□No		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes ion ☐ Yes ☐ Yes	□No		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes ion ☐ Yes ☐ Yes	□No		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes ion ☐ Yes ☐ Yes ☐ Yes	□No □No		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	Yes On Yes Yes Yes Yes Yes	NoNoNoNo		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	Yes On Yes Yes Yes Yes (check 🗹	NoNoNoNo only one		
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	Yes On Yes Yes Yes Yes Yes	NoNoNoNo only one		
1. 2. P	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? ART V: ALLOWED MATERIALS	Yes On Yes Yes Yes Yes (check 🗹	NoNoNoNo only one		
1. 2. P	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	Yes On Yes Yes On Yes On Yes On On Yes	NoNoNoNo only one		
1. 2. PA	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? ART V: ALLOWED MATERIALS Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?	Yes On Yes Yes On Yes On Yes On On Yes	NoNoNo only one a question)		
1. 2. PA	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? ART V: ALLOWED MATERIALS Other than human or fetal remains with appropriate containers or clothing, are any materials,	Yes On Yes Yes On Yes On Yes On On Yes	NoNoNo only one a question)		

PART VI: EQUIPMENT MAINTENANCE			(check ☑ only one box for each question)				
1. Is the crematory unit maintained in accordance with the manufacture	r's specifications?	Yes	□No				
2. Is there a written plan onsite which addresses the operating procedure shutdown and malfunction?		⊠ Yes	□No				
3. Does the crematory allow for a visible check on the flame characterist If no, skip a. – b.	stics?	Yes	⊠No				
a. Was the flame characteristic visually checked at least once during b. Was the flame adjusted when necessary?			□No □No				
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)							
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE	SIGNIFICANT Non-COMPL	IANCE					
Facility Section (continued)							
SPECIAL CONDITIONS AND PROCEDURES		(check ☑ box for each	-				
 Administrative Changes: Were there any changes in the name, address, or phone number of the associated with a change in ownership or with a physical relocation of operations comprising the facility; or any other similar minor admini If yes, did the facility provide written notification within 30 days of the New or Modified Process Equipment or Change in Ownership: Since the last registration form submittal has there been	of the facility or any emissions unistrative change at the facility? he change? ent? ubstantially different? m and the appropriate fee	ts or Yes	NoNoNoNoNoNoNoNoNoNo				
Diane Loughlin	5/13/2014						
Inspector's Name (Please Print)	Date of Inspection						
Diane Loughei							
Inspector's Signature	Approximate Date of Next Insp	pection					
COMMENTS:							