

PERCHLOROETHYLENE DRY CLEANERS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE :	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVE	RY (CI)		
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO	:		
AIRS ID#: 0251220 DAT	TE: <u>4/17/09</u>	ARRIVE: <u>10:35AM</u>	DEPART: <u>11:02AM</u>		
FACILITY NAME: X-PRESS DRY CLEANER					
FACILITY LOCATION	: 1024 W 23rd ST				
	HIALEAH 33010-	1923			
OWNER/AUTHORIZEI	REPRESENTATIVE: B	EDA DIAZ PHONE	: (954)643-2031		
CONTACT NAME:		PHONE	::		
ENTITLEMENT PERIO	D: 6/3/2006 / 6/3/201 (effective date) (end date				
PART I: <u>INSPECTION</u>	COMPLIANCE STATUS	(check ☑ only one box)			
☐ IN COMPLIANC	E MINOR Non-CO	MPLIANCE SIGNIFICAN	VT Non-COMPLIANCE		
	<u>LASSIFICATION</u> - Rule 6 y one box in A)	2-213.300 FAC			
`	,				
A. 1. Existing small	garea source y, x < 140 gal/yr	2. New small area source dry-to-dry only, x < 14			
transfer only,	x < 200 gal/yr	transfer only, $x < 200 g$	gal/yr		
both types, x < (constructed b		both types, $x < 140$ gal. (constructed on or after			
,	· —	,			
3. Existing large	area source y, 140 < x < 2,100 gal/yr	4. New large area source dry-to-dry only, 140 ≤			
transfer only,	$200 \le x \le 1,800 \text{ gal/yr}$	transfer only, $200 \le x \le$	≤ 1,800 gal/yr		
both types, 14 (constructed b	$0 \le x \le 1,800 \text{ gal/yr}$ efore $12/9/91$)	both types, $140 \le x \le 1$ (constructed on or after			
5 Ingligible for	Canaral Parmit				
5. Ineligible for drop store/out facility exceed	of business/petroleum				

	RT III: <u>GENERAL CONTROL REQUIREMENTS</u> – Rule 62-213.300 FAC less the responsible official of the dry cleaning facility:	(check ☑ only one box for each question)		
1.	Store perc, and wastes containing perc, in tightly sealed & impervious containers?	□Yes □No □N/A		
2.	Examine the containers for leakage?	□Yes □ No □ N/A		
	Close and secure machine doors except during loading/unloading?	Yes No		
	Drain cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	☐Yes ☐ No ☐ N/A		
	Maintain solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	☐Yes ☐ No ☐ N/A		
	ART IV: PROCESS VENT CONTROLS – Rule 62-213.300 FAC efer to Part II-A.14. Classification: page 1 of 4, this form)			
	1. If the facility classification is a Existing small area source, no controls are requi	ired. Proceed to Part V.		
2. If the facility classification is a <u>New small area source</u> , the machine should be equipped with a refrigerated condenser. Complete section A. below.				
	 If the facility classification is a <u>Existing large area source</u>, the machine should be refrigerated condenser or a carbon adsorber. Complete both sections A and B below must have been installed prior to September 22, 1993 If the facility classification is a <u>New large area source</u>, the machine should be excondenser. Complete both sections A and B below. 	ow. Carbon adsorber		
A.	Has the responsible official of all <u>existing large</u> <u>area & new sources</u> :	(check ☑ only one box for each question)		
1.	Equipped all machines with the appropriate vent controls?	□Yes □No		
2.	Equipped dry-to-dry machines with a closed-loop vapor venting system?	Yes No N/A		
3.	Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	- Yes No N/A		
4.	Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	- Yes No		
5.	Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	- Yes No N/A		
6.	Conducted all temperature monitoring after an appropriate cool-down period and after verifying that the coolant had been completely charged?	∐Yes □No		

PART IV: PROCESS VENT CONTROLS - Rule 62-213.300 FAC (continued)				
B. Does the responsible official of an existing large or new large area source also:	(check ☑ only one box for each question)			
1. Measure and record the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	□Yes □No			
Measure and record the washer exhaust temperature at the condenser inlet and outlet weekly?	- Yes No N/A			
a) Is the temperature differential equal to, or greater than 20° F?	□Yes □ No □ N/A			
3. Measure and record the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped exclusively with a carbon adsorber?	□Yes □ No □ N/A			
a) Is the perc concentration equal to, or less than 100 ppm?	□Yes □ No □ N/A			
4. Assure that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	☐Yes ☐ No ☐ N/A			
5. Equip transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	- Yes No N/A			
6. Route airflow to the carbon adsorber (if used) at all times?	☐Yes ☐ No ☐ N/A			
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC	(check ✓ only one box for			
PART V: <u>RECORDKEEPING REQUIREMENTS</u> – Rule 62-213.300(3) FAC Does the responsible official:	(check ☑ only one box for each question)			
	each question)			
Does the responsible official:	each question) - Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) - Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption?	each question) - Yes No Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption? 3. Maintain leak detection inspection and repair reports for the following:	each question) - Yes No Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased? 2. Maintain rolling monthly total of yearly perc consumption? 3. Maintain leak detection inspection and repair reports for the following: a) documentation of leaks repaired w/in 24 hrs? or; b) documentation of parts ordered to repair leak and leak repaired w/in 2 days	each question) - Yes No Yes No - Yes No			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			
 Maintain receipts for perc purchased?	each question) -			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			
Does the responsible official: 1. Maintain receipts for perc purchased?	each question) -			

PART VI: <u>LEAK DETECTION AND REPAIRS</u> – Rule 62-213.300 FAC

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak

(check **☑** only one box for each question)

detection and repair inspection?	Yes No
2. Does the facility maintain a leak log?	— — —
3. Does the responsible official check the following areas for leaks? a) Hose connections, fittings, couplings, and valves	
4. Which method(s) of detection (is/are) used by the responsible office. a) Visual examination (condensed solvent on exterior surfaces) - b) Physical detection (airflow felt through gaskets) c) Odor (noticeable perc odor) d) Use of direct-reading instrumentation (FID/PID/calorimetric te) Halogen leak detector **If using direct-reading instrumentation, is the equipment: 1) Capable of detecting perc vapor concentrations in a range of 0 2) Calibrated against a standard gas prior to and after each use (F 3) Inspected for leaks and obvious signs of wear on a weekly bas 4) Kept in a clean and secure area when not in use? 5) Verified for accuracy by use of duplicate samples (calorimetri	a)
MARQUES LOPEZ	4/17/09
Inspector's Name (Please Print)	Date of Inspection
	4/10
Inspector's Signature	Approximate Date of Next Inspection

COMMENTS: ON APRIL 17, 2009 I VISITED THIS FACILITY TO CONDUCT THE ANNUAL COMPLIANCE INSPECTION. ON SITE I MET HUMBERTO RODRIGUEZ, THE OWNER OF THE FACILITY. THE FACILITY DOES NOT USE PERC AS ITS WASHING SOLVENT, IT INSTEAD USES MINERAL SPIRITS.