C/
S FLORIDA

ANIMAL CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNU	JAL (INS1, INS2)	COMPLAINT/DISCOV	VERY (CI)		
RE-IN	SPECTION (FUI)	ARMS COMPLAINT N	NO:		
AIRS ID#: 1190044 DATE: 07/	/10/2007	ARRIVE: <u>1231</u>	DEPART: <u>1329</u>		
FACILITY NAME: Sumter Cre	emation Services				
FACILITY LOCATION:	720 East Southland Ave				
	Bushnell 33513-				
RESPONSIBLE OFFICIAL: R	connie Graves	РНО	NE: (352)793-447		
CONTACT NAME: Ronnie Gr	aves/ Julie Pacheco	РНО	NE: (352)568-0223		
REMITTANCE YEAR:	ENTITLE	EMENT PERIOD: 7/8/200 (effective			
PART I: INSPECTION COMP	DI LANCE CTATUS (che	1. Marty and hav)			
PART I: <u>INSPECTION COMP</u> IN COMPLIANCE	MINOR Non-COMP	-	CANT Non-COMPLIANC	E	
			~		
PART II: <u>TESTING/RECORD</u> (check ☑ appropriate box(est	s))				
 (check appropriate box(es 1. Were there any objectiona 2. Was a visible emissions te 	s)) able odor(s) detected? est conducted during this s	site visit according to EPA I	Method 9 (Ref.: Chapter		No No
 (check appropriate box(es) 1. Were there any objectiona 2. Was a visible emissions te 62-297, F.A.C.)?	s)) able odor(s) detected? est conducted during this s dividual source compliance tification form submission	site visit according to EPA I ce, was an annual visible en n, and within 60 days prior t	Method 9 (Ref.: Chapter missions test conducted 60 to each anniversary date? (Yes]	No No
 (check appropriate box(es) 1. Were there any objectiona 2. Was a visible emissions te 62-297, F.A.C.)? 3. In order to demonstrate ind days prior to the AGP Not 62-296.401(6)(j), F.A.C.)- 4. In order to demonstrate ind 	s)) uble odor(s) detected? est conducted during this s dividual source compliant tification form submission 	site visit according to EPA 1 ce, was an annual visible en n, and within 60 days prior t ce were the remaining appli	Method 9 (Ref.: Chapter missions test conducted 60 to each anniversary date? (icable standards testing	☐Yes (Rule ☐Yes	No No
 (check ☑ appropriate box(est) 1. Were there any objectiona 2. Was a visible emissions te 62-297, F.A.C.)?	s)) uble odor(s) detected? est conducted during this s dividual source compliand tification form submission dividual source compliand s prior to the AGP Notific) emissions equal to or bo	site visit according to EPA I ce, was an annual visible en n, and within 60 days prior t ce were the remaining appli cation form submission? (Ru elow the requirements of 10	Method 9 (Ref.: Chapter missions test conducted 60 to each anniversary date? (☐Yes (Rule ☐Yes	No
 (check appropriate box(est) 1. Were there any objectiona 2. Was a visible emissions te 62-297, F.A.C.)? 3. In order to demonstrate ind days prior to the AGP Not 62-296.401(6)(j), F.A.C.)- 4. In order to demonstrate ind completed within 60 days a) Carbon Monoxide (CC volume, dry basis, correct 10 (Ref.: Chapter 62-297, b) Oxygen test performed 	s)) able odor(s) detected? est conducted during this s dividual source compliant tification form submission dividual source compliant s prior to the AGP Notific D) emissions equal to or by ted to 7% O ₂ on an hourly F.A.C.)? d according to EPA Metho	site visit according to EPA 1 ce, was an annual visible en n, and within 60 days prior t ce were the remaining appli cation form submission? (Ru elow the requirements of 10 y average basis and tested ac od 3 (Ref.: Chapter 62-297,	Method 9 (Ref.: Chapter missions test conducted 60 to each anniversary date? (icable standards testing ule 62-210.300(4), F.A.C.) 00 parts per million by ccording to EPA Method F.A.C.)?	☐Yes (Rule ☐Yes ○ ☐Yes	No No
 (check appropriate box(est) 1. Were there any objectiona 2. Was a visible emissions te 62-297, F.A.C.)?	s)) able odor(s) detected? est conducted during this s dividual source compliant tification form submission dividual source compliant s prior to the AGP Notific)) emissions equal to or bo ted to 7% O ₂ on an hourly F.A.C.)? d according to EPA Methors sions test with results equat 3) of flue gas, corrected to	site visit according to EPA I ce, was an annual visible en n, and within 60 days prior t ce were the remaining appli cation form submission? (Ru elow the requirements of 10 y average basis and tested ac od 3 (Ref.: Chapter 62-297, ual to or below the requirements o 7% O_2 and tested accordin	Method 9 (Ref.: Chapter missions test conducted 60 to each anniversary date? (icable standards testing ule 62-210.300(4), F.A.C.) 00 parts per million by ccording to EPA Method 	☐Yes (Rule ☐Yes ○ ☐Yes ○ ☐Yes ○ ☐Yes	 No No No No No No No
 (check appropriate box(est) 1. Were there any objectiona 2. Was a visible emissions te 62-297, F.A.C.)?	s)) able odor(s) detected? est conducted during this s dividual source compliand tification form submission dividual source compliand s prior to the AGP Notific D) emissions equal to or bo ted to 7% O ₂ on an hourly F.A.C.)? d according to EPA Metho ssions test with results equation to the according to the formation to the solution to the source of the source conducted with the source	site visit according to EPA 1 ce, was an annual visible en n, and within 60 days prior to ce were the remaining appli cation form submission? (Ru elow the requirements of 10 y average basis and tested ac od 3 (Ref.: Chapter 62-297, ual to or below the requirem 0.7% O ₂ and tested according e operating at the manufacture	Method 9 (Ref.: Chapter missions test conducted 60 to each anniversary date? (icable standards testing ule 62-210.300(4), F.A.C.) 00 parts per million by ccording to EPA Method , F.A.C.)?	☐Yes (Rule ☐Yes ○ ☐Yes ○ ☐Yes ○ ☐Yes ☐Yes	 ☑ No ☑ No ☑ No ☑ No ☑ No
 (check appropriate box(est) 1. Were there any objectiona 2. Was a visible emissions te 62-297, F.A.C.)?	s)) able odor(s) detected? est conducted during this s dividual source compliant tification form submission dividual source compliant s prior to the AGP Notific D) emissions equal to or be ted to 7% O ₂ on an hourly F.A.C.)?	site visit according to EPA I ce, was an annual visible en n, and within 60 days prior to ce were the remaining appli cation form submission? (Ru elow the requirements of 10 y average basis and tested ac od 3 (Ref.: Chapter 62-297, ual to or below the requirem 0.7% O ₂ and tested accordin e operating at the manufactu	Method 9 (Ref.: Chapter missions test conducted 60 to each anniversary date? (icable standards testing ule 62-210.300(4), F.A.C.) 00 parts per million by ccording to EPA Method , F.A.C.)?	□Yes (Rule □Yes • □Yes • □Yes • □Yes • □Yes • □Yes • □Yes • □Yes	 No No No No No No No

PART III: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-296.401, F.A.C. (check ☑ appropriate box(es))

1. Is there Continuous Emissions Monitoring System (CEMS) equipment installed on each unit to record t		
primary and secondary chambers where there is a 1.0 second gas residence time in the secondary chamber co		
accordance with the manufacturer's instructions?		No No
a) Do temperature probes seem to be properly placed?	⊠Yes	No No
b) Are the following records kept on file, available for inspection for at least two years following the rec	ording of	f such
measurements, maintenance, reports and records?		
1) All measurements (including CEMS)	⊠Yes	No No
2) Monitoring device	⊠Yes	No No
3) Performance Testing Measurements	⊠Yes	No No
4) CEMS Performance Evaluation	Yes	No
5) All CEMS or monitoring device calibration checks	Yes	No
6) Adjustments	Yes	No
7) Preventive maintenance performed on systems/devices	Yes	No
8) Corrective maintenance performed on systems/devices	Yes	
2. Was this crematory unit constructed: (check only one ☑ box)		
a) <u>BEFORE</u> August 30, 1989? (If this box checked, continue on to #3 and skip #4)		
b) \square <u>ON</u> or <u>AFTER</u> August 30, 1989? (If this box checked, skip #3 and continue on to #4)		
3. If constructed <u>BEFORE</u> August 30, 1989 is the:		
a) secondary chamber combustion zone providing at least a 1.0 second gas residence time @ 1600°F?	Yes	□ No
	les	
b) actual operating temperature of the secondary chamber combustion zone no less than 1400° F		
throughout the combustion process in the primary chamber?	Yes	∐ No
c) cremation in the primary chamber begun after the secondary chamber combustion zone temperature		
is equal to or greater than 1400°F?	Yes	l No
d) required monitoring equipment installed and operational, and providing continuous monitoring to		
record the temperature at the point or beyond where 1.0 second gas residence time is obtained in the	_	_
secondary chamber combustion zone according to the manufacturer's instructions?	Yes	└ No
4. If constructed ON or AFTER August 30, 1989 is the:		
a) volume in the secondary combustion zone sufficient to provide at least a 1.0 second gas residence time	le	
@ 1800° F?	Yes	No No
b) the actual operating temperature of the secondary chamber combustion zone no less than 1600°F		
throughout the combustion process in the primary chamber?	Yes	No No
c) secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematio	n	
process begins in the primary chamber?	Yes	No No
5. Are appropriate leak-proof containers containing no more than 0.5 % (percent) by weight chlorinated		
plastics used during the cremation of dead animals?	⊠Yes	No
a) If the answer to question 4 above is YES, is certifying documentation from the manufacturer that they		
are composed of 0.5% or less by weight chlorinated plastics kept on file at the site for the duration of		
their use and for at least two years after their use?	⊠Yes	□ No
b) If plastic bags are used for the cremation of animals are they non-chlorinated and no less than 3 mils		
thick?	⊠Yes	□ No
c) Are dead animals, which have been used for medical or commercial experimentation, or other		
		M N-
materials, including biomedical wastes (Rule 62-210.200, F.A.C.), incinerated at this location?	Yes	No No
6. During this review period, was the largest batch load cremated 500 pounds per hour or less?	Yes	
7. Have all crematory operators been trained and certified by a Department-approved training program?	Yes	l No
a) Are copies of the training certificates all crematory operators kept on file at the facility for the duration		
of the operator's employment & for an additional two years after termination of employment?	□Yes	No No

PART IV: <u>SPECIAL CONDITIONS AND PROCEDURES</u> – Rule 62-296.401, F.A.C.

Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
Yes Yes	□No □No
	☐Yes ☐Yes ☐Yes ☐Yes ☐Yes

Joseph V. Panetta

Inspector's Name (Please Print)

07/12/2007

Approximate Date of Next Inspection

Date of Inspection

2008

Inspector's Signature

COMMENTS: Spoke with Ronnie Graves and Julie Pacheco about rules. Went over rules explaining maintenance schedules and how the new January 10, 2007 Rule change addresses the operation of crematories according to manufacturer's specifications. Left him a copy of the new rules. Highlighted areas of rules we went over. Left examples of preventive schedules. They had preventive maitainence schedule in place

Explained allowed Materials. Animal crematory units shall cremate only animal remains and, if applicable, the bedding associated with the animals and appropriate containers. Containers shall contain no more than 0.5 percent by weight chlorinated plastics as demonstrated by the manufacturer's data sheet. If containers are incinerated, documentation from the manufacturers certifying that they are composed of 0.5 percent or less by weight chlorinated plastics shall be kept on-file at the site for the duration of their use and for at least two (2) years after their use. Animal crematory units shall not cremate dead animals which were used for medical or commercial experimentation. No other material, including biomedical waste as defined in Rule 62-210.200, F.A.C., shall be incinerated.

Described Equipment Maintenance. All animal crematory units shall be maintained in proper working order in accordance with the manufacturer's specifications to ensure the integrity and efficiency of the equipment. If a crematory unit contains a defect that affects the integrity of the unit, the unit shall be taken out of service. No person shall use or permit the use of that unit until it has been repaired or adjusted. Repair records on all crematory units shall be maintained onsite for at least two (2) years. A written plan with operating procedures for startup, shutdown and malfunction of each crematory unit shall be maintained and followed during those events. Each unit's burners shall be operated with a proper air to-fuel ratio. If the unit so allows, the burners' flame characteristics shall be visually checked at least once during each operating shift and adjusted when warranted by the visual checks.

Viewed Records from April 1, 2007 to July 10,2007

VE was performed 04/27/07

Operating at time of inspection Temp 1681 F

Explained allowed Materials. Human crematory units shall cremate only human or fetal remains with appropriate containers. The remains may be clothed. The containers shall contain no more than 0.5 percent by weight chlorinated plastics as demonstrated by the manufacturer's data sheet. If containers are incinerated, documentation from the manufacturers certifying that they are composed of 0.5 percent or less by weight chlorinated plastics shall be kept on-file at the site for the duration of their use and for at least two (2) years after their use. No other material, including biomedical waste shall be incinerated.