NUMBERIAL PROTECTION	
Same Course	
FLORIDA	

NON-METALLIC MINERAL PROCESSING PLANTS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/DISCOVER	Y (CI)			
AIRS ID#: 7775363 DATE: <u>9/4/2013</u>	ARRIVE: <u>12:34 PM</u>	DEPART: <u>12:48 PM</u>			
FACILITY NAME: CAMPBELL EAST LLC					
FACILITY LOCATION: 9000 NW 102 Avenu	le				
DORAL 33178					
OWNER/AUTHORIZED REPRESENTATIVE: S Email: sam@downrite.com CONTACT NAME: JAMES SIMPSON Email: jsimpson@downrite.com ENTITLEMENT PERIOD: 11/17/2011 / 11/17. (effective date) (end date	Mobile: PHONE: Mobile: V/2016	(305)345-4000			
Facility Section					
PART I: INSPECTION COMPLIANCE STATUS	(check 🗹 only one box)				
IN COMPLIANCE MINOR Non-CO	MPLIANCE SIGNIFICAN	T Non-COMPLIANCE			
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s):		(check \square only one box for each question)			

	Brief Notes:		
2.	Is the Authorized Representative still SAM LOBUE?	Yes Yes	No
3.	If different, did the facility provide an administrative update within 30 days? Is the facility contact still JAMES SIMPSON?	Yes Yes	□No □No
4.	Will facility be conducting VE test(s) during today's inspection?	Yes Yes	□No □No

Emissions Unit Section
1 -NMMP Plant-crusher(50 t/hr)screen,4 conveyors & diesel RIC

		(check 🗹	only one
			question)
 Is the Emissions Unit (EU) subject to 40 CFR part 60 {Note: "Nonmetallic mineral" means any of the following minerals: (1) Crushed and Bra Traprock, Sandstone, Quartz, Quartzite, Marl, Marb (3) Clay including Kaolin, Fireclay, Bentonite, Fulle (5) Gypsum (natural or synthetic); (6) Sodium Comp and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Ta and Colemanite; (11) Barite; (12) Fluorospar; (13) I (17) Mica; (18) Kyanite, including Andalusite, Sillin 1. Is the EU located at a fixed or portable nonmetallic m or hot mix asphalt plant that has an aboveground crust. 2. Is the EU located above ground (i.e., not in an undergative). Was the EU constructed, modified, or reconstructed at a storage bin, □ enclosed truck loading station □ crusher or grinding mill, □ bucket elevator, □ storage bin, □ enclosed truck loading station □ crusher or grinding mill at hot mix asphalt plant the minerals embedded in recycled asphalt plant the minerals embedded in recycled asphalt plant that has an abovegreation or sufficient or s	wing minerals or any mixture of which the major oken Stone, including Limestone, Dolomite, Gran le, Slate, Shale, Oil Shale, and Shell; (2) Sand and r's Earth, Ball Clay, and Common Clay; (4) Roci ounds, including Sodium Carbonate, Sodium Cha alc and Pyrophyllite; (10) Boron, including Bora Feldspar; (14) Diatomite; (15)Perlite; (16) Verm manite, Topaz, and Dumortierite.} nineral processing plant sher or grinding mill?	rity ite, d Gravel; x Salt; oride, x, Kernite, iculite; Yes Yes Yes	question)
 air carrying particulate matter (PM) emissions from If answer to any of the four Questions 1 -4 above is ". subpart OOO so skip the following questions and go If the answer to all of the four Questions 1-4 above is 5. Is the EU subject to 40 CFR part 60 subpart F (Portla subpart I (Hot Mix Asphalt Facilities), or does it follo any other EU that is subject to 40 CFR part 60 subpat 6. Is the EU located at a fixed sand and gravel plant or a capacity less than or equal to 23 megagrams/hour (25) 7. Is the EU located at a portable sand and gravel plant capacity less than or equal to 136 megagrams/hour (18) 8. Is the EU located at a common clay plant or pumice pequal to 9 megagrams/hour (10 tons/hour) ? 	No" then the EU is not subject to directly to Question 24. "Yes" then continue to Question 5. und Cement Plants) or ow in the plant process rt F or subpart I?	YesYes	 No No No No

9.	Is the EU a wet screening operation or subsequent screening operation, bucket elevator or belt conveyor in a production line that processes saturated material up to the first crusher,			
	grinding mill or storage bin in the production line?	□ `	Yes	No
	<i>{Note: "wet screening operation" means a screening operation which removes unwanted material or</i>	_		
	which separates marketable fines from the product by a washing process which is designed and operated			
	at all times such that the product is saturated with water. "Saturated material" means mineral material			
	with sufficient surface moisture such that particulate matter emissions are not generated from processin			
	of the material through screening operations, bucket elevators and belt conveyors. Material that is wetter calche by wet suppression systems is not considered to be "saturated" for numerous of this definition.	ea		
	solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
10	Is the EU a screening operation, bucket elevator or belt conveyor in the production line			
	downstream of wet mining operation that process saturated material up to the first crusher,	_		—
	grinding mill or storage bin in the production line?		Yes	No
	(Note: Wat mining operation means a mining on duadaing operation designed and operated to extract			
	<i>{Note: Wet mining operation means a mining or dredging operation designed and operated to extract any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic</i>			
	mineral is saturated with water. "Saturated material" means mineral material with sufficient surface			
	moisture such that particulate matter emissions are not generated from processing of the material			
	through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by			
	wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
	answer to any of the six Questions 5 - 10 above is "Yes" then the EU is not subject to			
	bpart OOO so skip the following questions and go directly to Question 24.			
lf	the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.			
11	.When was the EU last constructed, modified, or reconstructed?			
12	. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?	□ '	Yes	No
If	answer to Question 12 is "No" skip the following questions and go directly to Question 20			
10				
13	.Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures,		Vaa	
	Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?		Yes	No
If	answer to Question 13 is "No" skip the following questions and go directly to Question 19			
ľ				
14	.Initial Tests:			
	a. Was an initial PM stack test performed on the control device within 180 days of	_		—
	initial startup of the EU?			
	b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	_	Yes	L.No
	c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?d. If yes, was the opacity less than or equal to 7% opacity?	=	Yes Yes	∐No □No
	d. If yes, was the opacity less than of equal to 7% opacity?		168	NO
15	.If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not			
	individually in compliance with emissions limits:			
	a. Was an initial PM stack test performed on each vent control device within 180 days of			
	initial startup of the EU? N/A		Yes	🗌 No
	$\{A ``vent'' is any opening through which there is mechanically induced air flow for the $			
	purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
	one or more affected EUs.}			—
	b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	_	Yes	L.No
	c. Was an initial VE test performed on fugitive emissions from non-vent building openings?		Yes	No
1	d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?		Yes	L.No

16. Is a baghouse used to control emissions from the EU?	Yes	□No
If yes, the owner operator: Conducts quarterly 30-minute VE tests using Method 22;		
uses a bag leak detection system specified in 40 CFR $60.674(d)$;		
follows the requirements of 40 CFR 63AAAAA Lime Manufacturin	ig	
as specified in 40 CFR 60.674(e); or	0	
none of the above (i.e., out of compliance)		
17. If the EU is an individual, enclosed storage bin controlled by a baghouse,		
were initial fugitive emissions less than or equal to 7% opacity? 🗌 N/A	Yes	No No
18. Is a wet scrubber used to control emissions from the EU?	Yes	LNo
If yes, does the owner/operator maintain and operate:		
a. a device for the continuous measurement of the pressure loss of the gas stream through the		
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's	_	_
instructions?	Yes	L.No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250		
pascals +1 inch water gauge pressure.}		
and		
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the		
	Yes	L.No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%		
of design scrubbing liquid flow rate.}		
	_	_
19. Is wet suppression used to control emissions from the EU?	Yes	L.No
If yes:		
a. Does the owner/operator perform monthly inspections to check that water is flowing to		
the discharge spray nozzles?		
b. Does the owner/operator initiate corrective action within 24 hours and complete		
corrective action as expediently as practical is water is not flowing properly?		
c. Is each inspection of the spray nozzles, including the date and any corrective action taken,		
recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?	Yes	No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following		
questions and go directly to Question 24.		
20. Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures,		
Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	Yes	No
21. Initial Tests:		
a. Was an initial PM stack test performed on the control device within 180 days of		
initial startup of the EU? 🔲 N/A	Yes	No No
b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?	Yes	No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	Yes	No
d. If yes, was the opacity less than or equal to 7% opacity?	Yes	No
	_	

VE Onacity Limits		
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	L Y	es []No
c. The VE test resulted in an opacity of% for the highest six-minute average.	_	
Rate: b. Was the VE test conducted according to EPA Method 9?	ΠY	esNo
26. Was a VE test conducted by the <i>inspector</i> for this unit during this site visit?	□ Y □ Y	esNo esNo
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	∐ Y	es []No
c. The VE test resulted in an opacity of% for the highest six-minute average.		
Rate: b. Was the VE test conducted according to EPA Method 9?	ΠY	esNo
25. Was a VE test conducted by the <i>owner/operator</i> for this unit during this site visit?	Y Y	=
ii. has the EU been tested yet within the current calendar year?	L Y	esNo
i. has the EU been tested during each of the past 4 calendar years?		
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?b. If EU is subject to 40 CFR subpart OOO:	ĽΥ	esNo
24. When was the last VE test conducted by the owner/operator for this EU?	—	
 a device for the continuous measurement of the scrubbing inquid now rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions ? {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.} 	- - Y	esNo
pascals +1 inch water gauge pressure.}andb. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the		
instructions?	□ Y	esNo
a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's	_	_
If yes, does the owner/operator maintain and operate:		
23. Is a wet scrubber used to control emissions from the EU?	ΠY	esNo
 b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)? c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity? 	□ Y □ Y	
purpose of exhausting from a building air carrying particulate matter (PM) emissions from one or more affected EUs.}		
$\{A \text{ ``vent'' is any opening through which there is mechanically induced air flow for the } defined as the set of the $	— -	
a. Was an initial PM stack test performed on each vent control device within 180 days of initial startup of the EU? N/A	ΠY	es 🗌 No
22. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not individually in compliance with emissions limits:		

VE Opacity Limits				
	EU not subject to 40 CFR 60 Subpart OOO	Subpart OOO EU constructed, modified, or reconstructed prior to 4/22/2008	Subpart OOO EU constructed, modified, or reconstructed on or after 4/22/2008	
Crusher with no capture system	20%	15%	12%	
All other affected EUs	20%	10%	7%	

<u>RI</u>	EASONABLE PRECAUTIONS FOR UNCONFINED EMISSIONS	(check 🗹 box for each	only one question)
1.	Does the owner/operator of the NMMP Plant take reasonable precautions to control unconfined emissions by:a) Use of water suppression system(s) with spray bars located wherever unconfined emissions occur (at the feeder(s), the entrance and exit of the crusher(s), the classifier screens, and the conveyor		
	drop points)? N/A If no, where are unconfined emissions occurring?	Yes	🗌 No
	 b) Use of water trucks equipped with spray bars to apply water or effective dust suppressant(s) on a regular basis (to all stockpiles, roadways and work yards)? N/A c) Paving and maintaining roads and parking areas? N/A d) Removal of particulate matter from roads and other paved areas under control 	Yes Yes	D No No
	of the owner/operator to prevent re-entrainment, and from building or work areas to reduce airborne particulate matter? N/A e) Reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of	Yes	🗌 No
	particulate matter from stock piles? N/A	Yes	🗌 No
2.	If reasonable precautions <u>not</u> being taken: a) Did the inspector perform a general VE test (20% opacity)? N/A b) If tested: ()% opacity. Were the visible emissions < 20% opacity? c) What caused the problem(s) (if known)?	☐ Yes ☐ Yes	□ No □No

CONFIRMATION OF GENERAL PERMIT ELIGIBILITY (check \square only one box for each question) 1. Does this facility keep records to show that it does not have the potential to emit: a) 10 tons per year or more of any hazardous air pollutant? ----- Yes ...No b) 25 tons per year or more of any combination of hazardous air pollutants? ------ 🗍 Yes ...No c) 100 tons per year or more of any other regulated air pollutant? ------ TYes ...No 2. Does this facility include: a) any emission units or activities not covered by the applicable air general permit (with the exception of units and activities that are exempt from permitting pursuant to subsection Rule 62-210.300(3) or Rule 62-4.040, F.A.C.)? ------ Yes ...No If YES, what non-exempt units or activities? b) any emissions units or activities authorized by another air general permit where such other air general permit and this general permit specifically allow the use of one another at the same facility? ----- Yes ...No If YES, what other general permit units or activities?

3.	Is the total combined annual facility-wide fuel usage of all plants less than or equal to:	
	a) 275,000 gallons of diesel fuel? YesNo	
	b) 23,000 gallons of gasoline? YesNo	
	c) 44 million standard cubic feet on natural gas? YesNo	
	d) 1.3 million gallons of propane? YesNo	
	e) or an equivalent prorated amount if multiple fuels are used onsite (use equation below)? YesNo	
() gal diesel/yr + () gal gasoline/yr + () MM SCF nat. gas/yr + () MM gal propane/yr ≤ 1.00 ?	
27	75,000 gal diesel/yr 23,000 gal gasoline/yr 44 MM SCF nat. gas/yr 1.3 MM gal propane/yr	
4.	Has the owner/operator maintained, available for inspection, site-wide records of monthly fuel consumption	
	for each consecutive 12-period for the past 5 years? YesNo	

G	ENERAL CONDITIONS	(check 🗹	-
1.	Has the owner or operator allowed the circumvention of any air pollution control device, or	box for each	question)
	Allowed the emission of air pollutants without the proper operation of all applicable air pollution control devices?	Yes	□No
2.	Does the owner or operator:		
	a) maintain the authorized facility in good condition?	- Yes	No
3.	 b) ensure that the facility maintains its eligibility to use the air general permit and complies with all terms and conditions of the air general permit? Has the owner or operator allowed you, as the duly authorized representative of the Department, access 		No
5.	to the facility at reasonable times to inspect and test and to determine compliance with the air general permit and Department rules?	- 🗌 Yes	No

	ELOCATABLE PLANT The facility: is stationary; is relocatable; or consists of both stationary and relocatable NMMP and/or concrete batching plants. (If only stationary, skip the following questions 2 and 3.)	(check 🗹 box for each	only one question)
2.	 For a relocated NMMP plant: a) did the owner or operator notify the appropriate Department or Local Air Program by telephone, e-mail, fax, or written communication at least one business day prior to changing location? b) did the owner or operator transmit a Facility Relocation Notification Form [DEP No. 62-210.900(to the Department or Local Air Program no later than five business days following relocation? 	6)]	□No □No
3.	If the relocatable NMMP plant was co-located at a facility with a separate air construction or air operate permit, and the relocatable NMMP plant is <u>not</u> included as an emissions unit in that separate permit: a) was the relocatable NMMP plant being used for a non-routine purpose?		□No
	b) were records kept by the owner/operator to indicate how long it was co-located at the permitted facility?	Yes Yes	□No □No

	CHANGES	(check ☑ box for each	only one question)	
1	• Were there any changes in the name, address, or phone number of the facility or authorized represent associated with a change in ownership or with a physical relocation of the facility or any emissions u operations comprising the facility; or any other similar minor administrative change at the facility?	nits or	No	
2.	. If YES, did the facility provide written notification within 30 days of the change?		No	
New or Modified Process Equipment or Change in Ownership:				
3	• Since the last registration form submittal has there been			
	a) Installation of any new process equipment?	🗌 Yes	No	
	b) Alterations to existing process equipment without replacement?	🗌 Yes	No	
	c) Replacement of existing equipment with equipment that is substantially different?	🗌 Yes	No	
	d) A change in ownership?	🗌 Yes	No	
4	. If the answer to any question 3a d. is YES, was a new registration form and the appropriate fee su	bmitted		
	30 days prior to the change?	Yes	No	

FRANK DELGADO

Inspector's Name (Please Print)

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: THE PORTABLE CRUSHER IS NO LONGER AT THIS SITE.

REVIEWED By Ray Gordon at 11:37 am, Oct 10, 2013

9/4/2013

Date of Inspection