

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INST		DISCOVERY (CI)  LAINT NO:	
AIRS ID#: 0951305 DATE: <u>11/28/2012</u>	ARRIVE: <u>09:30</u>	DEPART: <u>10:00</u>	
FACILITY NAME: AL'S ANODIZING INC			
<b>FACILITY LOCATION:</b> 2360 Clar	rk St, Unit 1		
APOPKA 32703-2119			
OWNER/AUTHORIZED REPRESENTATIVE: ALBERTO FELIBERTY PHONE: (407)532-0815  Email: alsanodizing@gmail.com Mobile:  CONTACT NAME: ALBERTO FELIBERTY PHONE: (407)532-0815  Email: alsanodizing@gmail.com Mobile:  ENTITLEMENT PERIOD: 9/29/2011 / 9/29/2016  (effective date) (end date)			
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:  1. Hard Chromium Plating  a. Existing Large (0.015 mg/dscm)			
(0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)			
2. <u>Decorative Chromium Plating/Anodizing</u>			
a. <u>Chromic Acid Bath</u>	<ol> <li>Emissions of ≤ 0.01/mg/dscm</li> <li>Surface tension of ≤ 45 dynes (May only be selected if a we</li> </ol>	s/cm (3.1x10 <sup>-3</sup> lb-f/ft)	
b. <u>Trivalent</u> <u>Chromium</u> <u>Bath</u>	<ol> <li>With wetting agent</li> <li>Without wetting agent ≤ 0.01n</li> </ol>		
c. Chromium Anodizing	<ol> <li>Emissions of ≤ 0.01 mg/dscm</li> <li>Surface tension of 45 dynes/cr (May only be selected if a we</li> </ol>		

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(Select control	NEW FORE THE FEGERO
<u>device</u> )	DEVICE IN USE?
1. Composite Mesh Pad	∏Yes ∏No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	☐Yes ☐No
<u> </u>	☐Yes ☐No
5. Foam Blanket Fume Suppressant	Yes No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters?	□Yes □No ⊠N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	103 110 241771
PART IV: RECORDKEEPING/REPORTING REQUIREMENTS – Rule 62-213.300(	(3)
TART IV. RECORDINED ING/ADI ONTE 10 ADQUINDATE 11 AMIL 02 2200000	3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	(c) 1 1
monitoring equipment. (applicable only to a facility using a packed bed scrubber,	
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a scrubber, fiber-bed mist eliminator, or composite mesh pad)	
3. Maintenance records for the source, add-on pollution control devices, and	LIES LINO MINA
monitoring equipment (equipment identified, date performed, description)	⊠Yes □No
4. Records of date of occurrence, duration, cause, and corrective action of each	Z 163 []110
malfunction of process, add-on pollution control device, and monitoring equipment	t. ⊠Yes □No
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using a	
agent)	
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	Yes ⊠No
Packed Bed Scrubber  Massure the pressure drop agrees the DRS and the inlet velocity deily	□Yes ⊠No
Measure the pressure drop across the PBS and the inlet velocity daily	∐Yes ⊠NO
<u>Fiber-Bed Mist Eliminator</u> Measure the pressure drop across the FBME and the upstream device daily	□Yes ⊠No
Packed Bed Scrubber/Composite Mesh Pad	☐ 1es ⊠140
Measure the pressure drop across the CMP daily	□Yes ⊠No
Foam Blanket Fume Suppressant	
Measure the foam blanket thickness at the appropriate interval	□Yes ⊠No
Fume Suppressant w/ Wetting Agent	
Measure the surface tension at the appropriate interval	⊠Yes □No
7. Purchase records of wetting agent components	Yes No N/A
8. Records of the date and time that fume suppressants are added to the bath	⊠Yes □No □N/A
9. Records of rectifier capacity, if used to determine facility size	⊠Yes □No □N/A
10. Records of the total process operating time	
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	Yes □No

Assefa Hailemariam	11/28/2012	
Inspector's Name (Please Print)	Date of Inspection	
	~11/2013	
Inspector's Signature	Approximate Date of Next Inspection	

**COMMENTS:** Facility was found be in compliance during inspection performed on this date and all records were up date, all the containers/baths kept closed. Facility checked every day for ph level for Dynes bath (4.5 to 5.5) and Nickel bath (3.9 to 4.2). Also facility has rectifier 1.5 Volts @ 250 mps used for chromic for 2 minutes and anodizing for 60 minutes.