

CHROMIUM ELECTROPLATING/ANODIZING



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS		
AIRS ID#: 0951305 DATE: <u>11/27/2013</u> ARRIVE: <u>10:30AM</u> DEPART: <u>11:00AM</u>		
FACILITY NAME: AL'S ANODIZING INC		
FACILITY LOCATION: 2360 Clar	k St, Unit 1	
APOPKA	32703-2119	
OWNER/AUTHORIZED REPRESENTATIVE: ALBERTO FELIBERTY PHONE: (407)532-0815 Email: alsanodizing@gmail.com Mobile: CONTACT NAME: ALBERTO FELIBERTY PHONE: (407)532-0815 Email: alsanodizing@gmail.com Mobile: ENTITLEMENT PERIOD: 9/29/2011 / 9/29/2016 (effective date) (end date)		
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE		
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:		
1. Hard Chromium Plating		
a. Existing Large (0.015 mg/dscm) c. New (0.015 mg/dscm)	b. Existing Small (0.03 mg/dscm) d. Alternative Standard for existing facilities (0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)	
2. Decorative Chromium Plating/Anodizing		
a. Chromic Acid Bath	 Emissions of ≤ 0.01/mg/dscm (4.4x10⁻⁶ gr/dscf) Surface tension of ≤ 45 dynes/cm (3.1x10⁻³ lb-f/ft) (May only be selected if a wetting agent is used.) 	
b. Trivalent Chromium Bath	With wetting agent Without wetting agent ≤ 0.01mg/dscm (4.4x10 ⁻⁶ gr/dscf)	
c. <u>Chromium Anodizing</u>	 Emissions of ≤ 0.01 mg/dscm (4.4x10⁻⁶ gr/dscf)	

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(6.1. 4 4 1	
(<u>Select control</u> device)	DEVICE IN USE?
<u>device</u>)	DEVICE IN USE
1. Composite Mesh Pad	∏Yes ∏No
2. Fiber Bed Mist Eliminator	Yes No
3. Packed Bed Scrubber	☐Yes ☐No
4. Packed Bed Scrubber/Composite Mesh Pad	Yes No
5. Foam Blanket Fume Suppressant	□Yes □No
6. Eume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters?	□Yes □No □N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	
PART IV: RECORDKEEPING/REPORTING REQUIREMENTS – Rule 62-213.300	(3)
1 ART 11. RECORDINED HIG/REFORTING REQUIREMENTS - Ruic 02-213,000	(3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	
monitoring equipment. (applicable only to a facility using a packed bed scrubber	
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	
scrubber, fiber-bed mist eliminator, or composite mesh pad)	Yes No No/A
3. Maintenance records for the source, add-on pollution control devices, and	Myaa Mya
monitoring equipment (equipment identified, date performed, description)4. Records of date of occurrence, duration, cause, and corrective action of each	- ⊠Yes □No
malfunction of process, add-on pollution control device, and monitoring equipmen	$V_{AS} \square V_{AS} \square V_{AS}$
5. Results of all performance tests	
6. Records of monitoring data. (not applicable to trivalent chromium baths using a	
agent)	
-0-11/	
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	- □Yes ⊠No
Packed Bed Scrubber	
Measure the pressure drop across the PBS and the inlet velocity daily	☐Yes ⊠No
Fiber-Bed Mist Eliminator	
Measure the pressure drop across the FBME and the upstream device daily	☐Yes ⊠No
Packed Bed Scrubber/Composite Mesh Pad	Day . May.
Measure the pressure drop across the CMP daily	□Yes ⊠No
Foam Blanket Fume Suppressant Measure the foam blanket thickness at the appropriate interval	□Yes ⊠No
Fume Suppressant w/ Wetting Agent	
Measure the surface tension at the appropriate interval	⊠Yes □No
7. Purchase records of wetting agent components	
8. Records of the date and time that fume suppressants are added to the bath	
9. Records of rectifier capacity, if used to determine facility size	
10. Records of the total process operating time	
11. Records identifying specific periods of excess emissions	- ⊠Yes □No
12. Startup, Shutdown & Malfunction Plan	- ⊠Yes □No

Assefa Hailemariam	11/27/2013	
Inspector's Name (Please Print)	Date of Inspection	
	~11/2014	
Inspector's Signature	Approximate Date of Next Inspection	

COMMENTS: The inspector, Assefa Hailemariam conducted an annual compliance inspection for AL'S Anodizing Inc. at 2360 Clark Street, Apopka, Florida 32703, on November 27, 2013. The facility was found be in compliance during inspection performed on this date and all records were up date, all the containers/baths kept closed. Facility checked every day for level for Dynes bath, which is less than 45 dynes/cm.