

Florida Department of Environmental Protection

Northwest District 160 W. Government Street, Suite 308 Pensacola, Florida 32502-5740 Rick Scott Governor

Jennifer Carroll Lt. Governor

Herschel T. Vinyard Jr. Secretary

February 28, 2012

By Electronic Mail, Received Receipt Requested james.bass@carriageservices.com

Mr. James R. Bass Managing Partner McLaughlin Mortuary 17 Chestnut Avenue Southeast Fort Walton Beach, Florida 32548

Dear Mr. Bass:

On February 22, 2012, a Department representative with the Air Resource Management Program inspected your facility, ID 0910096. A copy of the inspection report is enclosed. The inspection and a review of Department records indicate the facility was in compliance at the time of the inspection for those items specifically noted in the inspection report.

This letter applies only to activities covered by the Air Resource Management Program. If you have any questions, please contact Jennifer Waltrip at 850/595-0662 or e-mail jennifer.waltrip@dep.state.fl.us.

Sincerely,

Carol Melton

Air Compliance Supervisor

Carre Melton

CM/jw/c

Enclosure

c: Kevin Farris, F.D.I.C., McLaughlin Mortuary: kevin.farris@carriageservices.com Larry Rogers, McLaughlin Mortuary: larry.rogers@carriageservices.com



HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2)						
AIRS ID#: 0910096 DATE: <u>2/22/12</u> ARRIVE: <u>11:32 AM</u> DEPART	Γ: <u>11:59 AM</u>					
FACILITY NAME: MCLAUGHLIN MORTUARY-OKALOOSA CREMATORY						
FACILITY LOCATION: 17 CHESTNUT AVE SE						
FORT WALTON BEACH 32548-5606						
OWNER/AUTHORIZED REPRESENTATIVE: KEVIN FARRIS Email: Kevin.Farris@carriageservices.com CONTACT NAME: JAMES BASS Email: James.Bass@carriageservices.com ENTITLEMENT PERIOD: 1/5/2012 / 1/5/2017 (effective date) (end date) PHONE: (850)244-5 Mobile: (850)244-5 Mobile: (850)218-5	163					
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
PART II: ONSITE INTRODUCTORY MEETING 1. Name(s) of facility representative(s): Larry Rogers, Operator Brief Notes: larry.rogers@carriageservices.com	(check ☑ only one box for each question)					
2. Is the Authorized Representative still KEVIN FARRIS?	⊠ Yes □No					
If different, did the facility provide an administrative update within 30 days? 3. Is the facility contact still JAMES BASS? If no, who is?:						
4. Will facility be conducting VE test(s) during today's inspection? If yes, was the compliance authority notified at least 15 days in advance?						

${\bf Emissions~Unit~Section} \\ {\bf 1-Human~Crematory-prim/2ndarychmbrs, temp M\&R, opacityM, 150 lbs/hr}$

PA	RT I: FILE REVIEW PRIOR TO INSPECTION	(check ☑ only one box for each question)		
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the	⊠ Yes	□No	
3.	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	⊠ Yes ⊠ Yes	□No □No	
4.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	∑ Yes ☐ Yes	□No ⊠No	
	operation?	Yes	□No	
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		□No □No	
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each	only one question)	
1.	Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?	Yes		
	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		□No	
2.	Was a visible emissions test conducted by the inspector during this site visit?		⊠No □No	
•	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit?		□No	
3.	Is there any reason to ask for a special test to determine compliance with the PM and CO standa If yes, what reason?	Yes Yes	⊠No	
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check only one box for each question)		
1.	Were there any objectionable odors detected? An upwind/downwind survey of the facility was conducted. The observed parameters were:	☐ Yes	⊠No	
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)		
	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the			
	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	□No	
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at $\boxtimes 1,800^1$ $\square 1,600^2$ degrees was determined?	⊠ Yes	□No	

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)		
c. Are the following records kept on file, available for inspection, for at least the past two years?		
1) All temperature measurements	⊠ Yes	□No
2) all continuous monitoring systems, monitoring devices, and performance testing measurements; monitoring system all continuous performance evaluations	⊠ Yes	ПNо
3) All CEMS or monitoring device calibration checks (last performed on (6/30/11)	Yes	□No
4) Adjustments5) Preventive maintenance performed on systems/devices	⊠ Yes	□No
6) Corrective maintenance performed on systems/devices	⊠ Yes ⊠ Yes	∐No ∏No
d. Are the temperature charts properly documented with operator name, operator indication of	_	
when cremation in the primary chamber was begun, date, time, and temperature markings	Yes	□No
e. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	⊠ Yes	□No
(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatica control combustion based on continuous in-stack opacity measurement?	∏ Yes	ПNо
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	_	
exceeds 15% opacity? (3) Has the opacity measurement system been cleaned and checked for proper operation in	⊠ Yes	∐No
accordance with the manufacturer's recommended maintenance schedule?	⊠ Yes	□No
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹	only one
	box for each	question)
1 If the application to construct was BEFORE August 30–1989 is the:	box for each	question)
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		question)
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes	a question)
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati 	Yes	
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? 	Yes	No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	□No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☑ Yes	No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☑ Yes	□No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes	□No □No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	□No □No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes on ☐ Yes	NoNoNo only one
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo only one
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes on ☐ Yes on ☐ Yes	NoNoNo only one a question)
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes on ☐ Yes	NoNoNo only one
a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes on ☐ Yes on ☐ Yes	No
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes On ☐ Yes On ☐ Yes ☐ Yes Check ☑ box for each ☐ Yes ☐ Yes	NoNoNo only one a question)

PART VI: EQUIPMENT MAINTENANCE	(check 🗹	only one				
	box for each	n question)				
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	X Yes	□No				
2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?	X Yes	□No				
3. Does the crematory allow for a visible check on the flame characteristics?	Yes	⊠No				
If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?		□No □No				
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)						
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COM	PLIANCE					
Facility Section (continued)						
SPECIAL CONDITIONS AND PROCEDURES	(check ✓ box for eac	-				
 Administrative Changes: Were there any changes in the name, address, or phone number of the facility or authorized represent associated with a change in ownership or with a physical relocation of the facility or any emissions operations comprising the facility; or any other similar minor administrative change at the facility? If yes, did the facility provide written notification within 30 days of the change? New or Modified Process Equipment or Change in Ownership:	units or Yes	⊠No □No				
3. Since the last registration form submittal has there been		□No□No□No□No□No				
Jennifer Waltrip February 22, 2012						
Inspector's Name (Please Print) Date of Inspection						
February 2013						
Approximate Date of Next I	nspection					

COMMENTS: On February 22, 2012, Department personnel conducted an unannounced annual air compliance inspection of McLaughlin Mortuary in Okaloosa County. The Department would like to thank Mr. Larry Rogers for his assistance during the inspection. All records were maintained as required and indicated compliance with all permit conditions.