

SURFACE COATING OPERATIONS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/DISC ARMS COMPLAIN	· / -	
AIRS ID#: 0112689 DATE: 5/8/2013 FACILITY NAME: BLUEWATER CHAIRS	ARRIVE: <u>1:30</u>	DEPART: <u>3:00</u>	
FACILITY LOCATION: 240 SW 33 CT			
FORT LAUDERDALE 33315-3306 OWNER/AUTHORIZED REPRESENTATIVE: TOM ACKEL Email: bluewaterchairs@aol.com CONTACT NAME: BEN SMITH Email: bluewaterchairs@aol.com Email: bluewaterchairs@aol.com ENTITLEMENT PERIOD: 4/2/2012 / 4/2/2017 (effective date) (end date) FHONE: (954)522-4238 Mobile: (954)801-3939			
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: RECORDKEEPING REQUIREMENTS – Rule 62-210.300, F.A.C. (check ☑ appropriate box(es))			
1. Does the facility operate any emissions units other than the surface coating operations and emissions units which are exempt from permitting pursuant to the criteria of paragraph 62-210.300(3)(a) or (b), F.A.C., or have been exempted from permitting under Rule 62-4.040, F.A.C.? (Rule 62-210.300(3)(c)4.a., F.A.C.)			
PART III: CONTROL/OPERATING/MAINTANANCE REQUIREMENTS – Rule 62-210.300, F.A.C.			
 (check ☑ appropriate box(es)) Is/Are the surface coating operation(s) subject emission limiting standard of Chapter 62-296 Does the facility cause, suffer, allow or permit an objectionable odor? (Rule 62.296.320(2), International Control of the Contro	5.500, F.A.C.? (Rule 62-210.3 it the discharge of air pollutar	300(3)(c)4.b., F.A.C.) ☐Yes ☐No nts which cause or contribute to	

PART III: CONTROL/OPERATING/MAINTENANCE (check ☑ appropriate box(es))	REQUIREMENTS – Rule 62-210.300, F.A.C. – (continued)	
cycles? 2) recycling cleaning solvents?	f reducing VOC emissions by: ffective application with a minimum of overspray? ive coating?	
PART IV: SPECIAL CONDITIONS AND PROCEDURI A. New or Modified Process Equipment 1. Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without c) replacement of existing equipment substantially recent notification form? d) If you answered YES to any of the above, did notification form and appropriate fee (Rule 62-local program office?	out replacement?	
C.Pitters	5/8/13	
Inspector's Name (Please Print)	Date of Inspection	
	5/8/14	
Inspector's Signature	Approximate Date of Next Inspection	
COMMENTS:		