



CONCRETE BATCHING PLANT

COMPLIANCE INSPECTION CHECKLIST



Environmental Compliance

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)
 RE-INSPECTION (FUI) ARMS COMPLAINT NO:

ARMS UPDATED

05/18/10 NB

AIRS ID#: 0810216 **DATE:** 05/18/2010 **ARRIVE:** 0950 **DEPART:** 1105

FACILITY NAME: BRADENTON FACILITY

FACILITY LOCATION: 7080 28th ST CT E
SARASOTA 34243-

OWNER/AUTHORIZED REPRESENTATIVE: **PHONE:**

CONTACT NAME: Daryl Leiding **PHONE:** (727)385-6103

ENTITLEMENT PERIOD: 4/26/2008 / 4/26/2013
(effective date) (end date)

PART I: INSPECTION COMPLIANCE STATUS (check only one box)

IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE

PART II: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414, F.A.C.
(check appropriate box(es))

Stack Emissions

- Were visible emissions tests conducted during this site visit according to EPA Method 9 (Ref.: Chapter 62-297, F.A.C.)?----- Yes No
- Are emissions from silos, weigh hoppers (batchers), and other enclosed storage and conveying equipment controlled to the extent necessary to limit visible emissions to 5 percent opacity?----- Yes No
- During visible emissions tests of the silo dust collector exhaust points was the loading of the silo conducted at a rate that is representative of the normal silo loading rate, or at least at the minimum 25 tons per hour rate, unless such rate is unachievable in practice?----- Yes No
- Are emissions from the weigh hopper (batcher) operation controlled by the silo dust collector? (If answer to this question is “Yes”, then continue on to questions 4.a) and 4.b) below. If answer is “No” then skip 4.a) and 4.b) and continue on to question 5.)----- Yes No
 - Was the batching operation in operation during the visible emissions test?----- Yes No
 - During the visible emissions test, was the batching rate representative of the normal batching rate and duration?----- Yes No
- If emissions from the weigh hopper (batcher) operation are controlled by a dust collector, which is separate from the silo dust collector, are the visible emissions tests of the weigh hopper (batcher) dust collector conducted while batching at a rate that is representative of the normal batching rate and duration?----- Yes No

PART II: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414, F.A.C. – (continued)

(check appropriate box(es))

Compliance Demonstration - (Rule 62-296.401(5)(i), F.A.C.)

1. Is each dust collector exhaust point tested according to the visible emissions limiting standard as part of the annual compliance demonstration? (Rule 62-297.310(7)(a), F.A.C.)----- Yes No

New Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits)

2. Did this facility demonstrate:
- a) initial compliance no later than 30 days after beginning operation?----- Yes No
- b) annual compliance within 60 days prior to each anniversary of the air general permit notification form submittal date?----- Yes No

Existing Facilities – (permitted pursuant to Rule 62-210.300(4), F.A.C., Air General Permits) *annually by 12/31*

3. In order to demonstrate annual compliance, was an annual visible emissions test conducted ~~60 days prior to the AGP Notification form submission, and within 60 days prior to each anniversary date?~~ *annually by 12/31*----- Yes No

Test Reports – (Rules 62-213.440, F.A.C. and 62-297.310(8)(b), F.A.C.)

4. Was the required test report filed with the department as soon as practical, but no later than 45 days after the test was completed?----- Yes No

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.300(4)(c)2., F.A.C.

(check appropriate box(es))

1. Is this facility: 1) a stationary ; 2) a relocatable ; or does it have: 3) both, stationary and relocatable concrete batching and/or nonmetallic mineral processing plants? (*Please check only one box.*)
2. If this is a stationary concrete batching plant, is there one or more relocatable nonmetallic mineral processing plants using individual air general permits at the same location? (*If your answer to this question is YES, then proceed to questions 2.a), thru 2.d), below.*)----- Yes No
- a) Are there any additional nonexempt units located at this facility?----- Yes No
- b) Is the total combined annual facility-wide fuel oil usage of all plants less than 240,000 gallons per calendar year?----- Yes No
- c) Is the quantity of material processed less than ten million tons per calendar year?----- Yes No
- d) Is the fuel oil sulfur content 0.5% by weight or less?----- Yes No
3. Does the owner/operator of the concrete batching plant maintain a log book or books to account for:
- a) fuel consumption on a monthly basis?----- Yes No
- b) material processed on a monthly basis?----- Yes No
- c) the sulfur content of the fuel being burned (Fuel supplier certifications)?----- Yes No

PART III: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-296.414(2)(a) and (b), F.A.C. (continued)

(check appropriate box(es))

Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.)

1. Does the owner /operator of the concrete batching plant take reasonable precautions to control unconfined emissions by:
- a) management of roads, parking areas, stock piles, and yards, which shall include one or more of the following:
 - 1) paving and maintenance of roads, parking areas, stock piles, and yards?----- Yes No
 - 2) application of water or environmentally safe dust-suppressant chemicals when necessary to control emissions?----- Yes No
 - 3) removal of particulate matter from roads and other paved areas under control of the owner/operator to re-entrainment, and from building or work areas to reduce airborne particulate matter?----- Yes No
 - 4) reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of particulate matter from stock piles?----- Yes No
 - b) use of spray bar, chute, or partial enclosure to mitigate emissions at the drop point to the truck?---- Yes No

PART IV: SPECIAL CONDITIONS AND PROCEDURES – Rule 62-210.300(4)(d)4., F.A.C.

A. New or Modified Process Equipment

1. Since the last inspection has there been
- a) installation of any new process equipment?----- Yes No
 - b) alterations to existing process equipment without replacement?----- Yes No
 - c) replacement of existing equipment substantially different than that noted on the most recent notification form?----- Yes No
 - d) If you answered **YES** to any of the above, did the owner submit a new and complete notification form and appropriate fee (Rule 62-4.050, FAC) to the appropriate DEP or local program office?----- Yes No

Nedin Bahtic

05/18/2010

Inspector's Name (Please Print)

Date of Inspection

Nedin Bahtic

02/08/2013

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: VE test audit. Testing conducted on EUs 001 and 002 by Ms. Pamela LeBoss of Air Observations. Readings were also taken by FDEP inspector; VE forms are attached. No visible emissions were observed.

Note: enforcement case currently being processed for facility's failure to conduct VE testing during calendar year 2009.

VISIBLE EMISSION OBSERVATION FORM 1

Method Used (Circle One)
 Method 9 203A 203B Other: _____

Form Number _____ Page 1 Of 1
 Continued on VEO Form Number _____

Company Name **Stabile Concrete Products**
 Facility Name **ID No. 0810216**
 Street Address **7080 28th St. Ct. E**
 City **Sarasota** State **FL** Zip **34243**


Process **white cement silo** Unit # **001** Operating Mode **on**
 Control Equipment **baghouse** Operating Mode **on**

Describe Emission Point **baghouse on top of silo - east silo**
 Height of Emiss. Pt. **40'** End **same** Height of Emiss. Pt. Rel. to Observer **35'** End **same**
 Distance to Emiss. Pt. **40'** End **same** Direction to Emiss. Pt. (Degrees) **240** End **same**

Vertical Angle to Obs. Pt. **39°** End **same** Direction to Obs. Pt. (Degrees) **240** End **same**
 Distance and Direction to Observation Point from Emission Point **2' up** End **same**

Describe Emissions Start **none** End **same**
 Emission Color **none** End **same** Water Droplet Plume Attached Detached None

Describe Plume Background Start **sky** End **same**
 Background Color **blue** End **same** Sky Conditions **broken** End **same**
 Wind Speed **0-5 mph** End **same** Wind Direction **W** End **same**
 Ambient Temp. **82°** End **84°** Wet Bulb Temp. **75°** RH Percent **72**



Observation Date	Time Zone	Start Time	End Time	Comments					
05/18/10	E	10:26	10:56	Sec	0	15	30	45	
1	0	0	0	0					
2	0	0	0	0					
3	0	0	0	0					
4	0	0	0	0					
5	0	0	0	0					
6	0	0	0	0					
7	0	0	0	0					
8	0	0	0	0					
9	0	0	0	0					
10	0	0	0	0					
11	0	0	0	0					
12	0	0	0	0					
13	0	0	0	0					
14	0	0	0	0					
15	0	0	0	0					
16	0	0	0	0					
17	0	0	0	0					
18	0	0	0	0					
19	0	0	0	0					
20	0	0	0	0					
21	0	0	0	0					
22	0	0	0	0					
23	0	0	0	0					
24	0	0	0	0					
25	0	0	0	0					
26	0	0	0	0					
27	0	0	0	0					
28	0	0	0	0					
29	0	0	0	0					
30	0	0	0	0					

Observer's Name (Print) **Nedin Bahtic**
 Observer's Signature **Nedin Bahtic** Date **05/18/10**
 Organization **Florida Department of Environmental Protection**
 Certified By **Eastern Technical Associates** Date **02/10/10**

EPA VISIBLE EMISSION OBSERVATION FORM 1

Method Used (Circle One)
 Method 9 203A 203B Other: _____

Form Number						Page	1	Of	1
Continued on VEO Form Number									

Company Name: **Stabile Concrete Products**

Facility Name: **ID No. 0810216**

Street Address: **7080 28th St. Ct. E**

City: **Sarasota** State: **FL** Zip: **34243**

Process: gray cement silo	Unit #: 002	Operating Mode: on
Control Equipment: baghouse	Operating Mode: on	

Describe Emission Point:
baghouse on top of silo - west side

Height of Emis. Pt. Start: 40' End: same		Height of Emis. Pt. Rel. to Observer Start: 35' End: same	
Distance to Emis. Pt. Start: 40' End: same		Direction to Emis. Pt. (Degrees) Start: 240 End: same	


Vertical Angle to Obs. Pt. Start: 39° End: same		Direction to Obs. Pt. (Degrees) Start: 240 End: same	
Distance and Direction to Observation Point from Emission Point Start: 2' up End: same			

Describe Emissions

Start: none	End: same
Emission Color: none	Water Droplet Plume: <input type="checkbox"/>
Start: none End: same	Attached <input type="checkbox"/> Detached <input type="checkbox"/> None <input checked="" type="checkbox"/>

Describe Plume Background

Start: sky	End: same
Background Color: blue	Sky Conditions: broken
Start: blue End: same	End: same
Wind Speed: 0-5 mph	Wind Direction: W
Start: 0-5 mph End: same	End: same
Ambient Temp. Start: 82° End: 84°	Wet Bulb Temp. 75° RH Percent 72



Additional Information: **27.63 tons**

Observation Date		Time Zone				Start Time	End Time
05/18/10		E				10:26	10:56
Sec	Min	0	15	30	45	Comments	
1		0	0	0	0		
2		0	0	0	0		
3		0	0	0	0		
4		0	0	0	0		
5		0	0	0	0		
6		0	0	0	0		
7		0	0	0	0		
8		0	0	0	0		
9		0	0	0	0		
10		0	0	0	0		
11		0	0	0	0		
12		0	0	0	0		
13		0	0	0	0		
14		0	0	0	0		
15		0	0	0	0		
16		0	0	0	0		
17		0	0	0	0		
18		0	0	0	0		
19		0	0	0	0		
20		0	0	0	0		
21		0	0	0	0		
22		0	0	0	0		
23		0	0	0	0		
24		0	0	0	0		
25		0	0	0	0		
26		0	0	0	0		
27		0	0	0	0		
28		0	0	0	0		
29		0	0	0	0		
30		0	0	0	0		

Observer's Name (Print): **Nedin Bahtic**

Observer's Signature: *Nedin Bahtic* Date: **05/18/10**

Organization: **Florida Department of Environmental Protection**

Certified By: **Eastern Technical Associates** Date: **02/10/10**