

SURFACE COATING OPERATIONS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/E		(CI)	
AIRS ID#: 0112697 DA		ARRIVE: <u>1430</u>		DEPART: <u>1530</u>	
FACILITY NAME: PH	OENIX GROUP				
FACILITY LOCATION	1163 NW 55TH STREE	ET			
	FORT LAUDERDALE	33309-2821			
OWNER/AUTHORIZE Email: CONTACT NAME: Email: ENTITLEMENT PERIO	D REPRESENTATIVE: OSC OD: 9/2/2007 / 9/2/2012 (effective date) (end date)	CAR FLORES		(954)747-6200 (954)214-9628	
PART I: INSPECTION IN COMPLIANCE	CE MINOR Non-COM			Non-COMPLIANCE	
DADT II. DECORDKE	EPING REQUIREMENTS – I	Dula 62 210 300 F A	C		
(check appropriat		Kule 02-210.300, F.A.	.C.		
1. Does the facility operate any emissions units other than the surface coating operations and emissions units which are exempt from permitting pursuant to the criteria of paragraph 62-210.300(3)(a) or (b), F.A.C., or have been exempted from permitting under Rule 62-4.040, F.A.C.? (Rule 62-210.300(3)(c)4.a., F.A.C.)					
DADT III. CONTROL	OPERATING/MAINTANAN	CE DECUIREMEN	TS – Rule 67	2 210 300 F A C	
(check ☑ appropriate		CE REQUIREMENT	15 – Kuie 02	7-210.300, F.A.C.	
emission limiting 2. Does the facility	e coating operation(s) subject to g standard of Chapter 62-296.50 cause, suffer, allow or permit th odor? (Rule 62.296.320(2), F.A	0, F.A.C.? (Rule 62-2 ne discharge of air poll	10.300(3)(c)4 lutants which	4.b., F.A.C.)cause or contribute to	☐Yes ⊠No

(check ☑ appropriate box(es))	REQUIREMENTS – Rule 62-210.300, F.A.C. – (continued)
cycles? 2) recycling cleaning solvents?	freducing VOC emissions by: fective application with a minimum of overspray? ve coating? aterborne, ultra-violet cured, or powder coatings)? one ont spillage?
PART IV: <u>SPECIAL CONDITIONS AND PROCEDURE</u> A. <u>New or Modified Process Equipment</u>	<u>S</u> – Rule 62-210.300, F.A.C.
Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without c) replacement of existing equipment substantially recent notification form?	ut replacement?
Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without c) replacement of existing equipment substantially recent notification form? d) If you answered <u>YES</u> to any of the above, did the notification form and appropriate fee (Rule 62-4).	ut replacement?
Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without c) replacement of existing equipment substantially recent notification form? d) If you answered <u>YES</u> to any of the above, did the	ut replacement? different than that noted on the most
Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without c) replacement of existing equipment substantially recent notification form? d) If you answered <u>YES</u> to any of the above, did the notification form and appropriate fee (Rule 62-4).	ut replacement? different than that noted on the most
Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without concept replacement of existing equipment substantially recent notification form? d) If you answered YES to any of the above, did the notification form and appropriate fee (Rule 62-4 local program office?	ut replacement? different than that noted on the most
1. Since the last inspection has there been a) installation of any new process equipment? b) alterations to existing process equipment without c) replacement of existing equipment substantially recent notification form? d) If you answered YES to any of the above, did the notification form and appropriate fee (Rule 62-4 local program office?	ut replacement? different than that noted on the most