

PRINTING OPERATIONS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/E ARMS COMPL	DISCOVERY (CI)			
AIRS ID#: 0310553 DA	TE: <u>07/23/12</u>	ARRIVE:	DEPART:			
FACILITY NAME: NASHUA CORPORATION - JACKSONVILLE PLANT						
FACILITY LOCATION: 4801 EXECUTIVE PARK CT STE 110						
	JACKSONVILLE	32216				
OWNER/AUTHORIZE Email: CONTACT NAME: M Email: ENTITLEMENT PERIO		21/2012	PHONE: (888)810-6880 Mobile: PHONE: (904)281-8309 Mobile:			
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
(check ✓ appropria CATEGORICAL & C 1. Is the facility subje 2. Does the facility of In any consecutive and, 3. Does the facility of (I)only heatset cleaning solver (II)only non-her of cleaning sol (III)only digital properties (IV)only screen based inks, cle (12) months?; (IV)only waterlines and use le in any consecutive (VI)only solvent 20,000 pounds in any consecutive in any	ect to any unit-specific appuse less than 667 gallons of the twelve (12) months?; operate: toffset lithographic printing the fountain solution additented offset lithographic printing lines and use less than 4 other solvent-conformation or letterpress printing lines and other solvent-conformation of litterpress printing lines and litterpress printing lines a	ing lines and use less than tives in any consecutive two rinting lines and use less than additives in any consecutive two rinting lines and use less additives in any consecutive than 2,425 gallons, combin taining materials in any consecutive than 2,425 gallons, combined and use less than 2,850 colvent-containing material dimaterial flexographic of mbined, of water-based inkerton-containing materials of the corresponding of the corresponding of the corresponding columns of the columns of the corresponding columns of the colu	nsecutive twelve (12) gallons combined of solvent Is in any consecutive twelve rotogravure printing Is, coatings, and adhesives Iting lines and use less than Iting solutions, and adhesives Yes No	N/A N/A N/A N/A		
PART II: ELIGIBILITY (check ☑ appropria	Y REQUIREMENTS – Rute box(es))	ule 62-210.300, F.A.C. (co	ontinued)			

1 of 4 Revised 09/14/07

GENERIC EMISSIONS UNIT EXEMPTION CRITERIA - Rule 62-210.300 (3) (b)1., F.A.C.	
1. Is the facility subject to any unit-specific applicable requirement?;	☐Yes ☐ No ☐ N/A
2. Does this facility emit or have the potential to emit:	
(i) 500 pounds per year or more of lead and lead compounds expressed as lead?;	☐Yes ☐ No ☐ N/A
(ii) 1000 pounds per year or more of any hazardous air pollutant?;	☐Yes ☐ No ☐ N/A
(iii) 2,500 pounds per year or more of total hazardous air pollutants?; or	☐Yes ☐ No ☐ N/A
(iv) 5.0 tons per year or more of any other regulated pollutasnt?	☐Yes ☐ No ☐ N/A
GENERIC FACILITY EXEMPTION CRITERIA - Rule 62-210.300 (3) (b)2., F.A.C.	
1. Is the facility subject to any unit-specific applicable requirement?;	☐Yes ☐ No ☐ N/A
2. Does this facility emit or have the potential to emit:	
(i) 1000 pounds per year or more of lead and lead compounds expressed as lead?;	□Yes □ No □ N/A
(ii) 1.0 ton per year or more of any hazardous air pollutant?;	☐Yes ☐ No ☐ N/A
(iii) 2.5 tons per year or more of total hazardous air pollutants?;	☐Yes ☐ No ☐ N/A
(iv) 25 tons per year or more of carbon monoxide, nitrogen oxides and sulfur dioxide?; or	Yes No N/A
(v) 10 tons per year or more of any other regulated pollutant?	☐Yes ☐ No ☐ N/A
PART III: AIR GENERAL PERMITS – Rule 62-210.310, F.A.C.	
(check ☑ appropriate box(es))	
GENERAL PROCEDURES - Determination of Eligibility - Rule 62-210.310(2)(a)1. and 2., F.A	C.
1. Does this facility emit or have the potential to emit:	
a) ten (10) tons per year or more of any hazardous air pollutant?;	☐Yes ☐ No ☐ N/A
b) twenty-five (25) tons per year or more of any combination of hazardous air pollutants?; or-	☐Yes ☐ No ☐ N/A
c) one hundred (100) tons per year or more of any other regulated air pollutant?	☐Yes ☐ No ☐ N/A
2. Has this facility:	
a) been collocated with, or relocated to such a facility as described in question #1. a), b), or	
c) above?;	□Yes □ No □ N/A
b) created such a facility in combination with any other collocated facilities, emission units, or	
pollutant-emitting activities, including any such facility, emission unit, or activity that is other	rwise
exempt from air permitting?	☐Yes ☐ No ☐ N/A
3. Does this facility contain:	
a) any emission units or activities not covered by the applicable air general permit with the exce	ption
of units and activities that are exempt from permitting pursuant to subsection Rule 62-210.30	0(3), F.A.C.,
or Rule 62-4.040, F.A.C.?;	☐Yes ☐ No ☐ N/A
b) any emission units or activities authorized by another air general permit where such other air	
general permit and the air general permit of interest specifically allow the use of one another	
at the same facility?	Yes No N/A
·	
<u>GENERAL PROCEDURES - Initial Registration/Re-registration</u> - Rule 62-210.310(2)(b), F.A.	
1. Has the owner or operator of this facility completed and submitted the proper registration form to	o the
Department for the specific air general permit to be used?;	□Yes □ No □ N/A
2. Does this facility have a current valid air general permit (entitlement to operate)?;	
3. Has there been a change of ownership of all or part of the facility?;	
4. Have there been any new administrative, construction, modification, or equipment changes that r	equire
a re-registration?	
PART III: AIR GENERAL PERMITS – Rule 62-210.310, F.A.C. (continued)	
(check ☑ appropriate box(es))	
GENERAL CONDITIONS - Rule 62-210.310(3), F.A.C.	
1. Does the air general permit registration form contain all current information regarding the	
facility?;	□Yes □ No □ N/A
2. Has the owner or operator allowed the circumvention of any air pollution control device, or allow	
the emission of air pollutants without the proper operation of all applicable air pollution control	
devices?;	□Yes □ No □ N/A
3. Does the owner or operator:	
a) maintain the authorized facility in good condition?;	□Yes □ No □ N/A
b) ensure that the facility maintains its eligibility to use the air general permit and complies with	
-, same and lasting instituting to englating to upo the air general permit and complies with	

2 of 4 Revised 09/14/07

terms and conditions of the air general permit?; [
4. Has the owner or operator allowed you, as the duly authorized representative of the Department, as	
to the facility at reasonable times to inspect and test and to determine compliance with the air gene	
permit and Department rules?	_Yes _ No _ N/A
PART IV: SPECIFIC CONTROL/OPERATING/RECORDKEEPING CRITERIA – Rule 62-210.3	10(4)(f) F A C
(check \square appropriate box(es))	10(T)(1), 1'./1.C.
SPECIFIC CONDITIONAL EXEMPTION REQUIREMENTS FROM TITLE V AIR PERMIT 1. Does the facility have any other air general permits?;	TING Yes No N/A
2. Is this printing operation subject to any unit-specific applicable requirement?;	Yes No N/A
mass printing operation subject to any anic specific approarie requirement,	
Answer questions 3. a), b), & c), and 4. below if the facility uses the <u>mass balance approach</u> to ca	
If the <u>materials</u> <u>usage</u> <u>limitation</u> <u>approach</u> is used, skip questions 3. and 4. below and proceed	l to question 5.
Mass Balance Approach	
3. Does the facility emit:	
a)eighty (80) tons or more of VOC's?;	
b)eight (8) tons or more of any individual HAP?; c)or twenty (20) tons or more of any combination of HAP's in any consecutive twelve (12)	_Yes _ No _ N/A
	Yes ☐ No ☐ N/A
4. Does the facility rely upon add-on controls to meet any of the above limitations in a), b), or c)?;	
Motoviole Tieses Limitation Annuas ele	
Materials Usage Limitation Approach	
5. In any consecutive twelve (12) months, does the facility use less than:	
a)thirteen hundred and thirty-three (1,333) gallons of materials containing hazardous air	
pollutants (HAP's)?; [Yes No N/A
and (choose only one category below, I thru VI, or VII).	
IOperate only <u>heatset</u> offset <u>lithographic printing</u> lines and use less than 100,000 pounds of	
cleaning solvent, and fountain solution additives combined?;	
IIOperate only <u>non-heatset offset lithographic printing</u> lines and use less than 14,250 gallon	
cleaning solvent and fountain solution additives combined?;	
solutions and other solvent-containing materials combined?;	
IVOperate only <u>screen</u> or <u>letterpress printing</u> lines and use less than 14,250 gallons of solven	
inks, clean-up solutions and other solvent-containing materials combined?;	
PART IV: <u>SPECIFIC CONTROL/OPERATING/RECORDKEEPING CRITERIA</u> – Rule 62-210.3	10(4)(f) F A C
(check \square appropriate box(es))	10(4)(1), 1'.A.C.
	CTINC (continued)
SPECIFIC CONDITIONAL EXEMPTION REQUIREMENTS FROM TITLE V AIR PERMIT	(continuea)
V Operate only water-based or ultraviolet-cured material flexographic or rotogravure printing li	ines
and use less than 400,000 pounds of water-based inks, coatings and adhesives, combined?; [
VIOperate only solvent-based material flexographic or rotogravure printing lines and use less	
than 100,000 pounds of inks, dilution solvents, coatings, cleaning solutions and adhesives, combined?;	Voc No No N/A
or;	1 es NO N/A
VII Operate any combination of heatset lithographic, non-heatset lithographic, digital, scre	een or letterpress.
rotogravure or flexographic printing lines and use no more than the most stringent of the mat	
contained in sub-sub-subparagraphs 62-210.310(4)(f)2.b.(I) through (VI), F.A.C., for the type	e of printing lines at the
facility. For purposes of determining which limit is the most stringent, the pounds of material	
lithographic lines and flexographic lines shall be converted to the equivalent gallons by divid	
gallon and shall be compared with the limits for non-heatset offset lithographic, digital, scree applicable, for the type of printing lines at the facility. The most stringent limit shall apply to	
containing material used?:	

3 of 4 Revised 09/14/07

(Refer to the chart & information below to identify the Printing Process combination(s) and to determine the most stringent limit for the combination(s) chosen.)

PRINTING PROCESS		INDIVIDUAL PROCESS LIMITS (IPL)	STRINGENT LIMITS FOR COMBINATIONS (SLC) (SLC = IPL* ÷ 8.5 lbs/gal.**)
#1	Heatset Offset Lithographic	100,000 lbs.*	11,765 gals.**
#2	Non-heatset Offset Lithographic	14,250 gals.	14,250 gals
#3	Digital	12,100 gals.	12,100 gals.
#4	Screen or Letterpress	14,250 gals.	14,250 gals
#5	Water-based or UV cured Rotogravure or Flexographic	400,000 lbs.*	47,059 gals.**
#6	Solvent-based Rotogravure or Flexographic	100,000 lbs*	11,765 gals**

(<u>Example</u>: If you were a printer and your combination printing processes included both <u>Printing Process</u> numbers **two** (2) and **five** (5), then the most stringent limit shall apply to the total of all solvent-containing material used. In this example, the individual <u>Stringent Limit for Combinations</u> (<u>SLC</u>) for each process is 14,250 gals. and 47,059 gals., respectively. Therefore, the most stringent limit for this combination would be 14, 250 gals.)

6. Does the facility cause, suffer, allow or permit the dis an objectionable odor? (Rule 62.296.320(2), F.A.C.)	
William Coffman	7/23/12
Inspector's Name (Please Print)	Date of Inspection
Inspector's Signature	Approximate Date of Next Inspection
COMMENTS: Facility closed ,Now occupied by Comcast	