

LEHIGH™

WHITE CEMENT

Tampa Dome
295H005183



STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the applicable classification, tariff, circular and/or contract in effect on the date of the issue of this Original Bill of Lading, the property described below, in apparent good order, except as noted "contents and condition of contents of packages unknown", marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the National Motor Freight Classification in effect on the date hereof, if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said Uniform Straight Bill of Lading set forth in the classification which governs this shipment, said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

Delivery Date/Time: Mar 11, 2009 5:45 AM

Loaded On: Mar 11, 2009 5:52 AM

CONTINENTAL CEMENT COMPANY
SLIP 3 EISENHOWER BLVD.
PORT EVERGLADES FL 33316
US

Customer Number : 0000036859
Customer P.O. # : 8162
Carrier : A CUSTOMER PICKUP
Carrier ID : 0000400643

Description	Quantity	Unit of Measure	Truck, Trailer & Pup	Silo	Gross	Tare	Net
White Type I	24.10	TO	PG BULK 118	Silo 1	79600 LB	26460 LB	53140 LB
	2657 ST.		PG Bulk 129				

Special Instructions : Deliver To Cement IT
Orlando FL.
Seal # 103554

Drive Carefully!

3-11-09

1050411
J and M Stone
J. Stone

Note: Any manually-entered weights or quantities are identified with a darker background. Material Safety Data Sheet available upon request.

Prior to signing delivery receipt, verify condition of shipment. No loss or damage claims considered unless exception is noted on Bill of Lading by consignee at time of delivery.	Weighmaster signature _____ BL Turner
	Subject to Section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.
CUSTOMER PICKUP RECEIPT OF THE PRODUCT AND QUANTITY DESIGNATED HEREON IS ACKNOWLEDGED, FOB ORIGIN, BY CUSTOMER OR AGENT FOR CUSTOMER FOR DELIVERY TO THE CUSTOMER AND DESTINATION IDENTIFIED HEREON.	PER (Signature of Consignor) _____
Received by _____ Dena Carter	CHARGES ARE PREPAID UNLESS MARKED NOT PREPAID
Customer's signature _____	LEHIGH CEMENT COMPANY - SHIPPER
RECEIVED BY CARRIER AGENT ABOVE _____ PER	PER _____
Rev. 03/07	The description and weight indicated on this Bill of Lading are correct subject to verification by the respective Weight and Inspection Bureau according to Agreement LEHIGH CEMENT COMPANY - SHIPPER

Hughes, Rhonda

ENT'D MAR 04 2009

From: DEAN MYERS [deanhmyers@earthlink.net]
Sent: Tuesday, March 03, 2009 2:54 PM
To: Henry, Danielle D.; Hughes, Rhonda
Subject: RE: J & N Stone VE test

Hi Danielle, I spoke to Joe Panetta and he said Wens. March 11th at 8:00am is OK. As we discussed, J & N Stone (#1050411) has the opportunity to conduct a VE test on their white cement Silo in the short term. Normally it takes about 3 months to empty the white silo. Within the recent, slow economy their business is not steady, with unexpected ups and downs. Currently J&N Stone is in need of filling the silo and would like to do that as soon as possible. As we have recently completed the gray silo VE test , J & N Stone wishes to complete all VE testing in the same time period and eliminating testing/timing logistics for the rest of the year. We appreciate the short term notice allowance.

Thanks, Dean Myers, P.E.
General Env. Engineering Inc.
863 682 7587

----- Original Message -----

From: Henry, Danielle D.
To: deanhmyers@earthlink.net
Cc: Gradney, Natrevia
Sent: 12/19/2008 3:33:07 PM
Subject: RE: J & N Stone VE test

Dean,

Based on the most recent submitted tests performed on 1/2/08 on both grey and white cement, you are correct. Testing is due once per calendar year.

Danielle

From: DEAN MYERS [mailto:deanhmyers@earthlink.net]
Sent: Friday, December 19, 2008 3:28 PM
To: Henry, Danielle D.
Subject: RE:J & N Stone VE test

Hey Danielle, Just wanted to clarify our discussion today on the phone. That is: that the J&N Stone facility needs to conduct the VE tests once per calendar year. We will therefor schedule VE testing early in 2009 as loading becomes available.

Thanks
Dean Myers, P.E.

Hughes, Rhonda

From: Henry, Danielle D.
Sent: Wednesday, March 04, 2009 8:47 AM
To: 'deanhmyers@earthlink.net'
Cc: Panetta, Joe; Hughes, Rhonda
Subject: RE: J & N Stone VE test

Mr. Myers,

This email serves as confirmation that the Department received and approved your short notice email notification to VE test the white cement silo at the J & N Stone facility (1050411) on Wednesday, March 11, 2009 at 8am.

If you have any questions, please give me a call.

Regards,

*Danielle D. Henry
Environmental Compliance Manager
Florida Department of Environmental Protection
Division of Air Resource Management
Southwest District
Business Phone: 813-632-7600 ext. 104
Fax Number: 813-632-7668*

From: DEAN MYERS [mailto:deanhmyers@earthlink.net]
Sent: Tuesday, March 03, 2009 2:54 PM
To: Henry, Danielle D.; Hughes, Rhonda
Subject: RE: J & N Stone VE test

Hi Danielle, I spoke to Joe Panetta and he said Wens. March 11th at 8:00am is OK. As we discussed, J & N Stone (#1050411) has the opportunity to conduct a VE test on their white cement Silo in the short term. Normally it takes about 3 months to empty the white silo. Within the recent, slow economy their business is not steady, with unexpected ups and downs. Currently J&N Stone is in need of filling the silo and would like to do that as soon as possible. As we have recently completed the gray silo VE test , J & N Stone wishes to complete all VE testing in the same time period and eliminating testing/timing logistics for the rest of the year. We appreciate the short term notice allowance.

Thanks, Dean Myers, P.E.
General Env. Engineering Inc.
863 682 7587

----- Original Message -----

From: Henry, Danielle D.

To: deanhmyers@earthlink.net
Cc: Gradney, Natrevia
Sent: 12/19/2008 3:33:07 PM
Subject: RE: J & N Stone VE test

Dean,

Based on the most recent submitted tests performed on 1/2/08 on both grey and white cement, you are correct. Testing is due once per calendar year.

Danielle

From: DEAN MYERS [<mailto:deanhmyers@earthlink.net>]
Sent: Friday, December 19, 2008 3:28 PM
To: Henry, Danielle D.
Subject: RE:J & N Stone VE test

Hey Danielle, Just wanted to clarify our discussion today on the phone. That is: that the J&N Stone facility needs to conduct the VE tests once per calendar year. We will therefor schedule VE testing early in 2009 as loading becomes available.

Thanks
Dean Myers, P.E.

Henry, Danielle D.

To: deanhmyers@earthlink.net
Subject: RE: J & N Stone VE test

Mr. Myers,

This email serves as confirmation that the Department received and approved your short notice email notification to VE test the white cement silo at the J & N Stone facility (1050411) on Wednesday, March 11, 2009 at 8am.

If you have any questions, please give me a call.

Regards,

*Danielle D. Henry
Environmental Compliance Manager
Florida Department of Environmental Protection
Division of Air Resource Management
Southwest District
Business Phone: 813-632-7600 ext. 104
Fax Number: 813-632-7668*

From: DEAN MYERS [mailto:deanhmyers@earthlink.net]
Sent: Tuesday, March 03, 2009 2:54 PM
To: Henry, Danielle D.; Hughes, Rhonda
Subject: RE: J & N Stone VE test

Hi Danielle, I spoke to Joe Panetta and he said Wens. March 11th at 8:00am is OK. As we discussed, J & N Stone (#1050411) has the opportunity to conduct a VE test on their white cement Silo in the short term. Normally it takes about 3 months to empty the white silo. Within the recent, slow economy their business is not steady, with unexpected ups and downs. Currently J&N Stone is in need of filling the silo and would like to do that as soon as possible. As we have recently completed the gray silo VE test , J & N Stone wishes to complete all VE testing in the same time period and eliminating testing/timing logistics for the rest of the year. We appreciate the short term notice allowance.

Thanks, Dean Myers, P.E.
General Env. Engineering Inc.
863 682 7587

JOE,
3/4
PLEASE FILE THESE
TWO EMAILS IN
COMPLIANCE FILE.
THANKS,
DANIELLE

----- Original Message -----
From: Henry, Danielle D.
To: deanhmyers@earthlink.net
Cc: Gradney, Natrevia
Sent: 12/19/2008 3:33:07 PM

Subject: RE: J & N Stone VE test

Dean,

Based on the most recent submitted tests performed on 1/2/08 on both grey and white cement, you are correct. Testing is due once per calendar year.

Danielle

From: DEAN MYERS [mailto:deanhmyers@earthlink.net]

Sent: Friday, December 19, 2008 3:28 PM

To: Henry, Danielle D.

Subject: RE:J & N Stone VE test

Hey Danielle, Just wanted to clarify our discussion today on the phone. That is: that the J&N Stone facility needs to conduct the VE tests once per calendar year. We will therefor schedule VE testing early in 2009 as loading becomes available.

Thanks
Dean Myers, P.E.

Henry, Danielle D.

From: DEAN MYERS [deanhmyers@earthlink.net]
Sent: Friday, December 19, 2008 3:28 PM
To: Henry, Danielle D.
Subject: RE:J & N Stone VE test

Hey Danielle, Just wanted to clarify our discussion today on the phone. That is: that the J&N Stone facility needs to conduct the VE tests once per calendar year. We will therefor schedule VE testing early in 2009 as loading becomes available.

Thanks
Dean Myers, P.E.

----- Original Message -----

From: DEAN MYERS
To: Henry, Danielle D.
Sent: 12/19/2008 10:29:28 AM
Subject: RE:J & N Stone VE test

Hi Danielle, I work for a business in Haines City, J & N Stone #1054110-001 . I contacted them earlier as it is time to perform their yearly VEs. They were hope-ing to schedule both their gray and white cement loads together but recently checked and needed white cement immediately . Chad Richards of J & N Stone informed me that they ran out of white cement and could use a load immediately. He said, however, they don't use white often enough to load more than once every 3 months. Due to that fact and tight schedules around the holidays , we would like to request a short notice to load white on the 23rd of Dec. or the 24th if that works better for VE testing.

Thanks,
Dean H. Myers, P.E.

----- Original Message -----

From: Henry, Danielle D.
To: deanhmyers
Cc: Hughes, Rhonda; Bahtic, Nedin
Sent: 12/15/2008 11:18:38 AM
Subject: ICS Lakeland December 10, 2008 notification

Dean,

Due to the fact the Department is currently on site today conducting an annual compliance inspection, this email serves as confirmation that the Department has received and approved the short notice notification letter dated December 10, 2008, for annual testing on December 22, 2008 at the ICS Lakeland facility # 1050208.

This email serves as confirmation that the Department has received the faxed short notice notification letter dated December 10, 2008. Due to the fact the Department is currently on site today conducting an annual compliance inspection, the annual testing scheduled for December 22, 2008 at the ICS Lakeland facility (1050208) is approved.

In the future, please feel free to email me the notifications and VE test reports. Please copy my staff assistant Ms. Rhonda Hughes (Rhonda.hughes@dep.state.fl.us).

Regards,

Danielle D. Henry
Environmental Compliance Manager
Florida Department of Environmental Protection
Division of Air Resource Management
Southwest District