

$\frac{\textbf{NON-METALLIC MINERAL PROCESSING}}{\underline{\textbf{PLANTS}}}$



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/DISCOVE	RY (CI)
	RE-INSPECTION (FUI)	ARMS COMPLAINT NO	:
AIRS ID#: 7775468 DA	TE: <u>07/02/2009</u>	ARRIVE: <u>7:45 A.M.</u>	DEPART: <u>9:30 A.M.</u>
FACILITY NAME: PO	WERSCREEEN		
FACILITY LOCATION	N: Santa Barbara Rd. (Sou	th Extension Rd)	
	NAPLES		
OWNER/AUTHORIZE	D REPRESENTATIVE: RIG	CHARD GRANT PHONE	E: (863)687-7153
CONTACT NAME:		PHONE	: :
ENTITLEMENT PERIO	OD: 1/20/2008 / 1/20/201 (effective date) (end date)	3	
PART I: INSPECTION	COMPLIANCE STATUS (check 🗹 only one box)	
☐ IN COMPLIAN	CE MINOR Non-COM	IPLIANCE SIGNIFICAN	NT Non-COMPLIANCE
PART II-A: AIR GENE (check R appropriate	ERAL PERMITS – Rule 62-21 te box(es))	0.310, F.A.C.	
		igibility – Rule 62-210.310(2), F	r.A.C.
a) 10 tons per year	eep records to show that it does ar or more of any hazardous air	pollutant?	
		=	
		ted air pollutants?	Yes No N/A
2. Does this facility			n na a
of units and ac	ctivities that are exempt from pe	y the applicable air general permermitting pursuant to subsection l	
general permit	and the air general permit of ir	another air general permit where terest specifically allow the use	of one another
	•		
1. Has the owner or	operator of this facility comple	/Re-registration – Rule 62-210. ted and submitted the proper region be used?;	
=			
	<u>ENERAL PERMITS</u> – Rule 6	2-210.310, F.A.C., Cont.	
(check R appropriate		out of the feethers.	□ 37 □ 31. □ 31/4
		art of the facility?;ction, modification, or equipmen	t changes that require
			Yes No N/A

GENERAL CONDITIONS — Rule 62-210.310(3), F.A.C. 1. Does the air general permit registration form contain all current information regarding the facility?;————————————————————————————————————
a) maintain the authorized facility in good condition?; Yes No N/A
b) ensure that the facility maintains its eligibility to use the air general permit and complies with all terms and conditions of the air general permit?; Yes No N/A
4. Has the owner or operator allowed you, as the duly authorized representative of the Department, access to the facility at reasonable times to inspect and test and to determine compliance with the air general permit and Department rules? ✓ Yes ☐ No ☐ N/A
PART II-B: <u>DETERMINATION OF FACILITY TYPE/APPLICABILITY</u>
(check \mathbf{R} only <u>one</u> box)
<u>Subject Facilities</u> : (applicable fixed or portable facilities include each crusher, grinding mill, screening operation, bucket elevator, belt conveyor, bagging operation, storage bin, enclosed truck or railcar loading station, crushers & grinding mills at hot mix asphalt facilities that reduce the size of non-mettalic minerals embedded in recycled asphalt pavement & subsequent affected facilities up to, but not including the first storage silo or bin.)
FOR FACILITIES NOT SUBJECT TO: (40 CFR Part 60, Subpart OOO, §60.670(a)(2), (b), (c), and (d)) (If you have checked R this category, answer <u>all</u> questions <u>EXCEPT</u> those with **.)
Non-Subject Facilities: (includes all facilities in underground mines; stand-alone screening operations at plants w/o crushers or grinding mills; facilities not subject to subparts F (Portland Cement Plants) or I (Hot Mix Asphalt Facilities) of this part; fixed sand & gravel plants, & crushed stone plants w/capacities of 23 megagrams/hr (25 tons/hr) or less; portable sand & gravel plants, & crushed stone plants w/capacities of 136 megagrams/hr (150 tons/hr) or less; common clay plants, and pumice plants w/capacities of 9 megagrams/hr (10 tons/hr) or less.)
PART III: <u>EMISSION STANDARDS</u> – Chapter 62-210.310(5)(e), F.A.C. (check R appropriate box(es))
<u>Stack Emissions</u> - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C. **1. Were visible stack emissions tests conducted during this site visit according to EPA Method 9 (40 CFR 60, Appendix A)? Yes □ No
**2. Do stack emissions from any crusher, grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station or any other affected emission point:
**a) exceed 7% percent opacity?
**b) exceed the particulate matter standard of <u>0.05</u> grams per dry standard cubic meter (g/dscm)? Yes No

PART III: <u>EMISSION STANDARDS</u> – Chapter 62-210.310(5)(e), F.A.C., Cont. (check R appropriate box(es))	
**3. Do stack emissions from any baghouse that controls emissions from only an individual, enclosed storage bin exceed 7% percent opacity?	Yes No
<u>Visible Emissions</u> - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C.	
**1. Were visible emissions tests conducted during this site visit according to EPA Method 9 (40 CFR 60, Appendix A)?	Yes 🗌 No
**2. Do visible emissions from any: **a) grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station or any other affected emission point exceed 10% percent opacity?	
**b) crusher without a capture system, exceed 15 % opacity?	Yes 🛛 No
3. Pursuant to subparagraph 62-296.320(4)(b)1., F.A.C., are visible emissions from any crusher, grinding, screening operation, bucket elevator, transfer points on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station, or any other emission point NOT subject to 40 CFR Part 60, Subpart OOO, equal to or greater than 20 % percent opacity?	Yes ⊠ No
Emission Points Enclosed in Buildings - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204	4.800, F.A.C.
**4. Is any crusher, grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station, or any other affected emission point enclosed in a building? (<i>If answer to question #4 is YES, then proceed to #4.a</i>))	Yes 🛛 No
**a) If enclosed in a building are the stack emissions discharged from a wet scrubbing control device? (If answer to this question is NO, then proceed to the next question #4.b)1) & 2). If YES skip to #4.c).)	Yes 🗌 No
**b) If the stack emissions from enclosed emission points are not discharged from a wet scrubbing control devices the particulate matter in excess of 0.05 grams per dry standard cubic meter (g/dscm)?	
2) the opacity greater than $\underline{7}\%$ percent?	Yes No
**c) Do the stack emissions from the baghouse(s) inside of the building(s) exceed 7/2% percent opacity?	Yes No
**5. Do visible emissions from any: **a) grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station or any other affected emission point exceed 10% percent opacity?	Yes No
**b) crusher without a capture system, exceed 15 % opacity?	Yes 🛛 No
Wet Screening/Wet Mining Operations:	
**6. Are there any visible emissions discharges at the wet screening operations and subsequent screening operations, bucket elevators and belt conveyors that process saturated material in the production line up to the next crusher, grinding mill, or storage bin?	Yes ⊠ No
**7. Are there any visible emissions discharges at the screening operations, bucket elevators, and belt conveyors in the production line downstream of wet mining operations, where such screening operations, bucket elevators, and belt conveyors process saturated materials up to the first crusher, grinding mill, or storage bin in the production line?	Yes ⊠ No

PART IV: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-210.310, F.A.C.
(check \mathbf{R} appropriate box(es)
Compliance Demonstration – (Rule 62-210.310(5)(e)3, F.A.C.) 1. Is each affected emission point tested according to the visible emissions and stack emissions standards as part of the annual compliance demonstration? (Rule 62-210.310(5)(e)3.e., F.A.C.)
Compliance New Facilities – (Rule 62-210.310(5)(e)3., F.A.C.) 2. Did this facility demonstrate initial compliance no later than 30 days after beginning operation? Yes □ No
Compliance Existing Facilities – (Rule 62-210.310(5)(e)3., F.A.C.) 3. In order to demonstrate annual compliance, was an annual visible emissions test conducted within 365 days (annually thereafter) of the previous visible emissions compliance test? ✓ Yes ✓ No
<u>Test Methods and Procedures</u> – Chapter 62-297, F.A.C., 40 CFR 60.675, and 40 CFR Part 60, Appendix A adopted and incorporated by reference at Rule 62-204.800, F.A.C.
4. Were all referenced visible emissions tests conducted using EPA Method 9? ✓ Yes ✓ No
5. Were all referenced unconfined or fugitive emissions tests conducted using EPA Method 22? Yes 🛛 Yes
6. Were all referenced stack emissions or particulate matter tests conducted using EPA Methods 5 or 17? Yes 🛛 No
Reporting and Recordkeeping – (Rule 62-210.310(5)(e)3., F.A.C.)[Chapter 62-297, F.A.C. and
40 CFR Part 60.670 – 60.676, Subpart OOO, adopted and incorporated by reference at Rule 62-204.800, F.A.C.]
Facility and/or Equipment Replacement
**7. Did the owner or operator submit to the Administrator, the following information about the replacement of existing facility and/or equipment:
**a) for a Crusher, Grinding Mill, Bucket Elevator, Bagging Operation, or enclosed truck, or Railcar Loading Station, **1) the rated capacity in megagrams or tons per hour of the existing facility being replaced and the rated capacity in tons per hour of the replacement equipment?
**b) for a Screening Operation, **1) the total surface area of the top screen of the existing screening operation being replaced and the total surface area of the top screen of the replacement screening operation? Yes No
**c) for a Conveyor Belt, **1)the width of the existing belt being replaced and the width of the replacement conveyor belt? Yes No
**d) for a Storage Bin, **1) the rated capacity in megagrams or tons of the existing storage bin being replaced and the rated capacity in megagrams or tons of replacement storage bins?
Performance/Compliance Testing
**8. During the initial performance test, did the owner or operator record the measurements of both the change in pressure of the gas stream across the scrubber and the scrubbing liquid flow rate? Yes No
**9. After the initial performance test of a wet scrubber, did the owner or operator submit semiannual reports to the Administrator of occurrences when the measurements of the scrubber pressure loss (or gain) and liquid flow rate differ by more than ±30 percent from the averaged determined during the most recent performance test?
**a) Were the reports postmarked within 30 days following the end of the second and fourth calendar quarters?

PART IV:	
**10. Did the owner or operator of the facility submit written reports of the results of all performance tests conducted to demonstrate compliance with the particulate matter standards (40 CFR Part 60.672), opacity (using EPA Method 9 to demonstrate compliance with 40 CFR Part 60.672(b), (c), and (f)), and emission observations of transfer points enclosed in buildings (using EPA Method 22 to demonstrate compliance w 40 CFR Part 60.672(e))?	1
Process Changes	
**11. Does this facility have a screening operation, bucket elevator, and/or a belt conveyor system? (<i>If your answer to this question is YES, then answer either a)1) or a)2) below.)</i>	⊠ Yes □ No
**a)Did this screening operation, bucket elevator, and/or belt conveyor system: **1) originally process saturated material and switch to unsaturated material? (Note: The unsaturated material handling processes would now be subject to the 10% opacity limit in 40 CFR 60.672(b) and the emission test requirements of 40 CFR 60.11 and Subpart OOO.)	☐ Yes ☐ No
**2) originally process unsaturated material and switch to saturated material? (Note: The saturated material handling processes would now be subject to the <u>no visible emission limit</u> in 40 CFR 60.672(h) (If answer to 1) or 2) above is <u>YES</u> then proceed to question b) below.)).) Yes No
**b) Did the owner or operator submit a report of the process change within thirty (30) days following the change?	☐ Yes ☐ No
Notification Requirements	
**12. Was notification of the actual date of startup for each affected or combination of affected facilities submitted to the Administrator and postmarked within 15 days after such date?	⊠ Yes □ No
**a) Did the notification include a description of each affected facility, equipment manufacturer, and serial number of the equipment, if available?	⊠ Yes □ No
**b) For portable aggregate processing plants, did the notification of actual date of initial start up also include both the home office and the current address or location of the portable plant?	⊠ Yes □ No
PART V: OPERATING REQUIREMENTS/CONTROL TECHNOLOGY - Rule 62-210.310, F.A.C.	
(check \mathbf{R} appropriate box(es))	
1. Is this facility a: 1) relocatable (□; 2) stationary (□; or does it have: 3) both, stationary and relocatable	;
concrete batching and/or nonmetallic mineral processing plants? (Please check R only one box above.) (NOTE: If you have checked the box for relocatable go to questions 1.a) & 1.b). If you have checked the stationary go to question 1.c). If you have checked box #3, both, stationary and relocatable then answer relocatable and stationary questions 1.a), 1.b), & 1.c) below, respectively.)	r all
a) If this is a <u>relocatable facility</u> was the Department notified by phone prior to this relocation, and was a Facility Relocation Notification form submitted within 1 business day following the relocation?	⊠ Yes □ No
b) If this is a <u>relocatable facility</u> , is it located at a mine and/or quarry, and processing only material from deposits? (<i>If your answer to this question is <u>NO</u>, please proceed to question 1) below.</i>)	
c) If this is a stationary facility , does the owner or operator of this stationary facility have a water suppression system with spray bars located at the feeder(s), the entrance, and the exit of the crusher(s), the classifier screens and the conveyor drop points?	Yes No

PART V: OPERATING REQUIREMENTS/CONTROL TECHNOLOGY - Rule 62-210.310, F.A.C. (Continued)
(check \mathbf{R} appropriate box(es))
**2. Does this facility incorporate the use of a wet scrubber to control emissions? (40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C.) (If your answer to this question is YES, then proceed to questions 2.a) and 2.b), below.)
**a) Does the wet scrubber have continuous monitoring systems (CMS) for: **1) the measurement of the pressure loss of the gas stream through the scrubber? Yes No
**2) the measurement of the scrubbing liquid flow rate to the wet scrubber?
**b) Has each CMS been certified by the manufacturer and calibrated annually in accordance with the manufacturer's instructions and to the tolerances below?
**1) ±250 pascals ±1 inch water guage pressure for measuring pressure losses of the gas stream?
**2) ±5 percent of design scrubbing liquid flow rate?
PART VI: <u>OPERATING/RECORDKEEPING REQUIREMENTS</u> – Rule 62-210.310(5)(b), F.A.C.
(check \mathbf{R} appropriate box(es))
1. Is this facility: 1) a stationary □; 2) a relocatable □; or does it have: 3) both, stationary and relocatable □ (<i>Please check</i> R <i>only one box.</i>)
For any combination of stationary or relocatable nonmetallic mineral processing plants, located with stationary or relocatable concreted batching plants: a) Are there any additional nonexempt units located at this facility? □ Yes ▷ No
b) Is the total combined annual facility-wide fuel usage of all plants less than or equal to:
1) 275,000 gallons of diesel fuel
2) 23,000 gallons of gasoline
3) 44 million standard cubic feet on natural gas Yes No
4) 1.3 million gallons of propane Yes No
5) or an equivalent prorated amount if multiple fuels are used onsite Yes No
3. Does the owner/operator of the nonmetallic mineral processing plant submitting this registration maintain a log book or books to account for fuel consumption on a monthly basis? Yes No
a log book or books to account for fuel consumption on a monthly basis?
a log book or books to account for fuel consumption on a monthly basis?
a log book or books to account for fuel consumption on a monthly basis?
a log book or books to account for fuel consumption on a monthly basis?
a log book or books to account for fuel consumption on a monthly basis?

PART VII: REASONABLE PRECAUTIONS/EMISSION (CONTROL MEASURES & TECHNOLOGY – Rule 62-
210.310(5)(e)3.c., F.A.C. (check R appropriate box(es))	
 Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.) Does the owner /operator of the nonmetallic mineral pro emissions by: 	cessing plant take reasonable precautions to control unconfined
-	drop points? X Yes No
1) paving and maintenance of roads, parking areas,	d yards, which shall include one or more of the following: stock piles, and yards? Yes No
	⊠ Yes □ No
	to reduce airborne particulate matter? Yes No
	⊠ Yes □ No
	Yes ⊠ No
6) the use of hoods, fans, filters and similar equipment matter?	Yes No
7) the enclosure or covering of conveyor systems?	Yes 🖂 No
b) alteration of existing process equipment without rc) replacement of existing equipment substantially d	replacement?
A. New or Modified Process Equipment 1. Since the last inspection has there been	Yes ⋈ No replacement? ☐ Yes ⋈ No ifferent than that noted on the most ☐ Yes ⋈ No owner submit a new and complete , F.A.C.) to the appropriate DEP or
A. New or Modified Process Equipment 1. Since the last inspection has there been a) installation of any new process equipment? b) alteration of existing process equipment without r c) replacement of existing equipment substantially d recent notification form? d) If you answered YES to any of the above, did the notification form and appropriate fee (Rule 62-4.050)	Yes ⋈ No replacement? ☐ Yes ⋈ No ifferent than that noted on the most ☐ Yes ⋈ No owner submit a new and complete , F.A.C.) to the appropriate DEP or
A. New or Modified Process Equipment 1. Since the last inspection has there been a) installation of any new process equipment? b) alteration of existing process equipment without r c) replacement of existing equipment substantially d recent notification form? d) If you answered YES to any of the above, did the notification form and appropriate fee (Rule 62-4.050 local program office?	Yes No replacement?
A. New or Modified Process Equipment 1. Since the last inspection has there been a) installation of any new process equipment? b) alteration of existing process equipment without r c) replacement of existing equipment substantially d recent notification form? d) If you answered YES to any of the above, did the notification form and appropriate fee (Rule 62-4.050 local program office?	Yes No replacement?
A. New or Modified Process Equipment 1. Since the last inspection has there been a) installation of any new process equipment? b) alteration of existing process equipment without r c) replacement of existing equipment substantially d recent notification form? d) If you answered YES to any of the above, did the notification form and appropriate fee (Rule 62-4.050 local program office?	Yes No replacement?

COMMENTS: Fuel Records and operating hours were submitted from Jan - July 2009 by City Excavation which is renting the crusher equipment from Powerscreen.