

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

IN		NUAL (INS1, INS2)	COMPLAINT/I		(CI)			
ΑI	RS ID#: 0112701 DATE:	7/11/2012	ARRIVE: <u>1000</u>		DEPART: <u>1230</u>			
FA	FACILITY NAME: GUIDING LIGHT CREMATIONS							
FA	CILITY LOCATION:	2431 SW 56TH TERRA	ACE					
		WEST PARK 33023-	4020					
CC	WNER/AUTHORIZED RE Email: DNTACT NAME: Email: VTITLEMENT PERIOD:	PRESENTATIVE: DA' 11/26/2009 / 11/26/20 (effective date) (end date)			(954)456-6066 (954)439-1000			
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE								
	Name(s) of facility represen Brief Notes:				(check 🗹 box for each	•		
2.	Is the Authorized Represent If no, who is?:	ative still DAVID KROHN	N?		X Yes	□No		
3.	If different, did the facility I Is the facility contact still? If no, who is?:	orovide an administrative u	update within 30 days	?	Yes Yes	□No □No		
4.	Will facility be conducting If yes, was the compliance a					⊠No □No		

Emissions Unit Section 4 – Human Crematory-Unit #1, prim/2ndary chmbrs,NG fired,200#/hr

PART I: FILE REVIEW PRIOR TO INSPECTION					
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	\bowtie	Yes	□No	
	b. If yes, were design calculations provided then to confirm a sufficient volume in the				
	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time				
	at 1800 degrees Fahrenheit?		Yes	□No	
2.	Crematory unit installed after February 1, 2007?	$\overline{\boxtimes}$	Yes	□No	
	Date of last inspection: 08/05/2011				
4.	Past Visible Emissions (VE) tests:				
	a. Was a VE test performed within each of the past 4 calendar years?	\boxtimes		□No	
	b. Has a VE test been performed yet within the current calendar year?	\boxtimes	Yes	□No	
	c. If first year of operation, was a VE test performed within 30 days of commencing	_		_	
	operation? 🔯 N/A		Yes	□No	
	d. Date of last VE test: 3/23/2012				
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test?			∐No	
	f. Did the facility demonstrate compliance during the last VE test?	\boxtimes	Yes	∐No	
	If no, what was the problem (if known)?				
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>				
	YIDIDDE ENTERDION TENTENDE				
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?		Yes	⊠No	
	a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver?		Yes	□No	
	b. Was the visible emissions test conducted according to EPA Method 9?		Yes	□No	
	•				
	c. The visible emission test resulted in an opacity of % for the highest six minute average.				
	d. Did the visible emission test demonstrate compliance with the limit?		Yes	□No	
	(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes	in any	one-hour)		
		_			
2.	Was a visible emissions test conducted by the inspector during this site visit?		Yes	⊠No	
	a. Was the test conducted with the unit operating at a capacity of one (1) adult-sized cadaver?		Yes	∐No	
	b. Was the visible emissions test conducted according to EPA Method 9?	Ш	Yes	∐No	
	c. The visible emission test resulted in an opacity of % for the highest six minute average.				
_	d. Did the visible emission test demonstrate compliance with the limit?		Yes	□No	
3.	Is there any reason to ask for a special test to determine compliance with the PM and CO standar		3 7		
	If we will at any and 9	Ш	Yes	⊠No	
	If yes, what reason?				
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS				
	· · · · · · · · · · · · · · · · · · ·				
1.	Were there any objectionable odors detected?		Yes	⊠No	
	An upwind/downwind survey of the facility was conducted. The observed parameters were:				
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-1)	0)		
	Continuous Monitoring Systems –				
a	Is a continuous temperature monitoring system installed on each unit to record temperatures in the	_			
	secondary chamber in accordance with the manufacturer's instructions?	\boxtimes	Yes	□No	
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence				
	time at $\boxtimes 1,800^1 \square 1,600^2$ degrees was determined?	\boxtimes	Yes	□No	
	(Application or initial notification: ¹ received on or after 8/30/89; ² received before 8/30/89)				

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)						
TART III. MONTORING/RECORDREET ING REQUIREMENTS (Continued)						
c. Are the following records kept on file, available for inspection, for at least the past two years? 1) All temperature measurements		Yes Yes Yes Yes Yes Yes	NoNoNoNoNoNoNoNo			
 d. Are the temperature charts properly documented with operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings e. Was the crematory unit installed after 2/1/07? If no, skip e.(1) – (3)		Yes Yes Yes	No No No No			
			a.			
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremating process begins in the primary chamber? 	on Y	Yes Yes Yes Yes	NoNoNoNo			
PART V: ALLOWED MATERIALS						
1. <i>Other than</i> human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit?		Yes	⊠No			
2. Do cremation containers contain no more than 0.5 % (percent) by weight chlorinated plastics as certified by the manufacturer?		Yes Yes	⊠No □No			

PART VI: EQUIPMENT MAINTENANCE						
Is the crematory unit maintained in accordance with the manufacturer's specifications? Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? Does the crematory allow for a visible check on the flame characteristics?	⊠ Yes	No No No				
If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?	_	□No □No				
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)						
☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						

Emissions Unit Section 5 – Human Crematory-Unit #2, prim/2ndary chmbrs,NG fired,200#/hr

PA	ART I: FILE REVIEW PRIOR TO INSPECTION	(check ☑ box for each of	-
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	⊠ Yes	□No
3.	b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	⊠ Yes ⊠ Yes	□No □No
4.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	∑ Yes∑ Yes	□No □No
	operation? N/A	Yes	□No
	d. Date of last VE test:e. Was the VE test report filed with the compliance authority no later than 45 days after the test?f. Did the facility demonstrate compliance during the last VE test?		□No □No
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check v box for each of	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?	Yes Yes	⊠No □No □No
	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?	Yes Yes	NoNoNoNo
3.	d. Did the visible emission test demonstrate compliance with the limit?	rds?	
	If yes, what reason?	Yes	⊠No
			7
PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check 🗹 box for each of	only one question)
1.	Were there any objectionable odors detected?	Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
a	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? ————————————————————————————————————	∑ Yes ✓ Yes	□No
	(Application of initial norm-cation. Tecerved on of after 8/30/89; Tecerved before 8/30/89)		

part III: Monitoring/Recordkeeping Requirements (continued) c. Are the following records kept on file, available for inspection, for at least the past two years? 1) All temperature measurements							
1) All temperature measurements							
	Yes	□No					
2) all continuous monitoring systems, monitoring devices, and performance testing measurements;	-						
monitoring system all continuous performance evaluations	⊠ Yes ⊠ Yes	∐No □No					
4) Adjustments	X Yes	□No					
5) Preventive maintenance performed on systems/devices	Yes	□No					
6) Corrective maintenance performed on systems/devices	Yes Yes	∐No					
d. Are the temperature charts properly documented with operator name, operator indication of	_						
when cremation in the primary chamber was begun, date, time, and temperature markings		∐No □No					
e. Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatic		□N0					
control combustion based on continuous in-stack opacity measurement?		□No					
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity							
exceeds 15% opacity?(3) Has the opacity measurement system been cleaned and checked for proper operation in	- X Yes	∐No					
accordance with the manufacturer's recommended maintenance schedule?	- X Yes	□No					
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check ☑	only one					
TARTIV. SECONDARI COMBUSTION ZONE TEMIERATURES	box for each	•					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F 							
		□No					
b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremat process begins in the primary chamber?	Yes	□No					
2. If the application to construct ON or AFTER August 30, 1989 is the:							
	Ves	□ No					
b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremater		140					
process begins in the primary chamber?	Yes Yes	□No					
	PART V. ALLOWED MATERIALS (check 7 only one						
PART V. ALLOWED MATERIALS	(check ✓	only one					
PART V: <u>ALLOWED MATERIALS</u>	(check ☑ box for each						
1. Other than human or fetal remains with appropriate containers or clothing, are any materials,	box for each	n question)					
1. Other than human or fetal remains with appropriate containers or clothing, are any materials,	box for each	n question)					
 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremate process begins in the primary chamber? c. If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	tion Yes Yes						

PART VI: EQUIPMENT MAINTENANCE				(check ☑ only one box for each question)		
1. Is the crematory unit maintaine	Is the crematory unit maintained in accordance with the manufacturer's specifications?					
 Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?			∑ Yes ✓ Yes	□No □No		
a. Was the flame characteristic b. Was the flame adjusted whe	Yes Yes	□No □No				
PART VII: EU INSPECTION C	COMPLIANCE STATUS (cl	neck 🗹 only one box)				
☐ IN COMPLIANCE	MINOR Non-COMPLIAN	CE SIGNIFICANT Non-COMPL	IANCE			
Facility Section (continued) SPECIAL CONDITIONS AND PROCEDURES (check 💆 only one						
SFECIAL CONDITIONS AND PROCEDURES				(check ✓ only one box for each question)		
Administrative Changes: 1. Were there any changes in the name, address, or phone number of the facility or authorized representative not associated with a change in ownership or with a physical relocation of the facility or any emissions units or operations comprising the facility; or any other similar minor administrative change at the facility? YesNo 2. If yes, did the facility provide written notification within 30 days of the change? YesNo New or Modified Process Equipment or Change in Ownership: 3. Since the last registration form submittal has there been						
C.Pitters		7/11/2012				
Inspector's Name (Ple	ease Print)	Date of Inspection				
Inspector's Signature Approximate Date of Next Inspection						
COMMENTS:						