



ANIMAL CREMATORY



Environmental Compliance

COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)
 RE-INSPECTION (FUI) ARMS COMPLAINT NO:

AIRS ID#: 1050417 **DATE:** 10-4-11 **ARRIVE:** 11:30AM **DEPART:** 12:10PM

FACILITY NAME: LAKE WALES VETERINARY HOSPITAL

FACILITY LOCATION: 520 MOUNTAIN LAKE CUTOFF RD
LAKE WALES 33859

OWNER/AUTHORIZED REPRESENTATIVE: MICHAEL MATTHEWS **PHONE:** (863)676-1451
Email: **Mobile:**

CONTACT NAME: MICHAEL MATTHEWS **PHONE:** (863)676-1451
Email: **Mobile:**

ENTITLEMENT PERIOD: 5/15/2008 / 5/15/2013
 (effective date) (end date)

Facility Section

PART I: INSPECTION COMPLIANCE STATUS (check only one box)

IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE

PART II: ONSITE INTRODUCTORY MEETING (check only one box for each question)

1. Name(s) of facility representative(s): Micheal Matthews

Brief Notes: Facility Rep/ Creamtion Unit Operator

2. Is the Authorized Representative still MICHAEL MATTHEWS? ----- Yes ..No
 If no, who is?: _____

If different, did the facility provide an administrative update within 30 days? ----- Yes ..No

3. Is the facility contact still MICHAEL MATTHEWS? ----- Yes ..No
 If no, who is?: _____

4. Will facility be conducting VE test(s) during today's inspection? ----- Yes ..No
 If yes, was the compliance authority notified at least 15 days in advance? ----- Yes ..No

Emissions Unit Section
1 - Animal Crematory - Matthews Power Pak II

PART I: FILE REVIEW PRIOR TO INSPECTION

(check only one box for each question)

1. a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? ----- Yes ..No
- b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit? ----- Yes ..No
2. Manufacturer's recommended capacity: 750 lbs for batch unit lbs/hr for ram-charged unit.
3. Crematory unit installed after February 1, 2007? ----- Yes ..No
4. Date of last inspection: 08/14/08
5. Past Visible Emissions (VE) tests:
 - a. Was a VE test performed within each of the past 4 calendar years? ----- Yes ..No
 - b. Has a VE test been performed yet within the current calendar year? ----- Yes ..No
 - c. If first year of operation, was a VE test performed within 30 days of commencing operation? ----- N/A Yes ..No
 - d. Date of last VE test: 9/1/11
 - e. Was the VE test report filed with the compliance authority no later than 45 days after the test? ----- Yes ..No
 - f. Did the facility demonstrate compliance during the last VE test? ----- Yes ..No

If no, what was the problem (if known)? _____

PART II: VISIBLE EMISSIONS TESTING

(check only one box for each question)

1. Was a visible emissions test conducted by the facility for this unit during this site visit? ----- Yes ..No
 - a. Operating capacity during test? _____ lbs for batch unit lbs/hr for ram-charged unit
 - b. Was the operating capacity greater than the manufacturer's recommended capacity? ----- Yes ..No
 - c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? ----- Yes ..No
 - d. Was the visible emissions test conducted according to EPA Method 9? ----- Yes ..No
 - e. The visible emission test resulted in an opacity of _____ % for the highest six minute average.
 - f. Did the visible emission test demonstrate compliance with the limit? ----- Yes ..No

(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes in any one-hour)
 2. Was a visible emissions test conducted by the inspector during this site visit? ----- Yes ..No
 - a. Operating capacity during test? _____ lbs for batch unit lbs/hr for ram-charged unit
 - b. Was the operating capacity greater than the manufacturer's recommended capacity? ----- Yes ..No
 - c. Was the test conducted with the unit operating at a capacity that is representative of normal operations? ----- Yes ..No
 - d. Was the visible emissions test conducted according to EPA Method 9? ----- Yes ..No
 - e. The visible emission test resulted in an opacity of _____ % for the highest six minute average.
 - f. Did the visible emission test demonstrate compliance with the limit? ----- Yes ..No

(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes in any one-hour)
 3. Is there any reason to ask for a special test to determine compliance with the PM and CO standards? ----- Yes ..No
- If yes, what reason? _____

PART III: MONITORING/RECORDKEEPING REQUIREMENTS

(check only one box for each question)

1. Were there any objectionable odors detected? ----- Yes ..No
 An upwind/downwind survey of the facility was conducted. The observed parameters were:
 Wind direction - _____ Downwind odor level detected- _____ Upwind odor level detected- _____ Scale: 1-10 (worst)
2. Continuous Monitoring Systems -
- a. Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? ----- Yes ..No
- b. Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at 1,800¹ 1,600² degrees was determined? ----- Yes ..No
 (Application or initial notification: ¹ received on or after 8/30/89; ² received before 8/30/89)
- c. Are the following records kept on file, available for inspection, for at least the past two years?
- (1) All temperature measurements ----- Yes ..No
- (2) All continuous monitoring systems, monitoring devices, and performance testing measurements; monitoring system all continuous performance evaluations ----- Yes ..No
- (3) All CEMS or monitoring device calibration checks (last performed on N/A) ----- Yes ..No
- (4) Adjustments ----- Yes ..No
- (5) Preventive maintenance performed on systems/devices ----- Yes ..No
- (6) Corrective maintenance performed on systems/devices ----- Yes ..No
- d. Are the temperature charts properly documented with operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings ----- Yes ..No
- e. Was the crematory unit installed after 2/1/07? If no, skip e.(1) - (3) ----- Yes ..No
- (1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatically control combustion based on continuous in-stack opacity measurement? ----- Yes ..No
- (2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity exceeds 15% opacity? ----- Yes ..No
- (3) Has the opacity measurement system been cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule? ----- Yes ..No

(check only one box for each question)

PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES

1. If the application to construct was **BEFORE** August 30, 1989 is the:
- a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ----- Yes ..No
- b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremation process begins in the primary chamber? ----- Yes ..No
2. If the application to construct **ON** or **AFTER** August 30, 1989 is the:
- a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? ----- Yes ..No
- b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremation process begins in the primary chamber? ----- Yes ..No

(check only one box for each question)

PART V: ALLOWED MATERIALS

1. Besides animal remains and, if applicable, the bedding associated with the animals and appropriate containers, are any other materials, including biomedical wastes, incinerated in the unit? ----- Yes ..No
 If yes, what other materials? _____
2. Do containers contain no more than 0.5 percent by weight chlorinated plastics as certified by the manufacturer? ----- Yes ..No
 If yes, is the certifying documentation from the manufacturer kept on file for at least 2 years from use? Yes ..No

PART VI: EQUIPMENT MAINTENANCE

(check only one box for each question)

- 1. Is the crematory unit maintained in accordance with the manufacturer's specifications? ----- Yes ..No
- 2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction? ----- Yes ..No
- 3. Does the crematory allow for a visible check on the flame characteristics? ----- Yes ..No
 - If no, skip a. - b.
 - a. Was the flame characteristic visually checked at least once during each operating shift? ----- Yes ..No
 - b. Was the flame adjusted when necessary? ----- Yes ..No

PART VII: EU INSPECTION COMPLIANCE STATUS (check only one box)

- IN COMPLIANCE
- MINOR Non-COMPLIANCE
- SIGNIFICANT Non-COMPLIANCE

Facility Section (continued)

SPECIAL CONDITIONS AND PROCEDURES

(check only one box for each question)

Administrative Changes:

- 1. Were there any changes in the name, address, or phone number of the facility or authorized representative not associated with a change in ownership or with a physical relocation of the facility or any emissions units or operations comprising the facility; or any other similar minor administrative change at the facility? ---- Yes ..No
- 2. If yes, did the facility provide written notification within 30 days of the change? ----- Yes ..No

New or Modified Process Equipment or Change in Ownership:


- 3. Since the last registration form submittal has there been ----- Yes ..No
 - a. Installation of any new process equipment? ----- Yes ..No
 - b. Alterations to existing process equipment without replacement? ----- Yes ..No
 - c. Replacement of existing equipment with equipment that is substantially different? ----- Yes ..No
 - d. A change in ownership? ----- Yes ..No
- If the any answer to 3a. - d. is Yes , was a new registration form and the appropriate fee submitted 30 days prior to the change? ----- Yes ..No

Chris Haines

10-4-11

Inspector's Name (Please Print)

Date of Inspection



10-4-14

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: I (Chris Haines) arrived at the facility to perform an unannounced inspection of the facility. I asked for Mr. Matthews at the front desk, and met with him as soon as he was available. He took me to the back where the cremation unit was located along with all the necessary paperwork. I reviewed the past 2 years of records and asked about the MSDS sheets and thermocouple calibrations. He provided me a letter from the manufacturer of the unit explaining that the thermocouples were not calibrated, but rather replaced once they wore out. He also provided me with information about the bags that he had obtained from the manufacturer of many different types of bags that explained there were not chlorinated plastics used. After my review, I took the time to inspect the unit. The unit allowed for flame checks, which he and his associates performed more frequently than was required. I gave Mr. Matthews my card to update his file and concluded my meeting with him a few minutes after 12:00PM.

Subj: **Fwd: thermcope calibraion**
Date: 7/26/2011 11:52:51 A.M. Eastern Daylight Time
From: Mike2748@aol.com
To: lwhvets@aol.com

From: tspaulding@matthewsintl.com
To: mike2748@aol.com
Sent: 7/26/2011 11:47:43 A.M. Eastern Daylight Time
Subj: thermcope calibraion

As per our conversation, recalibrating your thermocouple is not a part of our regular maintenance recommendations listed in your owners manual provided to you by Matthews cremation division.

Thank you

Tate Spaulding

Eastern Region Service Supervisor

Matthews International Cremation Division

407- 886-5533 Ext. 148

800-327-2831 Ext. 148

Fax: 407-886-5990

<mailto:tspaulding@matw.com>

web: Matthewscremation.com

web pet: <http://www.faithfulforeverpets.com>

articles & resources: <http://www.matthewscremation.com/industry/matthewsuniversity.asp>



Become a Friend



Follow Us



Tune In

[Facebook](#)

[Twitter](#)

[YouTube](#)

CONFIDENTIALITY NOTICE: This message, together with any attachments, is intended only for the addressee. It may contain information which is proprietary, confidential, legally privileged and/or exempt from disclosure. If you are not the intended recipient of this message, you are hereby notified that any disclosure, copying, distribution, use, or any action or reliance on this communication is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately by return e-mail and delete the message, along with any attachments.

Tuesday, July 26, 2011 AOL: Lwhhvets

