

## **HUMAN CREMATORY**



## COMPLIANCE INSPECTION CHECKLIST

<u>IN</u>		ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/E ARMS COMPL	OISCOVERY (CI) AINT NO:		
ΑI	RS ID#: 0350024 DAT	TE: <u>10/30/13</u>	ARRIVE: <u>9:00</u>	DE	PART: 10:30	
FA	ACILITY NAME: PAL	LM COAST				
FA	CILITY LOCATION:	: 39 OLD KINGS RD N				
		PALM COAST 3213	37-8227			
CC	WNER/AUTHORIZED Email: clymerfh@cfl. ONTACT NAME: Email: VTITLEMENT PERIO		ENNETH CLYMER	PHONE: (386). Mobile: PHONE: Mobile:	586-7575	
Facility Section  PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)  ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE						
D.A	DE IL ONGUEE INED	ADDICTORY MEETING				
		resentative(s): Kenneth Clyme	er, Paul Chambery		(check ☑ box for each	-
2.	Is the Authorized Represent If no, who is?:	esentative still KENNETH CL	YMER?		\( \times \text{ Yes}	□No
3.	If different, did the faci Is the facility contact st If no, who is?:	lity provide an administrative ill ?	update within 30 days?	·	Yes Yes	□No □No
4.	Will facility be conduct	ting VE test(s) during today's nce authority notified at least				□No □No

## Emissions Unit Section 1 – Human Crematory-2chmbrs w/aftburner, 150lbs/hr, CEM

PART I: FILE REVIEW PRIOR TO INSPECTION		(check ☑ only one box for each question)	
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?      b. If yes, were design calculations provided then to confirm a sufficient volume in the	⊠ Yes	□No
3.	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	⊠ Yes ⊠ Yes	□No □No
4.	Past Visible Emissions (VE) tests:  a. Was a VE test performed within each of the past 4 calendar years?  b. Has a VE test been performed yet within the current calendar year?  c. If first year of operation, was a VE test performed within 30 days of commencing	⊠ Yes □ Yes	□No ⊠No
	operation? N/A d. Date of last VE test: 8/8/12 e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	☐ Yes  ☐ Yes	□No
	f. Did the facility demonstrate compliance during the last VE test?  If no, what was the problem (if known)?	_	□No
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each o	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	Yes	□No □No □No
	<ul> <li>c. The visible emission test resulted in an opacity of 0 % for the highest six minute average.</li> <li>d. Did the visible emission test demonstrate compliance with the limit?</li> <li>(5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes</li> </ul>		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?	Yes Yes	<ul><li>No</li><li>No</li><li>No</li></ul>
3.	d. Did the visible emission test demonstrate compliance with the limit?		□No ⊠No
	If yes, what reason?		
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check <b>☑</b> box for each of	only one question)
1.	Were there any objectionable odors detected?	Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were:  Downwind odor level detected-  Wind direction - Upwind odor level detected-		
	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	□No
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at $\sum 1,800^1  1,600^2$ degrees was determined?	⊠ Yes	□No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)					
c.	Are the following records kept on file, available for inspection, for at least the past two years?	~~ ·			
	<ol> <li>All temperature measurements</li></ol>	Yes	∐No		
	monitoring system all continuous performance evaluations	Yes	□No		
	3) All CEMS or monitoring device calibration checks (last performed on ( )	Yes	□No		
	4) Adjustments 5) Preventive maintenance performed on systems/devices	<ul><li>✓ Yes</li><li>✓ Yes</li></ul>	□No □No		
	6) Corrective maintenance performed on systems/devices	Yes	□No		
d.	Are the temperature charts properly documented with operator name, operator indication of	<u></u>			
u.	when cremation in the primary chamber was begun, date, time, and temperature markings	⊠ Yes	□No		
e.	Was the crematory unit installed after $2/1/07$ ? If no, skip e.(1) – (3)	Yes	<u> </u>		
	(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatica control combustion based on continuous in-stack opacity measurement?	lly ⊠ Yes	□No		
ii	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	<u> </u>	□110		
	exceeds 15% opacity?	Yes	□No		
	(3) Has the opacity measurement system been cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule?	⊠ Yes	□ No		
_	accordance with the manufacturer's recommended maintenance schedule?	<u> 169</u>	∐No		
_		(check ☑	only one		
PA	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	box for eac	-		
i					
ļ			• ,		
1.	If the application to construct was <b>BEFORE</b> August 30, 1989 is the:		• ,		
1.	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F	□ Yes	□ No		
1.	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li> <li>b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating temperature.</li> </ul>		□No		
1.	a. actual operating temperature of the secondary chamber combustion zone no less than <b>1400°F</b> throughout the combustion process in the primary chamber?		□No		
	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li> <li>b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?</li></ul>	on			
	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	on Yes	No		
	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	on Yes			
	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	on Yes	No		
	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	on Yes Yes	No		
2.	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————</li></ul>	on Yes  Yes  Yes  Yes  Yes  Yes	No		
2.	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?</li></ul>	on Yes  Yes  Yes  Yes  On Yes  (check	No		
2.	<ul> <li>a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————</li></ul>	on Yes  Yes  Yes  Yes  Yes  Yes	No		
2. <b>P</b> A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	on Yes	NoNoNo only one h question)		
2. <b>P</b> A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	on Yes  Yes  Yes  Yes  On Yes  (check	NoNoNoonly one		
2. <b>P</b> A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	on Yes	NoNoNo only one h question)		
2. <b>P</b> A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	on Yes  Yes  Yes  (check box for eac	NoNo only one h question)		

PART VI: EQUIPMENT MAINTENANCE	(check ☑ only one box for each question)				
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	⊠ Yes	□No			
<ul> <li>2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?</li> <li>3. Does the crematory allow for a visible check on the flame characteristics?</li></ul>		□No □No			
a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?	⊠ Yes ⊠ Yes	□No □No			
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)					
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE	IANCE				
Facility Section (continued)					
SPECIAL CONDITIONS AND PROCEDURES	(check <b>☑</b> box for each	only one question)			
Administrative Changes:  1. Were there any changes in the name, address, or phone number of the facility or authorized representation associated with a change in ownership or with a physical relocation of the facility or any emissions unit operations comprising the facility; or any other similar minor administrative change at the facility?  2. If yes, did the facility provide written notification within 30 days of the change?	Yes	<ul><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li><li>□No</li></ul>			
Stuart Bartlett 10/30/13					
Inspector's Name (Please Print)  Date of Inspection					
Inspector's Signature Approximate Date of Next Inspector Approximate Date of Next Inspector Approximate Date of Next Inspector Signature Comments: Reviewed 2013 temperature charts. All were above 1600 F. Witnessed visible emissions to					

**COMMENTS:** Reviewed 2013 temperature charts. All were above 1600 F. Witnessed visible emissions testing performed by Donnie Leeper of Astech Environmental. No visible emissions were observed.