

$\frac{\textbf{NON-METALLIC MINERAL PROCESSING}}{\underline{\textbf{PLANTS}}}$



COMPLIANCE INSPECTION CHECKLIST

| INSPECTION TYPE: | ANNUAL (INS1, INS2) | COMPLAINT/DIS | COVERY (CI) | |
|---|--|---|--------------------------------------|----------------|
| | RE-INSPECTION (FUI) | ARMS COMPLAIN | NT NO: | |
| | | | | |
| AIRS ID#: 7775547 DA ′ | TE: <u>6/24/2009</u> | ARRIVE: <u>11:45 am</u> | DEPART: <u>12:20 pn</u> | <u>1</u> |
| FACILITY NAME: SD | I QUARRY | | | |
| FACILITY LOCATION | 16100 SW 365TH S | ST | | |
| | FLORIDA CITY | 33034 | | |
| OWNER/AUTHORIZE | D REPRESENTATIVE: | FRANK CARROLL P | PHONE: (305)670-9610 | |
| CONTACT NAME: | | P | PHONE: | |
| ENTITLEMENT PERIO | OD: 4/26/2009 / 4/26/ (effective date) (end date) | | | |
| | | | | |
| PART I: <u>INSPECTION</u> | COMPLIANCE STATUS | $\underline{\mathbf{S}}$ (check $\overline{\mathbf{V}}$ only one box) | | |
| IN COMPLIANC | CE MINOR Non-C | OMPLIANCE SIGN | IFICANT Non-COMPLIANCE | |
| | | | | |
| PART II-A: AIR GENE | RAL PERMITS – Rule 62 e box(es)) | 2-210.310, F.A.C. | | |
| | | Eligibility – Rule 62-210.31 | | |
| 1.Does this facility ke a) 10 tons per yea | eep records to show that it d ar or more of any hazardous | loes not have the potential to air pollutant? | emit: |] No ⊠ N/A |
| | | | s? | |
| | - | gulated air pollutants? | Yes | J No ⊠ N/A |
| 2. Does this facility (| | d by the applicable air genera | al permit with the exception | |
| of units and ac | tivities that are exempt from | n permitting pursuant to subs | ection Rule 62-210.300(3), F.A.C Yes | ., No |
| general permit | and the air general permit of | by another air general permi of interest specifically allow t | he use of one another | ☑ No □ N/A |
| CENEDAI DDOCEI | NIDES Initial Degistrat | ion/Re-registration – Rule 6 | (2 210 210(2)(b) F A C | |
| 1. Has the owner or o | operator of this facility com | pleted and submitted the pro- | |] No |
| = | | | erate)?; | |
| | | le 62-210.310, F.A.C., Cont. | | |
| (check R appropriat | | or part of the facility? | Yes 🖸 | 7 No 🗀 N/A |
| | = | struction, modification, or eq | | 7 140 [] 14/W |
| | | | Yes | No N/A |

| | NERAL CONDITIONS – Rule 62-210.310(3), F.A.C. Does the air general permit registration form contain all current information regarding the facility?; | | | |
|--|---|-------------------------|--|--|
| 2. | Has the owner or operator allowed the circumvention of any air pollution control device, or allow the emission of air pollutants without the proper operation of all applicable air pollution control | ed | | |
| 3. | devices?; Does the owner or operator: | | | |
| | a) maintain the authorized facility in good condition?; | | | |
| | b) ensure that the facility maintains its eligibility to use the air general permit and complies with terms and conditions of the air general permit?; | all ⊠ Yes □ No □ N/A | | |
| 4. | Has the owner or operator allowed you, as the duly authorized representative of the Department, at to the facility at reasonable times to inspect and test and to determine compliance with the air gen permit and Department rules? | eral | | |
| PART | II-B: DETERMINATION OF FACILITY TYPE/APPLICABILITY | | | |
| | heck \mathbf{R} only <u>one</u> box) | | | |
| ⊠ F | OR FACILTIES SUBJECT TO: (40 CFR Part 60, Subpart OOO, §60.670(a)(1)) | | | |
| | f you have checked R this category, answer <u>all</u> questions <u>INCLUDING</u> those with **.) | | | |
| <u>Subject Facilities</u> : (applicable fixed or portable facilities include each crusher, grinding mill, screening operation, bucket elevator, belt conveyor, bagging operation, storage bin, enclosed truck or railcar loading station, crushers & grinding mills at hot mix asphalt facilities that reduce the size of non-mettalic minerals embedded in recycled asphalt pavement & subsequent affected facilities up to, but not including the first storage silo or bin.) | | | | |
| FOR FACILITIES NOT SUBJECT TO: (40 CFR Part 60, Subpart OOO, §60.670(a)(2), (b), (c), and (d)) (If you have checked R this category, answer all questions EXCEPT those with **.) | | | | |
| Non-Subject Facilities: (includes all facilities in underground mines; stand-alone screening operations at plants w/o crushers or grinding mills; facilities not subject to subparts F (Portland Cement Plants) or I (Hot Mix Asphalt Facilities) of this part; fixed sand & gravel plants, & crushed stone plants w/capacities of 23 megagrams/hr (25 tons/hr) or less; portable sand & gravel plants, & crushed stone plants w/capacities of 136 megagrams/hr (150 tons/hr) or less; common clay plants, and pumice plants w/capacities of 9 megagrams/hr (10 tons/hr) or less.) | | | | |
| | | | | |
| | III: <u>EMISSION STANDARDS</u> – Chapter 62-210.310(5)(e), F.A.C. check R appropriate box(es)) | | | |
| | k Emissions - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A. | .C. | | |
| **1. | Were visible stack emissions tests conducted during this site visit according to EPA Method 9 (40 Appendix A)? | | | |
| **2. | Do stack emissions from any crusher, grinding mill, screening operation, bucket elevator, transfer belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station or any oth affected emission point: **a) exceed 7% percent opacity? | ner | | |
| | **b) exceed the particulate matter standard of 0.05 grams per dry standard cubic meter (g/dscm | | | |

| PART III: <u>EMISSION</u> <u>STANDARDS</u> – Chapter 62-210.310(5)(e), F.A.C., Cont. (check R appropriate box(es)) |
|---|
| **3. Do stack emissions from any baghouse that controls emissions from only an individual, enclosed storage bin exceed 7% percent opacity? |
| <u>Visible Emissions</u> - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C. |
| **1. Were visible emissions tests conducted during this site visit according to EPA Method 9 (40 CFR 60, Appendix A)? [Yes No |
| **2. Do visible emissions from any: **a) grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station or any other affected emission point exceed 10% percent opacity? |
| 3. Pursuant to subparagraph 62-296.320(4)(b)1., F.A.C., are visible emissions from any crusher, grinding, screening operation, bucket elevator, transfer points on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station, or any other emission point NOT subject to 40 CFR Part 60, Subpart OOO, equal to or greater than 20% percent opacity? |
| Emission Points Enclosed in Buildings - 40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C. |
| **4. Is any crusher, grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station, or any other affected emission point enclosed in a building? (<i>If answer to question #4 is YES, then proceed to #4.a</i>)) Yes No |
| **a) If enclosed in a building are the stack emissions discharged from a wet scrubbing control device? (<i>If answer to this question is <u>NO</u>, then proceed to the next question #4.b)1) & 2). If <u>YES</u> skip to #4.c).) </i> |
| **b) If the stack emissions from enclosed emission points are not discharged from a wet scrubbing control device is: 1) the particulate matter in excess of 0.05 grams per dry standard cubic meter (g/dscm)? Yes No |
| 2) the opacity greater than $\underline{7}\%$ percent? |
| **c) Do the stack emissions from the baghouse(s) inside of the building(s) exceed 7/2% percent opacity? |
| **5. Do visible emissions from any: **a) grinding mill, screening operation, bucket elevator, transfer point on belt conveyors, bagging operation, storage bin, enclosed truck or railcar loading station or any other affected emission point exceed 10% percent opacity? Yes No |
| **b) crusher without a capture system, exceed 15 % opacity? Yes No |
| Wet Screening/Wet Mining Operations: |
| **6. Are there any visible emissions discharges at the wet screening operations and subsequent screening operations, bucket elevators and belt conveyors that process saturated material in the production line up to the next crusher, grinding mill, or storage bin? |
| **7. Are there any visible emissions discharges at the screening operations, bucket elevators, and belt conveyors in the production line downstream of wet mining operations, where such screening operations, bucket elevators, and belt conveyors process saturated materials up to the first crusher, grinding mill, or storage bin in the production line? |

| PART IV: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-210.310, F.A.C. |
|---|
| (check \mathbf{R} appropriate box(es) |
| Compliance Demonstration – (Rule 62-210.310(5)(e)3, F.A.C.) 1. Is each affected emission point tested according to the visible emissions and stack emissions standards as part of the annual compliance demonstration? (Rule 62-210.310(5)(e)3.e., F.A.C.) |
| Compliance New Facilities – (Rule 62-210.310(5)(e)3., F.A.C.) 2. Did this facility demonstrate initial compliance no later than 30 days after beginning operation? ☐ Yes ☐ No |
| Compliance Existing Facilities – (Rule 62-210.310(5)(e)3., F.A.C.) 3. In order to demonstrate annual compliance, was an annual visible emissions test conducted within 365 days (annually thereafter) of the previous visible emissions compliance test? ✓ Yes ✓ No |
| <u>Test Methods and Procedures</u> – Chapter 62-297, F.A.C., 40 CFR 60.675, and 40 CFR Part 60, Appendix A adopted and incorporated by reference at Rule 62-204.800, F.A.C. |
| 4. Were all referenced visible emissions tests conducted using EPA Method 9? 🖂 Yes 🗌 No |
| 5. Were all referenced unconfined or fugitive emissions tests conducted using EPA Method 22? Yes No |
| 6. Were all referenced stack emissions or particulate matter tests conducted using EPA Methods 5 or 17? Yes No |
| Reporting and Recordkeeping – (Rule 62-210.310(5)(e)3., F.A.C.)[Chapter 62-297, F.A.C. and |
| 40 CFR Part 60.670 – 60.676, Subpart OOO, adopted and incorporated by reference at Rule 62-204.800, F.A.C.] |
| Facility and/or Equipment Replacement |
| **7. Did the owner or operator submit to the Administrator, the following information about the replacement of existing facility and/or equipment: |
| **a) for a Crusher, Grinding Mill, Bucket Elevator, Bagging Operation, or enclosed truck, or Railcar Loading Station, **1) the rated capacity in megagrams or tons per hour of the existing facility being replaced and the rated capacity in tons per hour of the replacement equipment? |
| **b) for a Screening Operation, **1) the total surface area of the top screen of the existing screening operation being replaced and the total surface area of the top screen of the replacement screening operation? |
| **c) for a Conveyor Belt, **1)the width of the existing belt being replaced and the width of the replacement conveyor belt? Yes No |
| **d) for a Storage Bin, **1) the rated capacity in megagrams or tons of the existing storage bin being replaced and the rated capacity in megagrams or tons of replacement storage bins? |
| Performance/Compliance Testing |
| **8. During the initial performance test, did the owner or operator record the measurements of both the change in pressure of the gas stream across the scrubber and the scrubbing liquid flow rate? Yes No |
| **9. After the initial performance test of a wet scrubber, did the owner or operator submit semiannual reports to the Administrator of occurrences when the measurements of the scrubber pressure loss (or gain) and liquid flow rate differ by more than ±30 percent from the averaged determined during the most recent performance test? |
| **a) Were the reports postmarked within 30 days following the end of the second and fourth calendar quarters? |

| PART IV: TESTING/RECORDKEEPING REQUIREMENTS – Rule 62-210.310, F.A.C. (Continued) (check R appropriate box(es) **10. Did the owner or operator of the facility submit written reports of the results of all performance tests conducted to demonstrate compliance with the particulate matter standards (40 CFR Part 60.672), opacity (using EPA Method 9 to demonstrate compliance with 40 CFR Part 60.672(b), (c), and (f)), and emission | |
|--|--|
| conducted to demonstrate compliance with the particulate matter standards (40 CFR Part 60.672), opacity (using EPA Method 9 to demonstrate compliance with 40 CFR Part 60.672(b), (c), and (f)), and emission | |
| observations of transfer points enclosed in buildings (using EPA Method 22 to demonstrate compliance with 40 CFR Part 60.672(e))? | s 🗌 No |
| Process Changes | |
| **11. Does this facility have a screening operation, bucket elevator, and/or a belt conveyor system? (If your answer to this question is <u>YES</u> , then answer <u>either</u> a)1) <u>or</u> a)2) below.) | No |
| **a)Did this screening operation, bucket elevator, and/or belt conveyor system: **1) originally process saturated material and switch to unsaturated material? (Note: The unsaturated material handling processes would now be subject to the 10% opacity limit in 40 CFR 60.672(b) and the emission test requirements of 40 CFR 60.11 and Subpart OOO.) | s 🗌 No |
| **2) originally process unsaturated material and switch to saturated material? (Note: The saturated material handling processes would now be subject to the <u>no visible emission limit</u> in 40 CFR 60.672(h).) (If answer to 1) or 2) above is <u>YES</u> then proceed to question b) below.) | s 🗌 No |
| **b) Did the owner or operator submit a report of the process change within thirty (30) days following the change? | No |
| Notification Requirements | |
| **12. Was notification of the actual date of startup for each affected or combination of affected facilities submitted to the Administrator and postmarked within 15 days after such date? | No |
| **a) Did the notification include a description of each affected facility, equipment manufacturer, and serial number of the equipment, if available? | No |
| **b) For portable aggregate processing plants, did the notification of actual date of initial start up also include both the home office and the current address or location of the portable plant? Yes | No |
| PART V: OPERATING REQUIREMENTS/CONTROL TECHNOLOGY — Rule 62-210.310, F.A.C. (check R appropriate box(es)) 1. Is this facility a: 1) relocatable □; 2) stationary □; or does it have: 3) both, stationary and relocatable □ concrete batching and/or nonmetallic mineral processing plants? (Please check R only one box above.) (NOTE: If you have checked the box for relocatable go to questions 1.a) & 1.b). If you have checked the box for stationary go to question 1.c). If you have checked box #3, both, stationary and relocatable then answer all relocatable and stationary questions 1.a), 1.b), & 1.c) below, respectively.) a) If this is a relocatable facility was the Department notified by phone prior to this relocation, and was a Facility Relocation Notification form submitted within 1 business day following the relocation?□ Yes b) If this is a relocatable facility, is it located at a mine and/or quarry, and processing only material from onsite deposits? (If your answer to this question is NO, please proceed to question 1) below.)□ Yes 1) Does the owner or operator of this relocatable facility have a water suppression system with spray bars located at the feeder(s), the entrance, and the exit of the crusher(s), the classifier screens and the conveyor drop points? | □ No□ No□ No |

| PART V: OPERATING REQUIREMENTS/CONTROL TECHNOLOGY - Rule 62-210.310, F.A.C. (Continued) |
|---|
| (check \mathbf{R} appropriate box(es)) |
| **2. Does this facility incorporate the use of a wet scrubber to control emissions? (40 CFR Part 60, Subpart OOO adopted by reference Chapter 62-204.800, F.A.C.) (If your answer to this question is YES, then proceed to questions 2.a) and 2.b), below.)———————————————————————————————————— |
| **a) Does the wet scrubber have continuous monitoring systems (CMS) for: |
| **1) the measurement of the pressure loss of the gas stream through the scrubber? Yes No |
| **2) the measurement of the scrubbing liquid flow rate to the wet scrubber? |
| **b) Has each CMS been certified by the manufacturer and calibrated annually in accordance with the manufacturer's instructions and to the tolerances below? |
| **1) ±250 pascals ±1 inch water guage pressure for measuring pressure losses of the gas stream? |
| **2) ±5 percent of design scrubbing liquid flow rate? Yes No |
| |
| PART VI: OPERATING/RECORDKEEPING REQUIREMENTS – Rule 62-210.310(5)(b), F.A.C. |
| (check \mathbf{R} appropriate box(es)) |
| 1. Is this facility: 1) a stationary □; 2) a relocatable ⊠; or does it have: 3) both, stationary and relocatable □ (<i>Please check</i> R <i>only one box.</i>) |
| 2. For any combination of stationary or relocatable nonmetallic mineral processing plants, located with stationary or relocatable concreted batching plants: a) Are there any additional nonexempt units located at this facility? |
| b) Is the total combined annual facility-wide fuel usage of all plants less than or equal to: |
| 1) 275,000 gallons of diesel fuel |
| 2) 23,000 gallons of gasoline Yes No |
| 3) 44 million standard cubic feet on natural gas Yes No |
| 4) 1.3 million gallons of propane Yes No |
| 5) or an equivalent prorated amount if multiple fuels are used onsite Yes No |
| 3. Does the owner/operator of the nonmetallic mineral processing plant submitting this registration maintain a log book or books to account for fuel consumption on a monthly basis? |
| 4. Is this relocatable nonmetallic mineral processing plant used to perform a <u>routine function</u> of a facility (not a Title V source) subject to regular air permitting, such as crushing recycled asphalt (rap) at an |
| asphalt plant? |
| a) If <u>YES</u> , does the regularly permitted facility air construction or air operation permit(s) provide for the |
| operation of the nonmetallic mineral processing plant as an emission unit? Yes No |
| operation of the nonmetallic mineral processing plant as an emission unit? |
| operation of the nonmetallic mineral processing plant as an emission unit? Yes No |

| PART VII: REASONABLE PRECAUTIONS/EMISSION 210.310(5)(e)3.c., F.A.C. | CONTROL MEASURES & TECHNOLOGY - Rule 62- | | | | | | |
|---|--|--|--|--|--|--|--|
| $(\text{check }\mathbf{R} \text{ appropriate box}(\text{es}))$ | | | | | | | |
| Unconfined Emissions – (Rule 62-296.320(4)(c), F.A.C.) | | | | | | | |
| Does the owner /operator of the nonmetallic mineral preemissions by: use of a water suppression system with spray bars learning crusher(s), the classifier screens, and the conveyor | drop points? Yes No | | | | | | |
| 1) paving and maintenance of roads, parking areas | nd yards, which shall include one or more of the following: s, stock piles, and yards? Yes No | | | | | | |
| emissions? | st-suppressant chemicals when necessary to control Yes No | | | | | | |
| re-entrainment, and from building or work area | ther paved areas under control of the owner/operator to us to reduce airborne particulate matter? Yes No | | | | | | |
| - | Yes No | | | | | | |
| 5) landscaping and/or the planting of vegetation?- | | | | | | | |
| | Yes No | | | | | | |
| 7) the enclosure or covering of conveyor systems | ?? | | | | | | |
| b) alteration of existing process equipment without | | | | | | | |
| | | | | | | | |
| d) If you answered <u>YES</u> to any of the above, did th notification form and appropriate fee (Rule 62-4.050 local program office? | 0, F.A.C.) to the appropriate DEP or | | | | | | |
| FRANK DELGADO | 6/24/2009 | | | | | | |
| Inspector's Name (Please Print) | Date of Inspection | | | | | | |
| | 6/2010 | | | | | | |
| Inspector's Signature | Approximate Date of Next Inspection | | | | | | |
| | | | | | | | |

RAY GARCIA, THE QUARRY'S MANAGER ATTENDED ME.

A VISIBLE EMISSIONS TEST WAS CONDUCTED BY STAFF FROM BROOKS AND ASSOCIATES ON MARCH 16, 2009. I DID NOT OBSERVE ANY VISIBLE OR FUGITIVE EMISSIONS AROUND THE FACILITY. THE MINE AGGREGATE HAS A HIGH MOISTURE CONTENT.