

CHROMIUM ELECTROPLATING/ANODIZING



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INST		· / <u>—</u>	
AIRS ID#: 0251309 DATE: <u>2/29/2012</u>	ARRIVE: <u>12:40PM</u>	DEPART: <u>1:05PM</u>	
FACILITY NAME: IMPERIAL PLATING-132ND ST			
FACILITY LOCATION: 4162 NW 132ND ST			
OPA LOCKA 33054-4511			
OWNER/AUTHORIZED REPRESENTA Email: CONTACT NAME: JENNY SECRETA Email: ENTITLEMENT PERIOD: 4/16/2009 (effective date)	Mobile	NE: (786)267-3786	
DADT I. INSDECTION COMPLIANCE	STATIS (sheek only one hov)		
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE			
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form: 1. Hard Chromium Plating a. Existing Large (0.015 mg/dscm)			
2. Decorative Chromium Plating/Anodizing			
a. <u>Chromic Acid</u> <u>Bath</u>	 Emissions of ≤ 0.01/mg/dscm (4.4x10⁻⁶ Surface tension of ≤ 45 dynes/cm (3.1x (May only be selected if a wetting age) 	$\times 10^{-3}$ lb-f/ft)	
b. Trivalent Chromium Bath	 With wetting agent Without wetting agent ≤ 0.01mg/dscm 		
c. <u>Chromium</u> <u>Anodizing</u>	 Emissions of ≤ 0.01 mg/dscm (4.4x10⁻⁶ Surface tension of 45 dynes/cm (3.1x10 (May only be selected if a wetting age) 		

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(C. 1	
(<u>Select control</u> device)	NEWICE IN LIGE?
<u>device</u>)	DEVICE IN USE?
1. Composite Mesh Pad	□Yes □No
	☐Yes ☐No
3. Packed Bed Scrubber	Yes No
	□Yes □No
	☐Yes ☐No
6. Fume Suppressant w/ Wetting Agent	⊠Yes □No
Has the facility conducted an initial performance test to establish monitoring parameters?	□Yes □No □N/A
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	
PART IV: RECORDKEEPING/REPORTING REQUIREMENTS – Rule 62-213.300(3	3)
TART IV: RECORDRESS ING/RES ORTHOG REQUIREMENTS - Rule 02-215.500(.	3)
Has the responsible official maintained the following records?	
1. Quarterly inspection records for add-on air pollution control devices and	
monitoring equipment. (applicable only to a facility using a packed bed scrubber,	fiher-hed
mist eliminator, or composite mesh pad)	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a	
scrubber, fiber-bed mist eliminator, or composite mesh pad)	
3. Maintenance records for the source, add-on pollution control devices, and	
monitoring equipment (equipment identified, date performed, description)	∏Yes ⊠No
4. Records of date of occurrence, duration, cause, and corrective action of each	
malfunction of process, add-on pollution control device, and monitoring equipment	. □Yes ⊠No
5. Results of all performance tests	Yes □No ⊠N/A
6. Records of monitoring data. (not applicable to trivalent chromium baths using a	
agent)	
0	
Composite Mesh Pad	
Measure the pressure drop across the CMP daily	∐Yes ∐No
Packed Bed Scrubber Measure the pressure drop earnes the BBS and the inlet velocity deily	Dvas Dva
Measure the pressure drop across the PBS and the inlet velocity daily	☐Yes ☐No
Fiber-Bed Mist Eliminator Measure the pressure drop across the FBME and the upstream device daily	□Yes □No
Packed Bed Scrubber/Composite Mesh Pad	
Measure the pressure drop across the CMP daily	□Yes □No
Foam Blanket Fume Suppressant	
Measure the foam blanket thickness at the appropriate interval	□Yes □No
Fume Suppressant w/ Wetting Agent	
Measure the surface tension at the appropriate interval	□Yes ⊠No
7. Purchase records of wetting agent components	☐Yes ☐No ☐N/A
8. Records of the date and time that fume suppressants are added to the bath	☐Yes ⊠No ☐N/A
9. Records of rectifier capacity, if used to determine facility size	□Yes □No ⊠N/A
10. Records of the total process operating time	□Yes ⊠No
11. Records identifying specific periods of excess emissions	
12. Startup, Shutdown & Malfunction Plan	⊠Yes □No

MARUFUL MALIK	2/29/2012
Inspector's Name (Please Print)	Date of Inspection
	2/2013
Inspector's Signature	Approximate Date of Next Inspection

COMMENTS: On February 29, 2012 I visited this facility to conduct the annual compliance inspection. On site I met Alexander Colon, the owner of the facility. The Chromium tank with a capacity of 900 gallons is located at the 14 spot and it was operating. The owner mentioned that he adds wetting agent every three months to neutralize the fumes and also adds the agent when it is necessary. I emphasized to keep the record of surface tension.

REVIEWEDBy Ray Gordon at 10:57 am, Mar 26, 2012