

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (IN RE-INSPECT		`		
AIRS ID#: 0251309 DATE: <u>9/27/2013</u> ARRIVE: <u>10:50AM</u> DEPART: <u>11:20AM</u>				
FACILITY NAME: IMPERIAL PLATING-132ND ST				
FACILITY LOCATION: 4162 NW 132ND ST				
OPA LOCKA 33054-4511				
OWNER/AUTHORIZED REPRESENTATIVE: ALEXANDER COLON Email:  CONTACT NAME: JENNY SECRETARY PHONE: (786)267-3786  Email: PHONE: (786)267-3786  Mobile: PHONE: (786)267-3786  Mobile: PHONE: (786)267-3786  Mobile: PHONE: (786)267-3786				
DADT I. INCRECTION COMPLIANCE CTATUS (about 77 automobile)				
PART I: INSPECTION COMPLIANCE STATUS (check ✓ only one box)  ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE				
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:  1. Hard Chromium Plating  a. Existing Large (0.015 mg/dscm)				
2. Decorative Chromium Plating/Anodizing				
a. Chromic Acid Bath	<ol> <li>Emissions of ≤ 0.01/mg/dscm (4.4</li> <li>Surface tension of ≤ 45 dynes/cm (May only be selected if a wetting</li> </ol>	$(3.1 \times 10^{-3} \text{ lb-f/ft}) $		
b. <u>Trivalent Chromium Bath</u>	<ol> <li>With wetting agent</li> <li>Without wetting agent ≤ 0.01mg/c</li> </ol>			
c. <u>Chromium Anodizing</u>	<ol> <li>Emissions of ≤ 0.01 mg/dscm (4.4</li> <li>Surface tension of 45 dynes/cm (3 (May only be selected if a wetting)</li> </ol>			

PART III: CONTROL TECHNOLOGY - Rule 62-213.300 FAC	
(Select control	
	CVICE IN USE?
1.       Composite Mesh Pad	Yes       No         Yes       No         Yes       No         Yes       No         Yes       No         Yes       No
(Not required for sources using a wetting agent or 1-inch foam blanket thickness)	1102 F14471
PART IV: RECORDKEEPING/REPORTING REQUIREMENTS – Rule 62-213.300(3)	
Has the responsible official maintained the following records?	
<ol> <li>Quarterly inspection records for add-on air pollution control devices and monitoring equipment. (applicable only to a facility using a packed bed scrubber, finist eliminator, or composite mesh pad)</li></ol>	☐ Yes         ☐ No         ☑ N/A           acked bed         ☐ Yes         ☐ No         ☑ N/A           ☐ Yes         ☑ No           ☐ Yes         ☑ No         ☑ N/A           vetting         ☐ No         ☑ N/A
Fiber-Bed Mist Eliminator  Measure the pressure drop across the FBME and the upstream device daily  Packed Bed Scrubber/Composite Mesh Pad  Measure the pressure drop across the CMP daily  Foam Blanket Fume Suppressant	□Yes         □No           □Yes         □No           □Yes         □No           □Yes         □No           □Yes         □No
	Yes       No         Yes       No       N/A         Yes       No       N/A         Yes       No       N/A         Yes       No         Yes       No         Yes       No         Yes       No

MARUFUL MALIK	9/21/2013
Inspector's Name (Please Print)	Date of Inspection
	9/2014
Inspector's Signature	Approximate Date of Next Inspection

**COMMENTS:** On September 27, 2013 I visited this facility to conduct the annual compliance inspection. On site I met Alexander Colon, the owner of the facility. The Chromium tank with a capacity of 900 gallons is located at the fourteen (14) spot and it is operational.Mr.Colon mentioned that he uses for Chromium dipping for five(5) seconds at a time for three(3) to four(4) times per week.Furthermore, he adds wetting agent every three months to neutralize the fumes and also adds the agent as needed. A verbal warning was given for not keeping the record of surface tension.

REVIEWED

By Ray Gordon at 8:31 am, Oct 01, 2013