NON-METALLIC MINERAL PROCESSING PLANTS



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE:	ANNUAL (INS1, INS2)	COMPLAINT/D ARMS COMPL		(CI)
AIRS ID#: 7775586 DA	TE: <u>May 11, 2012</u>	ARRIVE:		DEPART:
FACILITY NAME: JA	CKSONVILLE NAVAL AIR ST	TATION		
FACILITY LOCATION	N: 6025 Eagle Run Rd			
	JACKSONVILLE 322	212-3124		
OWNER/AUTHORIZE Email:	D REPRESENTATIVE: RAY	WIECEK	PHONE: (Mobile:	216)524-0999
CONTACT NAME: R Email:	AY WIECEK		PHONE: (Mobile:	216)524-0999
ENTITLEMENT PERI	OD: 5/14/2009 / 5/14/2014 (effective date) (end date)			

Facility Section

PART I: INSPECTION CON	MPLIANCE STATUS (check 🗹 onl	y one box)	
IN COMPLIANCE	MINOR Non-COMPLIANCE	SIGNIFICANT Non-COMPLIANCE	

PA	PART II: <u>ONSITE INTRODUCTORY MEETING</u>		only one
1.	Name(s) of facility representative(s):	box for each	question)
	Brief Notes:		
2.	Is the Authorized Representative still RAY WIECEK? If no, who is?:	Yes	No
3.	If different, did the facility provide an administrative update within 30 days? Is the facility contact still RAY WIECEK? If no, who is?:	Yes Yes	□No □No
4.	Will facility be conducting VE test(s) during today's inspection? If yes, was the compliance authority notified at least 15 days in advance?		□No □No

Emissions Unit Section
<u>1-NMMP Plant-concrete crusher, diesel/elect.pwred, 300T/hr cap</u>

1. 2.	the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Processin {Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the majorit is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Granit Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand and (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock 5 (5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chlo and Sodium Sulfate; (7) Punice; (8) Gilsonite; (9) Talc and Pyrophyllite; (10) Boron, including Borax, and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.} Is the EU located at a fixed or portable nonmetallic mineral processing plant or hot mix asphalt plant that has an aboveground crusher or grinding mill?	ty fe, Gravel; Salt; ride, Kernite,	□No □No □No
	Is the EU one of the following?		No
su If	answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to bpart OOO so skip the following questions and go directly to Question 24. the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.		
6. 7.	Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	 Yes Yes Yes Yes 	□No □No □No □No

9.	Is the EU a wet screening operation or subsequent screening operation, bucket elevator or belt conveyor in a production line that processes saturated material up to the first crusher			
	belt conveyor in a production line that processes saturated material up to the first crusher, grinding mill or storage bin in the production line?		Yes	□No
	<i>{Note: "wet screening operation" means a screening operation which removes unwanted material or</i>		105	NO
	which separates marketable fines from the product by a washing process which is designed and operate	d		
	at all times such that the product is saturated with water. "Saturated material" means mineral material			
	with sufficient surface moisture such that particulate matter emissions are not generated from processir			
	of the material through screening operations, bucket elevators and belt conveyors. Material that is wett			
	solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}	eu		
	solely by wel suppression systems is not considered to be suturated for purposes of this definition.			
10	Is the EU a screening operation, bucket elevator or belt conveyor in the production line			
	downstream of wet mining operation that process saturated material up to the first crusher,			
	grinding mill or storage bin in the production line?		Yes	No
	Serie and a state of a state broad and a		100	
	<i>(Note: Wet mining operation means a mining or dredging operation designed and operated to extract</i>			
	any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic			
	mineral is saturated with water. "Saturated material" means mineral material with sufficient surface			
	moisture such that particulate matter emissions are not generated from processing of the material			
	through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by			
	wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
	answer to any of the six Questions 5 -10 above is "Yes" then the EU is not subject to			
	bpart OOO so skip the following questions and go directly to Question 24.			
I f	the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.			
11	.When was the EU last constructed, modified, or reconstructed?			
	, , ,			
12	. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?		Yes	No
If	answer to Question 12 is "No" skip the following questions and go directly to Question 20			
13	.Does the EU have a particulate matter capture system (equipment including enclosures,			
	Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?		Yes	No
If	answer to Question 13 is "No" skip the following questions and go directly to Question 19			
14	.Initial Tests:			
	a. Was an initial PM stack test performed on the control device within 180 days of			
	initial startup of the EU? N/A		Yes	🗌 No
	b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	_	Yes	No
	c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	Π	Yes	No
	d. If yes, was the opacity less than or equal to 7% opacity?	\Box	Yes	No
15	.If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not			
	individually in compliance with emissions limits:			
	a. Was an initial PM stack test performed on each vent control device within 180 days of	_		— -
	initial startup of the EU? N/A	\Box	Yes	∐ No
	$\{A \text{ "vent" is any opening through which there is mechanically induced air flow for the } A$			
	purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
	one or more affected EUs.}	_		—
	b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	=	Yes	L.No
1	c. Was an initial VE test performed on fugitive emissions from non-vent building openings?		Yes	No
Í	d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	\Box	Yes	LNo

16. Is a baghouse used to control emissions from the EU?	Yes	No
If yes, the owner operator: conducts quarterly 30-minute VE tests using Method 22; uses a bag leak detection system specified in 40 CFR 60.674(d); follows the requirements of 40 CFR 63AAAAA Lime Manufacturin as specified in 40 CFR 60.674(e); or none of the above (i.e., out of compliance)		_
17. If the EU is an individual, analoged storage his controlled by a haghouse		
17.If the EU is an individual, enclosed storage bin controlled by a baghouse, were initial fugitive emissions less than or equal to 7% opacity? N/A	Yes	🗌 No
18. Is a wet scrubber used to control emissions from the EU?	Yes	No
 a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	Yes	No
 b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions ? {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.} 	Yes	No
19. Is wet suppression used to control emissions from the EU?	T Yes	□No
 If yes: a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles? b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly? c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?	Yes	No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.		
20. Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	Yes	No
 21. Initial Tests: a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU? N/A b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)? c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	 Yes Yes Yes Yes 	□ No □No □No □No

22. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not		
individually in compliance with emissions limits:		
a. Was an initial PM stack test performed on each vent control device within 180 days of		
initial startup of the EU? N/A	Yes	No No
$\{A $ "vent" is any opening through which there is mechanically induced air flow for the		
purpose of exhausting from a building air carrying particulate matter (PM) emissions from		
one or more affected EUs.}		
b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?	Yes	No
c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	☐ Yes	No
23. Is a wet scrubber used to control emissions from the EU?	Yes	No
If yes, does the owner/operator maintain and operate:		
a. a device for the continuous measurement of the pressure loss of the gas stream through the		
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's		
instructions?	Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250		
pascals +1 inch water gauge pressure.}		
and		
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the	_	
device for the continuous measurement of the scrubbing inquid now rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions ?	Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%		NO
of design scrubbing liquid flow rate.}		
24 When weg the last VE test conducted by the sumer/onerstar for this EU9		
24. When was the last VE test conducted by the owner/operator for this EU?		
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?	Yes	LNo
b. If EU is subject to 40 CFR subpart OOO:		
i. has the EU been tested during each of the past 4 calendar years?	Yes	L.No
ii. has the EU been tested yet within the current calendar year?	Yes	No
25. Was a VE test conducted by the <i>owner/operator</i> for this unit during this site visit?	Yes	L.No
a. Was the VE test conducted at a process rate that is representative of the normal rate?	Yes	No
Rate:		
b. Was the VE test conducted according to EPA Method 9?	Yes	L.No
c. The VE test resulted in an opacity of% for the highest six-minute average.	—	—
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	∐ Yes	No
	—	—
26. Was a VE test conducted by the <i>inspector</i> for this unit during this site visit?	∐ Yes	L.No
a. Was the VE test conducted at a process rate that is representative of the normal rate?	Yes	No
Rate:	_	_
b. Was the VE test conducted according to EPA Method 9?	Yes	No
c. The VE test resulted in an opacity of% for the highest six-minute average.	_	_
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	Yes	LNo

Emissions Unit Section <u>2 –NMMP Plant-screening unit, diesel/electric pwrd</u>

Ш

Is	the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Processir	og Plants?	
10	<i>{Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the majority</i>		
	is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Granit		
	Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand and Gravel;		
	(3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock Salt;		
	(5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chlo	ride,	
	and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Talc and Pyrophyllite; (10) Boron, including Borax,		
	and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Vermic	ulite;	
	(17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.}		
1.	Is the EU located at a fixed or portable nonmetallic mineral processing plant	—	
	or hot mix asphalt plant that has an aboveground crusher or grinding mill?	Yes	L.No
	Is the EU located above ground (i.e., not in an underground mine)?	Yes	L.No
	Was the EU constructed, modified, or reconstructed after August 31, 1983?	Yes	L.No
4.	Is the EU one of the following?	Yes	LNo
	□ crusher, □ grinding mill, □ bucket elevator, □ belt conveyor, □ bagging operation,		
	 storage bin, enclosed truck loading station enclosed railcar loading station; crusher or grinding mill at hot mix asphalt plant that reduces the size of nonmetallic 		
	minerals embedded in recycled asphalt pavement or subsequent emissions unit up to,		
	but not including, the first storage silo or bin;		
	screening operation (a device for separating material according to size by passing		
	undersize material through one or more mesh surfaces (screens) in series, and retaining		
	oversize material on the mesh surfaces. Grizzly feeders associated with truck dumping		
	and static (non-moving) grizzlies used anywhere in the nonmetallic mineral processing		
	plant are not considered to be screening operations.)		
	building enclosing any of the above EUs if all enclosed EUs are not individually in		
	compliance with emissions limits. {A "vent" is any opening through		
	which there is mechanically induced air flow for the purpose of exhausting from a building		
	air carrying particulate matter (PM) emissions from one or more affected EUs.}		
	answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to		
	bpart OOO so skip the following questions and go directly to Question 24.		
If	the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.		
5.	Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or		
	subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process	—	
_	any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	Yes	No
6.	Is the EU located at a fixed sand and gravel plant or crushed stone plant with a		
7	capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	∐ Yes	L.No
1.	capacity less than or equal to 136 megagrams/hour (150 tons/hour)?	☐ Yes	□No
8.	Is the EU located at a common clay plant or pumice plant with capacity less than or		
	equal to 9 megagrams/hour (10 tons/hour) ?	T Yes	□No

9. Is the EU a wet screening operation or subsequent screening operation, bucket elevator or			
belt conveyor in a production line that processes saturated material up to the first crusher, grinding mill or storage bin in the production line?		Yes	□No
<i>{Note: "wet screening operation" means a screening operation which removes unwanted material or</i>		105	NO
which separates marketable fines from the product by a washing process which is designed and operation	ed		
at all times such that the product is saturated with water. "Saturated material" means mineral materia			
with sufficient surface moisture such that particulate matter emissions are not generated from processi			
of the material through screening operations, bucket elevators and belt conveyors. Material that is wet	ted		
solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
10. Is the EU a screening operation, bucket elevator or belt conveyor in the production line			
downstream of wet mining operation that process saturated material up to the first crusher,			
grinding mill or storage bin in the production line?		Yes	No
<i>Note: Wet mining operation means a mining or dredging operation designed and operated to extract</i>			
any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic mineral is saturated with water. "Saturated material" means mineral material with sufficient surface			
mineral is saturated with water. Saturated material means mineral material with sufficient surface moisture such that particulate matter emissions are not generated from processing of the material			
through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by			
wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
If answer to any of the six Questions 5-10 above is "Yes" then the EU is not subject to subject to a ghin the following questions and go directly to Question 24			
subpart OOO so skip the following questions and go directly to Question 24. If the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.			
If the unswer to an of the six Questions 5-10 above is 140° then continue to Question 11.			
11. When was the EU last constructed, modified, or reconstructed?			
12. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?		Yes	No
If answer to Question 12 is "No" skip the following questions and go directly to Question 20			
13. Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures,			
Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?		Yes	No
If anyway to Question 12 is "No" skin the following questions and so directly to Question 10			
If answer to Question 13 is "No" skip the following questions and go directly to Question 19			
14. Initial Tests:			
a. Was an initial PM stack test performed on the control device within 180 days of	_		—
initial startup of the EU? N/A	Ц	Yes	
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)? c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	H	Yes Yes	∐No □No
d. If yes, was the opacity less than or equal to 7% opacity?	H	Yes	\square No
an gray and a Fact grant and a Tana and a Fact grant g			
15. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not			
individually in compliance with emissions limits:			
a. Was an initial PM stack test performed on each vent control device within 180 days of initial startup of the EU? N/A		Yes	🗌 No
A "vent" is any opening through which there is mechanically induced air flow for the		1 00	
purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
one or more affected EUs.}			
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?		Yes	No
c. Was an initial VE test performed on fugitive emissions from non-vent building openings?		Yes	No
d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	\Box	Yes	LNo

16. Is a baghouse used to control emissions from the EU?	Yes	No
If yes, the owner operator: conducts quarterly 30-minute VE tests using Method 22; uses a bag leak detection system specified in 40 CFR 60.674(d); follows the requirements of 40 CFR 63AAAAA Lime Manufacturin as specified in 40 CFR 60.674(e); or none of the above (i.e., out of compliance) 	_	
17. If the EU is an individual, enclosed storage bin controlled by a baghouse,		
were initial fugitive emissions less than or equal to 7% opacity? N/A	Yes	No No
18. Is a wet scrubber used to control emissions from the EU?	Yes	No
If yes, does the owner/operator maintain and operate:		
a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250 pascals +1 inch water gauge pressure.} and		
 b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions ? {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.} 	Yes	No
19. Is wet suppression used to control emissions from the EU?	Yes	No
If yes:		
a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?		
b. Does the owner/operator initiate corrective action within 24 hours and complete		
corrective action as expediently as practical is water is not flowing properly?		
c. Is each inspection of the spray nozzles, including the date and any corrective action taken,		
recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?	Yes	No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.		
20. Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	Yes	No
21. Initial Tests:		
a. Was an initial PM stack test performed on the control device within 180 days of	_	_
initial startup of the EU? N/A	Yes	D No
b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?	Yes	No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)? d. If yes, was the opacity less than or equal to 7% opacity?	Yes Yes	□No □No

22. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not		
individually in compliance with emissions limits: a. Was an initial PM stack test performed on each vent control device within 180 days of		
initial startup of the EU? N/A	T Yes	□ No
<i>A "vent" is any opening through which there is mechanically induced air flow for the</i>		
purpose of exhausting from a building air carrying particulate matter (PM) emissions from		
one or more affected EUs.}		
b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?	T Yes	□No
c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	Yes	No
23. Is a wet scrubber used to control emissions from the EU?	Yes	No
If yes, does the owner/operator maintain and operate:	—	_
a. a device for the continuous measurement of the pressure loss of the gas stream through the		
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250		
pascals +1 inch water gauge pressure.}		
and		
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the	ie	
device has been calibrated on an annual basis in accordance with manufacturer's instructions ?	Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%		
of design scrubbing liquid flow rate.}		
24. When was the last VE test conducted by the owner/operator for this EU?		
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?b. If EU is subject to 40 CFR subpart OOO:	Yes	No
i. has the EU been tested during each of the past 4 calendar years?	Yes	□No
ii. has the EU been tested yet within the current calendar year?	\square Yes	\square No
n. has the De been tested yet whill the current current durindur year.		
25. Was a VE test conducted by the <i>owner/operator</i> for this unit during this site visit?	Yes	No
a. Was the VE test conducted at a process rate that is representative of the normal rate?	Yes	No
Rate:		
b. Was the VE test conducted according to EPA Method 9?	Yes	No
c. The VE test resulted in an opacity of% for the highest six-minute average.	_	_
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	Yes	No
26. Was a VE test conducted by the <i>inspector</i> for this unit during this site visit?	Yes	□No
a. Was the VE test conducted at a process rate that is representative of the normal rate?	Yes	No
Rate:		
b. Was the VE test conducted according to EPA Method 9?	Yes	No
c. The VE test resulted in an opacity of% for the highest six-minute average.		
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)	Yes	No

Emissions Unit Section	
3-NMMP Plant-diesel/electric power for all units,525 kW get	iset

	(check 🗹	only one			
	box for each c	juestion)			
Is the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral I	Processing Plants?	•			
 Is the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO - Nonmetallic Mineral J {Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which th is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomit Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) S (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; ((5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodi and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Talc and Pyrophyllite; (10) Boron, includin and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16 (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.} I. Is the EU located at a fixed or portable nonmetallic mineral processing plant or hot mix asphalt plant that has an aboveground crusher or grinding mill?	ne majority te, Granite, Sand and Gravel; (4) Rock Salt; ium Chloride, ng Borax, Kernite, 5) Vermiculite; Yes Yes	□No □No □No □No			
If answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to subpart OOO so skip the following questions and go directly to Question 24. If the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.					
5. Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or					
subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process	—	□			
any other EU that is subject to 40 CFR part 60 subpart F or subpart I? 6. Is the EU located at a fixed sand and gravel plant or crushed stone plant with a	Yes	No			
capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	Yes	No			
7. Is the EU located at a portable sand and gravel plant or crushed stone plant with a		_			
capacity less than or equal to 136 megagrams/hour (150 tons/hour) ?	Yes	No			
equal to 9 megagrams/hour (10 tons/hour) ?	Yes	No			

9. Is the EU a wet screening operation or subsequent screening operation, bucket elevator or			
belt conveyor in a production line that processes saturated material up to the first crusher,		Vaa	
grinding mill or storage bin in the production line?		Yes	L.No
{Note: "wet screening operation" means a screening operation which removes unwanted material or which separates marketable fines from the product by a washing process which is designed and operate	d		
at all times such that the product is saturated with water. "Saturated material" means mineral material			
with sufficient surface moisture such that particulate matter emissions are not generated from processi			
of the material through screening operations, bucket elevators and belt conveyors. Material that is wett			
solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
10. Is the EU a screening operation, bucket elevator or belt conveyor in the production line			
downstream of wet mining operation that process saturated material up to the first crusher,			
grinding mill or storage bin in the production line?		Yes	No
<i>{Note: Wet mining operation means a mining or dredging operation designed and operated to extract</i>			
any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic			
mineral is saturated with water. "Saturated material" means mineral material with sufficient surface			
moisture such that particulate matter emissions are not generated from processing of the material through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by			
wet suppression systems is not considered to be "saturated" for purposes of this definition.}			
If answer to any of the six Questions 5 - 10 above is "Yes" then the EU is not subject to			
subpart OOO so skip the following questions and go directly to Question 24.			
If the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.			
11. When was the EU last constructed, modified, or reconstructed?			
11. When was the 120 last constructed, mounted, of reconstructed.			
12. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?		Yes	No
If answer to Question 12 is "No" skip the following questions and go directly to Question 20			
13. Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures,			
Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	\square	Yes	No
			_
If answer to Question 13 is "No" skip the following questions and go directly to Question 19			
14. Initial Tests:			
a. Was an initial PM stack test performed on the control device within 180 days of			
initial startup of the EU? N/A		Yes	🗌 No
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	_	Yes	No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?		Yes	No
d. If yes, was the opacity less than or equal to 7% opacity?		Yes	No
15 If the EU is a building enclosing one other regulated EUs and all enclosed EUs are not			
15. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not individually in compliance with emissions limits:			
a. Was an initial PM stack test performed on each vent control device within 180 days of			
initial startup of the EU? N/A	\Box	Yes	🗌 No
{A "vent" is any opening through which there is mechanically induced air flow for the			
purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
one or more affected EUs.}			
b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	=	Yes	No
c. Was an initial VE test performed on fugitive emissions from non-vent building openings?	_	Yes	No
d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	\Box	Yes	L.No

16. Is a baghouse used to control emissions from the EU?	Yes	No
If yes, the owner operator: conducts quarterly 30-minute VE tests using Method 22; uses a bag leak detection system specified in 40 CFR 60.674(d); follows the requirements of 40 CFR 63AAAAA Lime Manufacturing as specified in 40 CFR 60.674(e); or none of the above (i.e., out of compliance)	_	
17. If the EU is an individual, enclosed storage bin controlled by a baghouse,		
were initial fugitive emissions less than or equal to 7% opacity? N/A	Yes	No No
18. Is a wet scrubber used to control emissions from the EU?	Yes	No
If yes, does the owner/operator maintain and operate:		
 a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	Yes	No
 and b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions ? {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.} 	Yes	No
19. Is wet suppression used to control emissions from the EU?	T Yes	□No
If yes: a. Does the owner/operator perform monthly inspections to check that water is flowing to		
the discharge spray nozzles?		
b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?	Yes	No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.		
20. Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	Yes	No
 21. Initial Tests: a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU? N/A b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)? c. Was an initial VE test performed on any fugitive emissions (escaping capture system)? 	☐ Yes ☐ Yes ☐ Yes	□ No □No □No
d. If yes, was the opacity less than or equal to 7% opacity?	Yes	LNo

22. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not			
individually in compliance with emissions limits:			
a. Was an initial PM stack test performed on each vent control device within 180 days of	_		_
initial startup of the EU? 🔲 N/A		Yes	No No
$\{A $ "vent" is any opening through which there is mechanically induced air flow for the			
purpose of exhausting from a building air carrying particulate matter (PM) emissions from			
one or more affected EUs.}			
b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?		Yes	No
c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?		Yes	No
23. Is a wet scrubber used to control emissions from the EU?		Yes	□No
If yes, does the owner/operator maintain and operate:			
a. a device for the continuous measurement of the pressure loss of the gas stream through the			
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's			
instructions?		Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250		100	
pascals +1 inch water gauge pressure.}			
and			
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and th	е		
device has been calibrated on an annual basis in accordance with manufacturer's instructions ?		Yes	No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%		105	
of design scrubbing liquid flow rate. }			
or design berubbing inquite now rule.			
24. When was the last VE test conducted by the owner/operator for this EU?			
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?		Yes	□No
b. If EU is subject to 40 CFR subpart OOO:		100	
i. has the EU been tested during each of the past 4 calendar years?		Yes	□No
ii. has the EU been tested yet within the current calendar year?		Yes	\square No
n. has the 10 been tested yet within the current calendar year.		105	10
25. Was a VE test conducted by the <i>owner/operator</i> for this unit during this site visit?		Yes	□No
a. Was the VE test conducted at a process rate that is representative of the normal rate?		Yes	No
Rate:			
b. Was the VE test conducted according to EPA Method 9?		Yes	No
c. The VE test resulted in an opacity of% for the highest six-minute average.			
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)		Yes	No
d. Did the vE test demonstrate compliance with the opticity mint. (See chart below).		105	
26. Was a VE test conducted by the <i>inspector</i> for this unit during this site visit?		Yes	□No
a. Was the VE test conducted at a process rate that is representative of the normal rate?	=	Yes	No
Rate:			,o
b. Was the VE test conducted according to EPA Method 9?		Yes	□No
c. The VE test resulted in an opacity of% for the highest six-minute average.		100	
 d. Did the VE test demonstrate compliance with the opacity limit? (See chart below) 		Ves	□No
a. Die die 12 lest demonstrate compliance with the opacity mint. (See chait below).		1 00	
VE Opacity Limits			

VE Opacity Limits					
EU not subject to 40 CFR 60 Subpart OOO	Subpart OOO EU constructed, modified, or reconstructed prior to 4/22/2008	Subpart OOO EU constructed, modified, or reconstructed on or after 4/22/2008			
20%	15%	12%			
20%	10%	7%			
	EU not subject to 40 CFR 60 Subpart OOO 20%	40 CFR 60constructed, modified, or reconstructed prior to 4/22/200820%15%			

<u>RI</u>	EASONABLE PRECAUTIONS FOR UNCONFINED EMISSIONS	(check ☑ box for each	only one question)
1.	Does the owner/operator of the NMMP Plant take reasonable precautions to control unconfined emissions by: a) Use of water suppression system(s) with spray bars located wherever unconfined emissions occur (at the feeder(s), the entrance and exit of the crusher(s), the classifier screens, and the conveyor		
	drop points)? N/A If no, where are unconfined emissions occurring?	∐ Yes	∐ No
	 b) Use of water trucks equipped with spray bars to apply water or effective dust suppressant(s) on a regular basis (to all stockpiles, roadways and work yards)? N/A c) Paving and maintaining roads and parking areas? N/A d) Removal of particulate matter from roads and other paved areas under control of the owner/operator to prevent re-entrainment, and from building or work 	Yes Yes	D No No
	areas to reduce airborne particulate matter? N/A e) Reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of	Yes	🗌 No
	particulate matter from stock piles? N/A	Yes	🗌 No
2.	If reasonable precautions <u>not</u> being taken: a) Did the inspector perform a general VE test (20% opacity)? N/A b) If tested: ()% opacity. Were the visible emissions < 20% opacity? c) What caused the problem(s) (if known)?	☐ Yes ☐ Yes	□ No □No

CONFIRMATION OF GENERAL PERMIT ELIGIBILITY (check \square only one box for each question) 1. Does this facility keep records to show that it does not have the potential to emit: a) 10 tons per year or more of any hazardous air pollutant? ----- Yes ...No b) 25 tons per year or more of any combination of hazardous air pollutants? ------...No c) 100 tons per year or more of any other regulated air pollutant? ------ TYes ...No 2. Does this facility include: a) any emission units or activities not covered by the applicable air general permit (with the exception of units and activities that are exempt from permitting pursuant to subsection Rule 62-210.300(3) or Rule 62-4.040, F.A.C.)? ------ Yes ...No If YES, what non-exempt units or activities? b) any emissions units or activities authorized by another air general permit where such other air general permit and this general permit specifically allow the use of one another at the same facility? ----- Yes ...No If YES, what other general permit units or activities?

3.	Is the total combined annual facility-wide fuel usage of all plants less than or equal to:	
	a) 275,000 gallons of diesel fuel? YesNo	
	b) 23,000 gallons of gasoline? YesNo	
	c) 44 million standard cubic feet on natural gas? YesNo	
	d) 1.3 million gallons of propane? YesNo	
	e) or an equivalent prorated amount if multiple fuels are used onsite (use equation below)? YesNo	
() gal diesel/yr + () gal gasoline/yr + () MM SCF nat. gas/yr + () MM gal propane/yr ≤ 1.00 ?	
27	75,000 gal diesel/yr 23,000 gal gasoline/yr 44 MM SCF nat. gas/yr 1.3 MM gal propane/yr	
4.	Has the owner/operator maintained, available for inspection, site-wide records of monthly fuel consumption	
	for each consecutive 12-period for the past 5 years? YesNo	

G	ENERAL CONDITIONS	(check 🗹	~
1.	Has the owner or operator allowed the circumvention of any air pollution control device, or	box for each	question)
	Allowed the emission of air pollutants without the proper operation of all applicable air	_	_
	pollution control devices?	Yes	LNo
2.	······································	_	_
	a) maintain the authorized facility in good condition?	- Yes	No
	b) ensure that the facility maintains its eligibility to use the air general permit and complies with all		
	terms and conditions of the air general permit?	Yes	No
3.	Has the owner or operator allowed you, as the duly authorized representative of the Department, access	SS	
	to the facility at reasonable times to inspect and test and to determine compliance with the air general		
	permit and Department rules?	- 🗌 Yes	No

	ELOCATABLE PLANT The facility: is stationary; is relocatable; or consists of both stationary and relocatable NMMP and/or concrete batching plants. (If only stationary, skip the following questions 2 and 3.)	(check 🗹 box for each	only one question)
2.	 For a relocated NMMP plant: a) did the owner or operator notify the appropriate Department or Local Air Program by telephone, e-mail, fax, or written communication at least one business day prior to changing location? b) did the owner or operator transmit a Facility Relocation Notification Form [DEP No. 62-210.900(to the Department or Local Air Program no later than five business days following relocation?	6)]	□No
3.	If the relocatable NMMP plant was co-located at a facility with a separate air construction or air operate permit, and the relocatable NMMP plant is <u>not</u> included as an emissions unit in that separate permit: a) was the relocatable NMMP plant being used for a non-routine purpose?		□No
	 b) were records kept by the owner/operator to indicate how long it was co-located at the permitted facility?	Yes Yes	□No □No

	HANGES Iministrative Changes:	(check ☑ box for each	only one question)
1.	Were there any changes in the name, address, or phone number of the facility or authorized represent associated with a change in ownership or with a physical relocation of the facility or any emissions up operations comprising the facility; or any other similar minor administrative change at the facility?	nits or	□No
2.	If YES, did the facility provide written notification within 30 days of the change?		No
Ne	ew or Modified Process Equipment or Change in Ownership:		
3.	Since the last registration form submittal has there been		
	a) Installation of any new process equipment?	🗌 Yes	No
	b) Alterations to existing process equipment without replacement?	🗌 Yes	No
	c) Replacement of existing equipment with equipment that is substantially different?	🗌 Yes	No
	d) A change in ownership?	Ves	No
4.	If the answer to any question 3a d. is YES, was a new registration form and the appropriate fee sul	omitted	
	30 days prior to the change?	🗌 Yes	No

Kathy Parish

Inspector's Name (Please Print)

05/11/2012

Date of Inspection

05/2013

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: Met with Russ Gordon of Indepence Recyling. Mr. Gordon state that this crusher was no longer at this site and had been relocated to Ohio. The date of when the crusher had been relocated was unknown.