

Maaco Collision Repair and Auto Painting
2903 9th Street West Bradenton, FL 34205
941-747-4007 | 941-896-3107



fax

TO: Max (~~REP~~) FROM: MAACO

FAX: 813 632 7668 PAGES: 7

PHONE: 941 747 ~~39~~ 4007 DATE: (Pick the date)

RE: _____ CC: _____

- Urgent For Review Please Comment Please Reply Please Recycle

Comments:

VOC's ~~from~~ You requested January 2012

**Daily VOC Emission Record
Standard VOC Tracking Rule**

A.P. - As Packaged in LBS/Gallon

Volatile Organic Compound Reporting System

~ = Spot Repair Mixes

Coatings: Paint / Primer / Prep. / Catalyst / Hardener / Thinner / Reducer / Solvent

Date	Painter	Coating Type	&	Code	VOC A.P.	Code	VOC A.P.	Code	Coating VOC AMT A.P. (Gals)	Mix Ratio Coat: Cat Sol:	Gr. Veh. Wt	VOC as A.P.	LBS of VOC	
02/16/12	RON	FUL-BASE - IF		809123IF	5.6	483-30	3.3	441-21	5.3	0.13	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.70
02/16/12	RON	CHROMABASE B/C		737743K	4.9			7175S	6.1	0.06	16.0 : 0.0 : 16.0 : 0.0	1	5.5	0.33
02/16/12	RON	CHROMABASE B/C		M9342K 0	4.8			7175S	6.1	0.06	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.32
02/16/12	RON	FUL-THANE - IB		F0222IB	4.6	483-15	0.9	441-22	6.3	0.13	8.0 : 1.0 : 2.0 : 0.0	1	4.6	0.60
02/16/12	RON	FUL-THANE - IB		B9066IB	4.6	483-15	0.9	441-22	6.3	1.00	8.0 : 1.0 : 2.0 : 0.0	1	4.5	4.50
02/16/12	RON	FUL-THANE - IB		B9017IB	4.6	483-15	0.9	441-22	6.3	0.22	8.0 : 1.0 : 2.0 : 0.0	1	4.6	1.01
02/16/12	RON	FUL-THANE - IB		B9017IB	4.6	483-15	0.9	441-22	6.3	0.22	8.0 : 1.0 : 2.0 : 0.0	1	4.6	1.01

Totals for: 02/16/2012

Coating Total (Gallons): 1.82

VOC Total (lbs): 8.47

02/17/12	RON	CHROMABASE B/C		809956K VI	4.8			7175S	6.1	0.06	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.32
02/17/12	RON	FUL-BASE - IF		725734IF	5.6	483-30	3.3	441-21	5.3	0.29	8.0 : 0.5 : 4.0 : 0.0	1	5.4	1.57
02/17/12	RON	CHROMABASE B/C		M4316K VI1	4.9			7175S	6.1	0.22	16.0 : 0.0 : 16.0 : 0.0	1	5.5	1.21
02/17/12	RON	FUL-BASE - IF		F7944IF	5.6	483-30	3.3	441-21	5.3	0.75	8.0 : 0.5 : 4.0 : 0.0	1	5.4	4.05
02/17/12	RON	FUL-BASE - IF		F7944IF	5.6	483-30	3.3	441-21	5.3	0.81	8.0 : 0.5 : 4.0 : 0.0	1	5.4	4.37
02/17/12	RON	CHROMABASE B/C		D8890K A	4.8			7175S	6.1	0.75	16.0 : 0.0 : 16.0 : 0.0	1	5.4	4.05
02/17/12	RON	FUL-BASE - IF		799328IF	5.6	483-30	3.3	441-21	5.3	0.06	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.32
02/17/12	RON	FUL-THANE - IB		B8902IB	4.5	483-15	0.9	441-22	6.3	0.75	8.0 : 1.0 : 2.0 : 0.0	1	4.5	3.38
02/17/12	RON	FUL-THANE - IB		B8944IB	4.6	483-15	0.9	441-22	6.3	0.69	8.0 : 1.0 : 2.0 : 0.0	1	4.6	3.17
02/17/12	RON	FUL-THANE - IB		99IB	4.6	483-15	0.9	441-22	6.3	0.75	8.0 : 1.0 : 2.0 : 0.0	1	4.6	3.45

Totals for: 02/17/2012

Coating Total (Gallons): 5.13

VOC Total (lbs): 25.89

02/20/12	RON	FUL-BASE - IF		737413IF	5.6	483-30	3.3	441-21	5.3	0.05	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.27
02/20/12	RON	FUL-CRYL - ID		F2027ID	4.7	483-11	2.2	441-22	6.3	0.77	8.0 : 1.0 : 2.0 : 0.0	1	4.7	3.62
02/20/12	RON	FUL-THANE - IB		B9017IB	4.6	483-15	0.9	441-22	6.3	0.06	8.0 : 1.0 : 2.0 : 0.0	1	4.6	0.28

Totals for: 02/20/2012

Coating Total (Gallons): 0.88

VOC Total (lbs): 4.17

02/21/12	RON	CHROMABASE B/C		782251K	4.6			7175S	6.1	0.20	16.0 : 0.0 : 16.0 : 0.0	1	5.3	1.06
02/21/12	RON	CHROMABASE B/C		781934K	4.8			7175S	6.1	0.21	16.0 : 0.0 : 16.0 : 0.0	1	5.4	1.13
02/21/12	RON	CHROMABASE B/C		B8833K VI1	4.7			7175S	6.1	0.13	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.70
02/21/12	RON	FUL-CRYL - ID		F7999ID	4.7	483-11	2.2	441-22	6.3	1.00	8.0 : 1.0 : 2.0 : 0.0	1	4.7	4.70
02/21/12	RON	FUL-THANE - IB		B8902IB	4.5	483-15	0.9	441-22	6.3	0.02	8.0 : 1.0 : 2.0 : 0.0	1	4.5	0.09
02/21/12	RON	FUL-THANE - IB		B8944IB	4.6	483-15	0.9	441-22	6.3	0.69	8.0 : 1.0 : 2.0 : 0.0	1	4.6	3.17
02/21/12	RON	FUL-THANE - IB		W8430IB	4.2	483-15	0.9	441-22	6.3	0.81	8.0 : 1.0 : 2.0 : 0.0	1	4.3	3.48
02/21/12	RON	FUL-THANE - IB		M9342IB	4.6	483-15	0.9	441-22	6.3	0.20	8.0 : 1.0 : 2.0 : 0.0	1	4.5	0.90

**Daily VOC Emission Record
Standard VOC Tracking Rule**

A.P. = As Packaged in LD or Gallon

Volatile Organic Compound Reporting System

~ = Spot Repair Mixes

Coatings: Paint / Primer / Prep. | Catalyst / Hardener | Thinner / Reducer / Solvent

Date	Painter	Coating Type	&	Code	VOC A.P. Code	VOC A.P. Code	VOC A.P. Code	Coating VOC AMT (Gals)	Mix Ratio Coat: Cat Sol:	Gr. Veh. Wt	VOC as A.P.	LBS of VOC
02/10/12	RON	CHROMABASE B/C		B9789K 0	4.8		7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.4	0.32
02/10/12	RON	FUL-THANE URET		F0982IB	4.6	483-15	0.9 441-22	6.3 0.50	8.0:1.0:2.0:0.0	I	4.6	2.90
02/10/12	RON	FUL-THANE URET		F0982IB	4.6	483-15	0.9 441-22	6.3 0.82	8.0:1.0:2.0:0.0	I	4.6	3.77
02/10/12	RON	FUL-THANE URET		513556IB	4.6	483-15	0.9 441-22	6.3 0.13	8.0:1.0:2.0:0.0	I	4.6	0.60
02/10/12	RON	FUL-CRYL II		P1912ID	4.7	483-11	2.2 441-22	6.3 0.08	8.0:1.0:2.0:0.0	I	4.6	0.29
02/10/12	RON	FUL-THANE URET		B9326IB	4.5	483-15	0.9 441-22	6.3 0.13	8.0:1.0:2.0:0.0	I	4.5	0.69

Totals for: 02/10/2012

Coating Total (Gallons): 2.32

VOC Total (lbs): 11.23

02/13/12	RON	CHROMABASE B/C		402204K 2	4.8		7175S	6.1 0.21	16.0:0.0:16.0:0.0	I	5.4	1.13
02/13/12	RON	FUL-BASE B/C		799328IF	5.6	483-30	3.3 441-21	5.3 0.50	8.0:0.5:4.0:0.0	I	5.4	2.70
02/13/12	RON	FUL-THANE URET		B9791IB	4.2	483-15	0.9 441-22	6.3 0.74	8.0:1.0:2.0:0.0	I	4.3	3.18

Totals for: 02/13/2012

Coating Total (Gallons): 1.45

VOC Total (lbs): 7.01

02/14/12	RON	FUL-BASE B/C		402203IF	5.6	483-30	3.3 441-21	5.3 0.05	8.0:0.5:4.0:0.0	I	5.4	0.27
02/14/12	RON	FUL-THANE - IB		F0222IB	4.6	483-15	0.9 441-22	6.3 0.13	8.0:1.0:2.0:0.0	I	4.6	0.60
02/14/12	RON	FUL-THANE URET		L8792IB	4.4	483-15	0.9 441-22	6.3 0.77	8.0:1.0:2.0:0.0	I	4.4	3.39
02/14/12	RON	FUL-THANE URET		W8430IB	4.2	483-15	0.9 441-22	6.3 0.74	8.0:1.0:2.0:0.0	I	4.3	3.18
02/14/12	RON	FUL-THANE URET		99IB	4.6	483-15	0.9 441-22	6.3 0.79	8.0:1.0:2.0:0.0	I	4.6	3.63
02/14/12	RON	FUL-THANE - IB		B9667IB	4.6	483-15	0.9 441-22	6.3 0.82	8.0:1.0:2.0:0.0	I	4.5	3.69

Totals for: 02/14/2012

Coating Total (Gallons): 3.30

VOC Total (lbs): 14.76

02/15/12	RON	FUL-BASE - IF		809123IF	5.6	483-30	3.3 441-21	5.3 0.13	8.0:0.5:4.0:0.0	I	5.4	0.70
02/15/12	RON	FUL-BASE - IF		F2201IF	5.6	483-30	3.3 441-21	5.3 0.08	8.0:0.5:4.0:0.0	I	5.4	0.43
02/15/12	RON	CHROMABASE B/C		448436K @0	4.6		7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.4	0.70
02/15/12	RON	FUL-BASE - IF		787084IF	5.6	483-30	3.3 441-21	5.3 0.12	8.0:0.5:4.0:0.0	I	5.4	0.65
02/15/12	RON	FUL-BASE - IF		99IF	5.6	483-30	3.3 441-21	5.3 0.13	8.0:0.5:4.0:0.0	I	5.4	0.70
02/15/12	RON	CHROMABASE B/C		B9622K V13	4.7		7175S	6.1 0.25	16.0:0.0:16.0:0.0	I	5.4	1.35
02/15/12	RON	FUL-THANE - IB		F0222IB	4.6	483-15	0.9 441-22	6.3 0.09	8.0:1.0:2.0:0.0	I	4.6	0.41
02/15/12	RON	FUL-CRYL - ID		F0207ID	4.7	483-11	2.2 441-22	6.3 0.75	8.0:1.0:2.0:0.0	I	4.7	3.53
02/15/12	RON	FUL-THANE - IB		M4623IB	4.5	483-15	0.9 441-22	6.3 0.87	8.0:1.0:2.0:0.0	I	4.5	3.92
02/15/12	RON	FUL-THANE - IB		49053IB	4.2	483-15	0.9 441-22	6.3 1.10	8.0:1.0:2.0:0.0	I	4.3	4.73
02/15/12	RON	FUL-THANE - IB		B9667IB	4.6	483-15	0.9 441-22	6.3 0.08	8.0:1.0:2.0:0.0	I	4.5	0.27

Totals for: 02/15/2012

Coating Total (Gallons): 3.71

VOC Total (lbs): 17.39

29.76

Coating Usage Chart
Daily VOC Emission Record
Standard VOC Tracking Rule

A.P. = As Packaged in Lbs/Gallon

Volatile Organic Compound Reporting System

~ = Spot Repair Mixes

Coatings: Paint / Primer / Prep. | Catalyst / Hardener | Thinner / Reducer / Solvent

Date	Painter	Coating Type	&	Code	VOC A.P.	Code	VOC A.P.	Code	Coating VOC AMT (Gals)	Mix Ratio Coat: Cat Sol:	Gr. Veh. Wt	VOC as A.P.	LBS of VOC	
02/06/12	RON	FUL-THANE URET		F0222IB	4.6	483-15	0.9	441-22	6.3	0.82	8.0:1.0:2.0:0.0	I	4.6	3.77
02/06/12	RON	FUL-THANE URET		P4445IB	4.6	483-15	0.9	441-22	6.3	0.61	8.0:1.0:2.0:0.0	I	4.6	3.73

Totals for: 02/06/2012

Coating Total (Gallons):

2.63

VOC Total (lbs):

12.90

02/07/12	RON	CHROMABASE B/C		P4364K VI0	4.9			7175S	6.1	0.17	16.0:0.0:16.0:0.0	I	5.5	0.94
02/07/12	RON	CHROMABASE B/C		P4364K VI0	4.9			7175S	6.1	0.20	16.0:0.0:16.0:0.0	I	5.5	1.10
02/07/12	RON	FUL-THANE URET		C0348IB	4.6	483-15	0.9	441-22	6.3	0.20	8.0:1.0:2.0:0.0	I	4.6	0.92
02/07/12	RON	FUL-THANE URET		F5601IB	4.6	483-15	0.9	441-22	6.3	0.21	8.0:1.0:2.0:0.0	I	4.6	0.97
02/07/12	RON	FUL-THANE URET		B9402IB	4.5	483-15	0.9	441-22	6.3	0.20	8.0:1.0:2.0:0.0	I	4.5	0.90
02/07/12	RON	FUL-THANE URET		B9402IB	4.5	483-15	0.9	441-22	6.3	1.00	8.0:1.0:2.0:0.0	I	4.5	4.50
02/07/12	RON	FUL-THANE URET		B9533IB	4.6	483-15	0.9	441-22	6.3	0.83	8.0:1.0:2.0:0.0	I	4.6	3.62

Totals for: 02/07/2012

Coating Total (Gallons):

2.81

VOC Total (lbs):

13.15

02/08/12	RON	CHROMABASE B/C		F1070K 1	4.9			7175S	6.1	0.13	16.0:0.0:16.0:0.0	I	5.5	0.72
02/08/12	RON	CHROMABASE B/C		7940K VI@1	4.8			7175S	6.1	0.06	16.0:0.0:16.0:0.0	I	5.5	0.33
02/08/12	RON	CHROMABASE B/C		782250K VI	4.8			7175S	6.1	0.02	16.0:0.0:16.0:0.0	I	5.4	0.11
02/08/12	RON	CHROMABASE B/C		B8550K 1	4.6			7175S	6.1	0.04	16.0:0.0:16.0:0.0	I	5.4	0.22
02/08/12	RON	CHROMABASE B/C		B8946K 1	4.9			7175S	6.1	0.02	16.0:0.0:16.0:0.0	I	5.5	0.11
02/08/12	RON	CHROMABASE B/C		L8544K VI5	4.8			7175S	6.1	0.07	16.0:0.0:16.0:0.0	I	5.4	0.38
02/08/12	RON	CHROMABASE B/C		395775K VI8	5.1			7175S	6.1	0.98	16.0:0.0:16.0:0.0	I	5.5	5.49

Totals for: 02/08/2012

Coating Total (Gallons):

1.32

VOC Total (lbs):

7.36

02/09/12	RON	FUL-THANE URET		344373IB	4.6	483-15	0.9	441-22	6.3	0.75	8.0:1.0:2.0:0.0	I	4.5	3.38
02/09/12	RON	FUL-THANE URET		M4399IB	4.5	483-15	0.9	441-22	6.3	0.79	8.0:1.0:2.0:0.0	I	4.6	3.63
02/09/12	RON	FUL-THANE URET		B8012IB	4.6	483-15	0.9	441-22	6.3	0.83	8.0:1.0:2.0:0.0	I	4.5	3.74
02/09/12	RON	FUL-THANE URET		B8469IB	4.3	483-15	0.9	441-22	6.3	0.74	8.0:1.0:2.0:0.0	I	4.4	3.25

Totals for: 02/09/2012

Coating Total (Gallons):

3.11

VOC Total (lbs):

14.01

02/10/12	RON	CHROMABASE B/C		F0222K 1	4.8			7175S	6.1	0.08	16.0:0.0:16.0:0.0	I	5.4	0.43
02/10/12	RON	CHROMABASE B/C		736409K	4.7			7175S	6.1	0.13	16.0:0.0:16.0:0.0	I	5.4	0.70
02/10/12	RON	CHROMABASE B/C		355046K 1	4.8			7175S	6.1	0.13	16.0:0.0:16.0:0.0	I	5.5	0.72
02/10/12	RON	CHROMABASE B/C		663173K 1	4.8			7175S	6.1	0.13	16.0:0.0:16.0:0.0	I	5.4	0.70
02/10/12	RON	CHROMABASE B/C		B8550K VI1	4.6			7175S	6.1	0.13	16.0:0.0:16.0:0.0	I	5.4	0.70
02/10/12	RON	CHROMABASE B/C		B9145K 1	4.7			7175S	6.1	0.02	16.0:0.0:16.0:0.0	I	5.4	0.11

47.42

Coating Usage Chart
Daily VOC Emission Record
Standard VOC Tracking Rule

A.P. = As Packaged in Lbs/Gallon

Volatile Organic Compound Reporting System

~ = Spot Repair Mixes

Coatings: Paint / Primer / Prep. | Catalyst / Hardener | Thinner / Reducer / Solvent

Date	Painter	Coating Type	&	Code	VOC A.P.	Code	VOC A.P.	Code	Coating VOC AMT A.P. (Gals)	Mix Ratio Coat: Cat Sol:	Grs. Veh. Wt	VOC as A.P.	LBS of VOC	
02/01/12	RON	FUL-BASE B/C		CG30IF	5.6	483-30	3.3	441-21	5.3	0.06	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.32
02/01/12	RON	FUL-BASE B/C		CG29IF	5.4	483-30	3.3	441-21	5.3	0.05	8.0 : 0.5 : 4.0 : 0.0	1	5.3	0.27
02/01/12	RON	FUL-THANE URET		C0348IB	4.6	483-15	0.9	441-22	6.3	0.30	8.0 : 1.0 : 2.0 : 0.0	1	4.6	1.38
02/01/12	RON	FUL-CRYL II		M2498ID	4.7	483-11	2.2	441-22	6.3	1.00	8.0 : 1.0 : 2.0 : 0.0	1	4.7	4.70
02/01/12	RON	FUL-THANE URET		F4105IB	4.6	483-15	0.9	441-22	6.3	0.12	8.0 : 1.0 : 2.0 : 0.0	1	4.6	0.55
02/01/12	RON	FUL-THANE URET		B8706IB	4.6	483-15	0.9	441-22	6.3	0.02	8.0 : 1.0 : 2.0 : 0.0	1	4.6	0.09

Totals for: 02/01/2012

Coating Total (Gallons): 2.11

VOC Total (lbs): 10.34

02/02/12	RON	FUL-BASE B/C		407899IF	5.6	483-30	3.3	441-21	5.3	0.09	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.49
02/02/12	RON	CHROMABASE B/C		F0204K VI3	4.8			7175S	6.1	0.12	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.65
02/02/12	RON	CHROMABASE B/C		F0204K VI3	4.8			7175S	6.1	0.13	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.70
02/02/12	RON	CHROMABASE B/C		P0984K VI2	4.7			7175S	6.1	0.06	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.32
02/02/12	RON	CHROMABASE B/C		P0984K VI2	4.6			7175S	6.1	0.08	16.0 : 0.0 : 16.0 : 0.0	1	5.3	0.32
02/02/12	RON	CHROMABASE B/C		P0984K VI2	4.6			7175S	6.1	0.13	16.0 : 0.0 : 16.0 : 0.0	1	5.3	0.69
02/02/12	RON	CHROMABASE B/C		P0984K VI2	4.7			7175S	6.1	0.13	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.70
02/02/12	RON	CHROMABASE B/C		M4316K 0	4.8			7175S	6.1	0.06	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.32
02/02/12	RON	CHROMABASE B/C		F7999K VI1	4.9			7175S	6.1	0.13	16.0 : 0.0 : 16.0 : 0.0	1	5.5	0.72
02/02/12	RON	CHROMABASE B/C		486002K @1	4.8			7175S	6.1	0.25	16.0 : 0.0 : 16.0 : 0.0	1	5.4	1.35
02/02/12	RON	CHROMABASE B/C		791979K VI	4.8			7175S	6.1	0.22	16.0 : 0.0 : 16.0 : 0.0	1	5.4	1.19
02/02/12	RON	FUL-BASE B/C		B9633IF	5.6	483-30	3.3	441-21	5.3	0.06	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.32
02/02/12	RON	FUL-THANE URET		B9328IB	4.5	483-15	0.9	441-22	6.3	1.00	8.0 : 1.0 : 2.0 : 0.0	1	4.5	4.50

Totals for: 02/02/2012

Coating Total (Gallons): 2.44

VOC Total (lbs): 12.27

02/03/12	RON	FUL-BASE B/C		407899IF	5.6	483-30	3.3	441-21	5.3	0.06	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.32
02/03/12	RON	CHROMABASE B/C		P0930K 0	4.9			7175S	6.1	0.22	16.0 : 0.0 : 16.0 : 0.0	1	5.5	1.21
02/03/12	RON	CHROMABASE B/C		7999K VI@1	4.9			7175S	6.1	0.05	16.0 : 0.0 : 16.0 : 0.0	1	5.5	0.33
02/03/12	RON	CHROMABASE B/C		384826K VI3	4.8			7175S	6.1	0.06	16.0 : 0.0 : 16.0 : 0.0	1	5.4	0.32
02/03/12	RON	FUL-BASE B/C		485999IF	5.6	483-30	3.3	441-21	5.3	0.06	8.0 : 0.5 : 4.0 : 0.0	1	5.4	0.32
02/03/12	RON	FUL-BASE B/C		799328IF	5.6	483-30	3.3	441-21	5.3	0.21	8.0 : 0.5 : 4.0 : 0.0	1	5.4	1.13
02/03/12	RON	FUL-BASE B/C		B9900ID	4.7	483-11	2.2	441-22	6.3	1.14	8.0 : 1.0 : 2.0 : 0.0	1	4.7	5.36
02/03/12	RON	FUL-CRYL II		B9900ID	4.7	483-11	2.2	441-22	6.3	1.14	8.0 : 1.0 : 2.0 : 0.0	1	4.7	5.36
02/03/12	RON	FUL-THANE URET		CG32IB	4.2	483-15	0.9	441-22	6.3	0.88	8.0 : 1.0 : 2.0 : 0.0	1	4.3	3.78

Totals for: 02/03/2012

Coating Total (Gallons): 2.69

VOC Total (lbs): 12.77

02/06/12	RON	CHROMABASE B/C		F2104K 0	4.8			7175S	6.1	1.00	16.0 : 0.0 : 16.0 : 0.0	1	5.4	5.40
----------	-----	----------------	--	----------	-----	--	--	-------	-----	------	-------------------------	---	-----	------

35.38

**Daily VOC Emission Record
Standard VOC Tracking Rule**

A.P. = As Packaged in Lbs/Gallon

Volatile Organic Compound Reporting System

~ = Spot Repair Mixes

Coatings: Paint / Primer / Prep. | Catalyst / Hardener | Thinner / Reducer / Solvent

Date	Painter	Coating Type	&	Code	VOC A.P.	Code	VOC A.P.	Code	Coating VOC AMT A.P. (Gals)	Mix Ratio Coat: Cat Sol:	Grs. Veh. Wt	VOC as A.P.	LBS of VOC
01/27/12	RON	CHROMABASE B/C		F0204K 1	4.8			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.4	0.32
01/27/12	RON	CHROMABASE B/C		756881K	4.9			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.5	0.72
01/27/12	RON	CHROMABASE B/C		B9622K VI3	4.7			7175S	6.1 0.12	16.0:0.0:16.0:0.0	I	5.4	0.65
01/27/12	RON	CHROMABASE B/C		N9819K 1	4.6			7175S	6.1 0.12	16.0:0.0:16.0:0.0	I	5.3	0.64
01/27/12	RON	FUL-THANE URET		F0906IB	4.6	483-15	0.9	441-22	6.3 0.83	8.0:1.0:2.0:0.0	I	4.6	3.82
01/27/12	RON	FUL-THANE URET		F0906IB	4.6	483-15	0.9	441-22	6.3 0.83	8.0:1.0:2.0:0.0	I	4.6	3.82
01/27/12	RON	FUL-THANE URET		P2234IB	4.5	483-15	0.9	441-22	6.3 1.00	8.0:1.0:2.0:0.0	I	4.5	4.50
01/27/12	RON	FUL-THANE URET		P2234IB	4.5	483-15	0.9	441-22	6.3 1.00	8.0:1.0:2.0:0.0	I	4.5	4.50
01/27/12	RON	FUL-THANE URET		B9622IB	4.2	483-15	0.9	441-22	6.3 0.88	8.0:1.0:2.0:0.0	I	4.3	3.78

Totals for: 01/27/2012 Coating Total (Gallons): **4.97** VOC Total (lbs): **22.75**

01/30/12	RON	CHROMABASE B/C		839411K	4.8			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.4	0.70
01/30/12	RON	FUL-BASE B/C		99IF	5.6	483-30	3.3	441-21	5.3 0.06	8.0:0.5:4.0:0.0	I	5.4	0.32
01/30/12	RON	FUL-BASE B/C		B9118IF	5.6	483-30	3.3	441-21	5.3 0.08	8.0:0.5:4.0:0.0	I	5.4	0.43
01/30/12	RON	FUL-THANE URET		F0222IB	4.6	483-15	0.9	441-22	6.3 0.50	8.0:1.0:2.0:0.0	I	4.6	2.30
01/30/12	RON	FUL-THANE URET		M5114IB	4.6	483-15	0.9	441-22	6.3 0.81	8.0:1.0:2.0:0.0	I	4.6	3.79
01/30/12	RON	FUL-THANE URET		99IB	4.6	483-15	0.9	441-22	6.3 0.75	8.0:1.0:2.0:0.0	I	4.6	3.45
01/30/12	RON	FUL-CRYL II		B9326ID	4.6	483-11	2.2	441-22	6.3 0.75	8.0:1.0:2.0:0.0	I	4.7	3.53
01/30/12	RON	FUL-THANE URET		B9118IB	4.4	483-15	0.9	441-22	6.3 0.80	8.0:1.0:2.0:0.0	I	4.4	3.52

Totals for: 01/30/2012 Coating Total (Gallons): **3.88** VOC Total (lbs): **17.98**

01/31/12	RON	FUL-BASE B/C		F0906IF	5.6	483-30	3.3	441-21	5.3 0.08	8.0:0.5:4.0:0.0	I	5.4	0.43
01/31/12	RON	CHROMABASE B/C		P2234K VI@3	4.8			7175S	6.1 0.21	16.0:0.0:16.0:0.0	I	5.4	1.13
01/31/12	RON	CHROMABASE B/C		M4316K 2	4.8			7175S	6.1 -0.02	16.0:0.0:16.0:0.0	I	5.4	-0.11
01/31/12	RON	CHROMABASE B/C		B9810K 0	4.8			7175S	6.1 1.01	16.0:0.0:16.0:0.0	I	5.4	5.45
01/31/12	RON	CHROMABASE B/C		B9789K 0	4.8			7175S	6.1 0.75	16.0:0.0:16.0:0.0	I	5.4	4.05
01/31/12	RON	FUL-THANE URET		B9326IB	4.5	483-15	0.9	441-22	6.3 0.12	8.0:1.0:2.0:0.0	I	4.5	0.54

Totals for: 01/31/2012 Coating Total (Gallons): **2.15** VOC Total (lbs): **11.49**

02/01/12	RON	FUL-BASE B/C		M0596IF	5.5	483-30	3.3	441-21	5.3 0.12	8.0:0.5:4.0:0.0	I	5.3	0.64
02/01/12	RON	CHROMABASE B/C		M4316K 0	4.8			7175S	6.1 0.12	16.0:0.0:16.0:0.0	I	5.4	0.65
02/01/12	RON	CHROMABASE B/C		755777K VI	4.7			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.4	0.70
02/01/12	RON	CHROMABASE B/C		771615K	4.9			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.5	0.72
02/01/12	RON	CHROMABASE B/C		776673K VI	4.0			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.4	0.32

52.22

A.P. = As Packaged in Lbs/Gallon

Volatile Organic Compound Reporting System

- = Spot Repair Mixes

Coatings: Paint / Primer / Prep. | Catalyst / Hardener | Thinner / Reducer / Solvent

Date	Painter	Coating Type	&	Code	VOC A.P.	Code	VOC A.P.	Code	Coating VOC AMT A.P. (Gals)	Mix Ratio Coat: Cat Sol:	Gr. Veh. Wt	VOC as A.P.	LBS of VOC
01/23/12	RON	FUL-BASE B/C		F0211IF	5.6	483-30	3.3	441-21	5.3 0.30	8.0:0.5:4.0:0.0	I	5.4	1.62
01/23/12	RON	FUL-THANE URET		F0222IB	4.6	483-15	0.9	441-22	6.3 0.23	8.0:1.0:2.0:0.0	I	4.6	1.06
01/23/12	RON	FUL-CRYL II		F2756ID	4.3	483-11	2.2	441-22	6.3 0.74	8.0:1.0:2.0:0.0	I	4.5	3.33
01/23/12	RON	FUL-THANE URET		567409IB	4.6	483-15	0.9	441-22	6.3 0.75	8.0:1.0:2.0:0.0	I	4.6	3.45

Totals for: 01/23/2012 Coating Total (Gallons): 2.02 VOC Total (lbs): 9.46

01/24/12	RON	CHROMABASE B/C		72573AK VI	4.8			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.4	0.32
01/24/12	RON	CHROMABASE B/C		M2471K 2	4.8			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.5	0.33
01/24/12	RON	CHROMABASE B/C		448436K @D	4.6			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.4	0.70
01/24/12	RON	CHROMABASE B/C		772490K	4.8			7175S	6.1 0.25	16.0:0.0:16.0:0.0	I	5.5	1.36
01/24/12	RON	CHROMABASE B/C		F8569K 0	4.6			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.4	0.32
01/24/12	RON	CHROMABASE B/C		B9210K A	4.8			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.5	0.33
01/24/12	RON	FUL-BASE B/C		L8520IF	5.6	483-30	3.3	441-21	5.3 0.05	8.0:0.5:4.0:0.0	I	5.4	0.27
01/24/12	RON	FUL-THANE URET		F4116IB	4.5	483-15	0.9	441-22	6.3 0.82	8.0:1.0:2.0:0.0	I	4.5	3.69
01/24/12	RON	FUL-THANE URET		99IB	4.6	483-15	0.9	441-22	6.3 0.81	8.0:1.0:2.0:0.0	I	4.6	3.73

Totals for: 01/24/2012 Coating Total (Gallons): 2.30 VOC Total (lbs): 11.07

01/25/12	RON	CHROMABASE B/C		M2471K 1	4.9			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.5	0.33
01/25/12	RON	CHROMABASE B/C		P4861K 1	4.9			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.5	0.72
01/25/12	RON	FUL-BASE B/C		799326IF	5.6	483-30	3.3	441-21	5.3 0.77	8.0:0.5:4.0:0.0	I	5.4	4.16
01/25/12	RON	FUL-THANE URET		F4116IB	4.5	483-15	0.9	441-22	6.3 0.05	8.0:1.0:2.0:0.0	I	4.5	0.23
01/25/12	RON	FUL-THANE URET		89645IB	4.5	483-15	0.9	441-22	6.3 0.82	8.0:1.0:2.0:0.0	I	4.5	3.69
01/25/12	RON	FUL-THANE URET		B9119IB	4.4	483-15	0.9	441-22	6.3 0.81	8.0:1.0:2.0:0.0	I	4.4	3.56

Totals for: 01/25/2012 Coating Total (Gallons): 2.64 VOC Total (lbs): 12.69

01/26/12	RON	FUL-THANE URET		F0211IB	4.6	483-15	0.9	441-22	6.3 0.86	8.0:1.0:2.0:0.0	I	4.6	3.96
01/26/12	RON	FUL-THANE URET		739722IB	4.6	483-15	0.9	441-22	6.3 0.86	8.0:1.0:2.0:0.0	I	4.5	3.87
01/26/12	RON	FUL-THANE URET		44458IB	4.5	483-15	0.9	441-22	6.3 0.50	8.0:1.0:2.0:0.0	I	4.5	2.25
01/26/12	RON	FUL-THANE URET		F4106IB	4.6	483-15	0.9	441-22	6.3 0.84	8.0:1.0:2.0:0.0	I	4.6	3.85
01/26/12	RON	FUL-THANE URET		778831IB	4.5	483-15	0.9	441-22	6.3 0.89	8.0:1.0:2.0:0.0	I	4.5	4.01
01/26/12	RON	FUL-THANE URET		395295IB	4.6	483-15	0.9	441-22	6.3 0.50	8.0:1.0:2.0:0.0	I	4.6	2.30
01/26/12	RON	FUL-THANE URET		B9118IB	4.4	483-15	0.9	441-22	6.3 0.04	8.0:1.0:2.0:0.0	I	4.4	0.18

Totals for: 01/26/2012 Coating Total (Gallons): 4.49 VOC Total (lbs): 20.43

5365

Daily VOC Emission Record Standard VOC Tracking Rule

A.P. = As Packaged in Lbs/Gallon

Volatile Organic Compound Reporting System

- = Spot Repair Mixes

Coatings: Paint / Primer / Prep. | Catalyst / Hardener | Thinner / Reducer / Solvent

Date	Painter	Coating Type	&	Code	VOC A.P.	Code	VOC A.P.	Code	Coating VOC AMT A.P. (Gals)	Mix Ratio Coat: Cat Sol:	Gr. Veh. Wt	VOC as A.P.	LBS of VOC	
Totals for: 01/16/2012					Coating Total (Gallons): 1.75					VOC Total (lbs): 8.43				
01/17/12	RON	CHROMABASE B/C		F7999K V10	4.8			7175S	6.1 0.12	16.0:0.0:16.0:0.0	I	5.5	0.66	
01/17/12	RON	CHROMABASE B/C		B8550K 1	4.6			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.4	0.70	
01/17/12	RON	FUL-CRYL II		P1912ID	4.7	483-11	2.2	441-22	6.3 1.00	8.0:1.0:2.0:0.0	I	4.8	4.80	
01/17/12	RON	FUL-THANE URET		F7938IB	4.5	483-15	0.9	441-22	6.3 0.25	8.0:1.0:2.0:0.0	I	4.5	1.13	
01/17/12	RON	FUL-THANE URET		398034IB	4.6	483-15	0.9	441-22	6.3 0.89	8.0:1.0:2.0:0.0	I	4.6	4.09	
Totals for: 01/17/2012					Coating Total (Gallons): 2.39					VOC Total (lbs): 11.38				
01/18/12	RON	CHROMABASE B/C		803722K	4.8			7175S	6.1 0.10	16.0:0.0:16.0:0.0	I	5.4	0.54	
01/18/12	RON	FUL-BASE B/C		F0211IF	5.6	483-30	3.3	441-21	5.3 0.13	8.0:0.5:4.0:0.0	I	5.4	0.70	
01/18/12	RON	CHROMABASE B/C		0204K VI@0	4.8			7175S	6.1 1.00	16.0:0.0:16.0:0.0	I	5.4	5.40	
01/18/12	RON	CHROMABASE B/C		0207K VI@2	4.7			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.4	0.70	
01/18/12	RON	CHROMABASE B/C		757383K VI	4.8			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.4	0.70	
01/18/12	RON	CHROMABASE B/C		363335K B	4.8			7175S	6.1 0.08	16.0:0.0:16.0:0.0	I	5.4	0.32	
01/18/12	RON	CHROMABASE B/C		F7908K VI2	4.8			7175S	6.1 0.16	16.0:0.0:16.0:0.0	I	5.4	0.86	
01/18/12	RON	VINYL COLOR		C9412J V	4.1				0.01	1.0:0.0:0.0:0.0	I	4.1	0.04	
01/18/12	RON	FUL-THANE URET		F0222IB	4.6	483-15	0.9	441-22	6.3 0.59	8.0:1.0:2.0:0.0	I	4.6	2.71	
01/18/12	RON	FUL-THANE URET		B9844IB	4.6	483-15	0.9	441-22	6.3 0.21	8.0:1.0:2.0:0.0	I	4.6	0.97	
Totals for: 01/18/2012					Coating Total (Gallons): 2.52					VOC Total (lbs): 12.94				
01/19/12	RON	CHROMABASE B/C		735423K	4.8			7175S	6.1 1.00	16.0:0.0:16.0:0.0	I	5.4	5.40	
01/19/12	RON	CHROMABASE B/C		781934K	4.8			7175S	6.1 0.06	16.0:0.0:16.0:0.0	I	5.4	0.32	
01/19/12	RON	FUL-BASE B/C		CG27IF	5.5	483-30	3.3	441-21	5.3 0.06	8.0:0.5:4.0:0.0	I	5.4	0.32	
01/19/12	RON	FUL-THANE URET		H8925IB	4.5	483-15	0.9	441-22	6.3 0.81	8.0:1.0:2.0:0.0	I	4.5	3.65	
Totals for: 01/19/2012					Coating Total (Gallons): 1.93					VOC Total (lbs): 9.69				
01/20/12	RON	FUL-BASE B/C		F0211IF	5.6	483-30	3.3	441-21	5.3 0.12	8.0:0.5:4.0:0.0	I	5.4	0.65	
01/20/12	RON	CHROMABASE B/C		735423K	4.8			7175S	6.1 0.32	16.0:0.0:16.0:0.0	I	5.4	1.73	
01/20/12	RON	CHROMABASE B/C		776504K	4.9			7175S	6.1 0.13	16.0:0.0:16.0:0.0	I	5.5	0.72	
01/20/12	RON	FUL-THANE URET		B9402IB	4.5	483-15	0.9	441-22	6.3 0.38	8.0:1.0:2.0:0.0	I	4.5	1.71	
01/20/12	RON	FUL-THANE URET		B9402IB	4.5	483-15	0.9	441-22	6.3 0.75	8.0:1.0:2.0:0.0	I	4.5	3.38	
Totals for: 01/20/2012					Coating Total (Gallons): 1.70					VOC Total (lbs): 8.19				

50.63
278.46