

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:								
ΑI	RS ID#: 0150098 DATE:	ARRIVE:		DEPART:				
FACILITY NAME: ENGLEWOOD COMMUNITY FUNERAL HOME INC								
FA	ACILITY LOCATION: 3070 S MCCALI	L RD						
	ENGLEWOOD	34224-8616						
CO		E: JOANN VERNA 16/2014 d date)	PHONE: (9 Mobile: PHONE: (9 Mobile:	,				
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE								
	Name(s) of facility representative(s): Brief Notes:	<u>NG</u>		(check 🗹 box for each	only one question)			
2.	Is the Authorized Representative still JOANN VI If no, who is?:	VERNA?		Yes	□No			
3.	If different, did the facility provide an administ Is the facility contact still JOANN VERNA? If no, who is?:				□No □No			
4.	Will facility be conducting VE test(s) during to If yes, was the compliance authority notified at				□No □No			

Emissions Unit Section 1 – Human Crematory-primary/2ndarychmbrs,150 #'s/hr, LPG fired

PART I: FILE REVIEW PRIOR TO INSPECTION		(check 🗹 box for each o	only one question)
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the	Yes	□No
	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	Yes Yes	□No □No
	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	☐ Yes ☐ Yes	□No □No
	operation? N/A d. Date of last VE test: e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	☐ Yes	□No
	f. Did the facility demonstrate compliance during the last VE test?	_	□No
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each o	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	Yes	□No □No □No
	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?	☐ Yes	□No □No □No
3.	d. Did the visible emission test demonstrate compliance with the limit?	rds?	□No
	If yes, what reason?	∐ Yes	□No
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check 🗹 box for each o	only one question)
1.	Were there any objectionable odors detected? An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	☐ Yes (1-10)	□No
2.	Continuous Monitoring Systems –		
a	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	☐ Yes	□No

PART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)						
c. Are the following records kept on file, available for inspection, for at least the past two years?						
1) All temperature measurements	Yes Yes	□No				
2) all continuous monitoring systems, monitoring devices, and performance testing measurements;		□ N.				
monitoring system all continuous performance evaluations 3) All CEMS or monitoring device calibration checks (last performed on ()	☐ Yes☐ Yes	∐No □No				
4) Adjustments	Yes	□No				
5) Preventive maintenance performed on systems/devices	Yes	□No				
6) Corrective maintenance performed on systems/devices	☐ Yes	∐No				
d. Are the temperature charts properly documented with operator name, operator indication of						
when cremation in the primary chamber was begun, date, time, and temperature markings	☐ Yes ☐ Yes	∐No ∏No				
e. Was the crematory unit installed after 2/1/07 ? If no, skip e.(1) – (3)(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical		NO				
control combustion based on continuous in-stack opacity measurement?	Yes	□No				
(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	_ **					
exceeds 15% opacity?(3) Has the opacity measurement system been cleaned and checked for proper operation in	☐ Yes	∐No				
accordance with the manufacturer's recommended maintenance schedule?	Yes	□No				
PART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check ☑	only one				
	box for each	question)				
	box for each	question)				
1. If the application to construct was BEFORE August 30, 1989 is the:	box for each	question)				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F 		question) □No				
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical secondary.	☐ Yes					
If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes					
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: 	Yes	□No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	□No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes	□No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes	□No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes on	NoNoNo				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes on	□No □No				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNo only one				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo only one				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? PART V: <u>ALLOWED MATERIALS</u> 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNo only one				
 If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNo only one				
 If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the cremati process begins in the primary chamber? PART V: ALLOWED MATERIALS Other than human or fetal remains with appropriate containers or clothing, are any materials, including biomedical wastes, incinerated in the unit? microprocess in the primary chamber? 	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes on ☐ Yes on ☐ Yes	NoNoNo only one question)				
 If the application to construct was BEFORE and a actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes on ☐ Yes on ☐ Yes	NoNoNo only one question)				

PART VI: EQUIPMENT MAINTENANCE	(check ☑ only one box for each question)				
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	☐ Yes	No			
2. Is there a written plan onsite which addresses the operating procedures during startup,					
shutdown and malfunction?	☐ Yes	□No			
3. Does the crematory allow for a visible check on the flame characteristics?	Yes Yes	□No			
a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?	Yes Yes	□No □No			
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)					
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLI	IANCE				
Facility Section (continued) SPECIAL CONDITIONS AND PROCEDURES (check 💆 only one					
Administrative Changes:	(check ☑ box for each	only one question)			
 Were there any changes in the name, address, or phone number of the facility or authorized representati associated with a change in ownership or with a physical relocation of the facility or any emissions unit operations comprising the facility; or any other similar minor administrative change at the facility? If yes, did the facility provide written notification within 30 days of the change?	Yes Yes Yes Yes Yes Yes Yes	No No			
Inspector's Name (Please Print) Date of Inspection Inspector's Signature Approximate Date of Next Inspector	ection				
COMMENTS:		1			