

HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

IN		ANNUAL (INS1, INS2) RE-INSPECTION (FUI)	COMPLAINT/I	DISCOVERY (CI)			
ΑI	RS ID#: 1270069 DAT	ΓΕ: <u>5/27/14</u>	ARRIVE:	DEPAR	RT:		
FA	FACILITY NAME: PET RETORT CO-LOCATED HUMAN CREMATORY						
FA	CILITY LOCATION:						
CC	WNER/AUTHORIZED Email: nlohm@stoner DNTACT NAME: NA Email: nlohm@stoner WTITLEMENT PERIO	ANCY LOHMAN* mor.com	NANCY LOHMAN*	PHONE: (386)615- Mobile: PHONE: (386)615- Mobile:			
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE							
		resentative(s): Eric Nero	<u>G</u>		(check 🗹 box for each	•	
2.	Is the Authorized Representation, who is?:	esentative still NANCY LC	OHMAN*?		X Yes	□No	
3.		lity provide an administratiil NANCY LOHMAN*?				□No □No	
4.		ting VE test(s) during toda nce authority notified at le				⊠No □No	

Emissions Unit Section 1 – Human Crematory-Unit #1,NG/LP fired,150#/hr, 1600/1800 deg F

PA	RT I: FILE REVIEW PRIOR TO INSPECTION	(check ☑ box for each	only one question)
1.	 a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the 	⊠ Yes	□No
3.	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	⊠ Yes □ Yes	□No ⊠No
4.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	⊠ Yes ⊠ Yes	□No □No
	operation? N/A d. Date of last VE test: 4/18/14	☐ Yes	□No
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		□No □No
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit?	☐ Yes	⊠No □No □No
	 c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit?		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?	Yes Yes	
3.	d. Did the visible emission test demonstrate compliance with the limit?		□No
	If yes, what reason?	Yes	⊠No
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check ☑ box for each	only one question)
1.	Were there any objectionable odors detected?	Yes	⊠No
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
	Continuous Monitoring Systems –		
	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	⊠ Yes	□No
D	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at $\boxtimes 1,800^1$ \square 1,600 2 degrees was determined?	⊠ Yes	□No

PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)		
c.	Are the following records kept on file, available for inspection, for at least the past two years?	► 71 • •	
	 All temperature measurements	⊠ Yes	∐No
	monitoring system all continuous performance evaluations	Yes	□No
	3) All CEMS or monitoring device calibration checks (last performed on (1/23/14)		□No
	4) Adjustments 5) Preventive maintenance performed on systems/devices	YesYes	∐No □No
ı	6) Corrective maintenance performed on systems/devices	Yes	□No
d.	Are the temperature charts properly documented with operator name, operator indication of		
	when cremation in the primary chamber was begun, date, time, and temperature markings	Yes	□No
e.	Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	Yes	⊠No
	control combustion based on continuous in-stack opacity measurement?	Yes	□No
1	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	□ 5 7	
1	exceeds 15% opacity?(3) Has the opacity measurement system been cleaned and checked for proper operation in	∐ Yes	∐No
	accordance with the manufacturer's recommended maintenance schedule?	☐ Yes	□No
_			
PA	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check 🗹	•
		box for each	h question)
1	If the application to construct was REFORE August 30, 1989 is the	box for each	h question)
1.	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		h question)
1.	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes	h question) □No
1.	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematical combustion. 	Yes	□No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	☐ Yes	
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremati process begins in the primary chamber?	Yes	□No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☑ Yes	□No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNo
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☑ Yes	□No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNo
2.	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes	NoNoNoNo
2.	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNoNo only one
2. P A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNoNo only one
2. P A	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes ☐ Yes ☐ Yes On ☐ Yes	NoNoNo only one
2. P A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes On ☐ Yes On ☐ Yes	NoNoNo only one h question)
2. P A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes ☐ Yes On ☐ Yes On ☐ Yes	NoNoNo only one h question)

PART VI: <u>EQUIPMENT MAINTENANCE</u>	(check ☑ box for each	only one question)			
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	Yes	□No			
 Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?	-	□No □No □No			
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑ only one box)					
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE					

Emissions Unit Section 2 – Human Crematory-Unit#2,NG/LP fired,150#'s/hr,1600/1800 deg F

PA	RT I: FILE REVIEW PRIOR TO INSPECTION	(check ☑ box for each	only one question)
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	⊠ Yes	□No
	b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	Yes	No
3.	Crematory unit installed after February 1, 2007? Date of last inspection: 12/8/09 Past Visible Emissions (VE) tests:	∐ Yes	⊠No
	a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	∑ Yes∑ Yes	□No □No
	operation? N/A d. Date of last VE test: 4/18/14 e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	☐ Yes ☐ Yes	□No
	f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		□No
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check ✓ box for each	only one question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?	☐ Yes	⊠No □No □No
	 c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit?		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?	Yes	⊠No □No □No
3.	d. Did the visible emission test demonstrate compliance with the limit?		□No ⊠No
	If yes, what reason?		<u> </u>
DA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check 🗹	only one
I A	KI III. MONITORING/RECORDREET ING REQUIREMENTS	box for each	question)
1.	Were there any objectionable odors detected? An upwind/downwind survey of the facility was conducted. The observed parameters were:	☐ Yes	⊠No
	Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the		
	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	X Yes	□No
-	time at $\boxtimes 1,800^1$ $\square 1,600^2$ degrees was determined?	Yes	□No

PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)		
c.	Are the following records kept on file, available for inspection, for at least the past two years?	~ → →	_ ,,
	 All temperature measurements	⊠ Yes	∐No
	monitoring system all continuous performance evaluations	Yes	□No
	3) All CEMS or monitoring device calibration checks (last performed on ()	Yes	□No
	4) Adjustments 5) Preventive maintenance performed on systems/devices	✓ Yes✓ Yes	□No □No
	6) Corrective maintenance performed on systems/devices	Yes	□No
А.	Are the temperature charts properly documented with operator name, operator indication of		
u.	when cremation in the primary chamber was begun, date, time, and temperature markings	Yes	□No
e.	Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	Yes	⊠No
ı	(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatica control combustion based on continuous in-stack opacity measurement?	lly □ Yes	□No
1	(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	105	
	exceeds 15% opacity?	Yes	□No
	(3) Has the opacity measurement system been cleaned and checked for proper operation in accordance with the manufacturer's recommended maintenance schedule?	Yes	\sqcap No
_	accordance with the manufacturer's recommended maintenance schedule?	<u></u> 1 €8	∐No
_		(check ☑	only one
PA	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	box for each	•
			,
1.	If the application to construct was BEFORE August 30, 1989 is the:		Ĭ
l	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		
1	throughout the combustion process in the primary chamber?	□ Yes	\sqcap_{N_0}
	throughout the combustion process in the primary chamber?b. secondary chamber combustion zone temperature equal to or greater than $1400^{\circ}F$ before the crematic		□No
			□No
2.	 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: 	on	
2.	 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes	No
2.	 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? 	on ☐ Yes ⊠ Yes	
2.	 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on ☐ Yes ⊠ Yes	No
2.	 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	on ☐ Yes ☐ Yes on	No
	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on ☐ Yes ☐ Yes On ☐ Yes	No
	 b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? If the application to construct ON or AFTER August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1600°F before the crematic 	on Yes ✓ Yes on ✓ Yes on ✓ Yes (check ✓	No
	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on ☐ Yes ☐ Yes On ☐ Yes	No
PA	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes	No
PA	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes ✓ Yes on ✓ Yes on ✓ Yes (check ✓	No
1.	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber? ————————————————————————————————————	on Yes	No
1.	b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic process begins in the primary chamber?	on Yes ✓ Yes ✓ Yes On Yes ✓ (check ✓ box for each ✓ Yes ✓ Yes	No

PART VI: EQUIPMENT MAINTENANCE	(check ☑ box for each	only one question)			
1. Is the crematory unit maintained in accordance with the manufacturer's specifications?	- Xes	□No			
2. Is there a written plan onsite which addresses the operating procedures during startup, shutdown and malfunction?	Yes	□No			
3. Does the crematory allow for a visible check on the flame characteristics? If no, skip a. – b. a. Was the flame characteristic visually checked at least once during each operating shift? b. Was the flame adjusted when necessary?	- Yes	NoNoNo			
PART VII: <u>EU INSPECTION COMPLIANCE STATUS</u> (check ☑ only one box)					
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE					

Emissions Unit Section 3 – Animal Crematory-Unit#1,NG/LPfired,200 #'s/hr,1600/1800 degF

	ART I: FILE REVIEW PRIOR TO INSPECTION	(check 🗹 box for each	only one question)		
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989?	⊠ Yes	□No		
	b. If yes, were design calculations provided then to confirm a sufficient volume in the secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	⊠ Yes	□No		
3. 4.	Manufacturer's recommended capacity: $\underline{200}$ \square lbs for batch unit \boxtimes lbs/hr for ram-charged unit. Crematory unit installed after February 1, 2007?	⊠ Yes	□No		
5.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing		□No □No		
	operation? N/A d. Date of last VE test:	Yes	□No		
	e. Was the VE test report filed with the compliance authority no later than 45 days after the test? f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?	⊠ Yes ⊠ Yes	□No □No		
PA	ART II: <u>VISIBLE EMISSIONS TESTING</u>	(check ☑ box for each	only one question)		
a.	Was a visible emissions test conducted by the facility for this unit during this site visit? Operating capacity during test?	Yes	⊠No		
c. d.	Was the operating capacity greater than the manufacturer's recommended capacity?	Yes Yes Yes	□No □No □No		
f. I	The visible emission test resulted in an opacity of% for the highest six minute average. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes	Yes in any one-hour)	□No		
	Was a visible emissions test conducted by the inspector during this site visit? Operating capacity during test? bs for batch unit bs/hr for ram-charged unit	Yes	⊠No		
b. c. d.	Was the operating capacity greater than the manufacturer's recommended capacity?	Yes Yes Yes	□No □No □No		
	Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes	Yes in any one-hour)	□No		
3.	3. Is there any reason to ask for a special test to determine compliance with the PM and CO standards?				
	If yes, what reason?		Z 3 10		

PA	ART III: MONITORING/RECORDKEEPING REQUIREMENTS	(check ☑ box for each	only one question)
1.	Were there any objectionable odors detected?	⊠ Yes	□No
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Wind direction Downwind odor level detected Upwind odor level detected	Scale: 1-10 (worst)
2. a b	Continuous Monitoring Systems – Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions? ————————————————————————————————————	∑ Yes ✓ Yes	□No
c.	Are the following records kept on file, available for inspection, for at least the past two years? (1) All temperature measurements	⊠ Yes	□No
	monitoring system all continuous performance evaluations	X YesX YesX Yes	No No No No No
	Are the temperature charts properly documented with operator name, operator indication of when cremation in the primary chamber was begun, date, time, and temperature markings	⊠ Yes	□No □No
	control combustion based on continuous in-stack opacity measurement?	- X Yes	□No
	accordance with the manufacturer's recommended maintenance schedule?	Yes Yes	□No
PA	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES	(check ☑ box for each	only one question)
1.	If the application to construct was BEFORE August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————		□No
2.	If the application to construct <u>ON</u> or <u>AFTER</u> August 30, 1989 is the: a. the actual operating temperature of the secondary chamber combustion zone no less than 1600°F throughout the combustion process in the primary chamber? ————————————————————————————————————	tion	□No
	process begins in the primary chamber?	Yes (aback V	No
PA	ART V: <u>ALLOWED MATERIALS</u>	(check ✓ box for each	only one question)
1.	Besides animal remains and, if applicable, the bedding associated with the animals and appropriate con are any other materials, including biomedical wastes, incinerated in the unit?		⊠No
2.	Do containers contain no more than 0.5 percent by weight chlorinated plastics as certified by the manufacturer?	⊠ Yes 2 ⊠ Yes	□No □No

			71
PART VI: EQUIPMENT MAINTENANCE		(check ☑ box for each	only one question)
 Is the crematory unit maintained in accordance with the manufacturer Is there a written plan onsite which addresses the operating procedure shutdown and malfunction? Does the crematory allow for a visible check on the flame characteris If no, skip a. – b. a. Was the flame characteristic visually checked at least once during b. Was the flame adjusted when necessary? 	each operating shift?	⊠ Yes ⊠ Yes	No No No No No
PART VII: EU INSPECTION COMPLIANCE STATUS (check ☑	only one box)		
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE [SIGNIFICANT Non-COMPL	IANCE	
Facility Section (co	ontinued)		
SPECIAL CONDITIONS AND PROCEDURES		(check v box for each	
Administrative Changes:			
 Were there any changes in the name, address, or phone number of the associated with a change in ownership or with a physical relocation o operations comprising the facility; or any other similar minor administration. If yes, did the facility provide written notification within 30 days of the same changes. 	f the facility or any emissions uni strative change at the facility?	ts or Yes	⊠No □No
New or Modified Process Equipment or Change in Ownership:			
3. Since the last registration form submittal has there been a. Installation of any new process equipment? b. Alterations to existing process equipment without replaceme c. Replacement of existing equipment with equipment that is su d. A change in ownership? If the any answer to 3a. – d. is Yes, was a new registration for submitted 30 days prior to the change?	nt?bstantially different?	- Yes Yes	NoNoNoNoNoNoNo
Patrick Farris	5/27/14		
Inspector's Name (Please Print)	Date of Inspection		
Takich Sams			
Inspector's Signature	Approximate Date of Next Insp	pection	
COMMENTS:			