

# $\frac{\textbf{NON-METALLIC MINERAL PROCESSING}}{\underline{\textbf{PLANTS}}}$



#### COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI) RE-INSPECTION (FUI) ARMS COMPLAINT NO:	
AIRS ID#: 7775648 DATE: <u>8/1/2013</u> ARRIVE: <u>7:50 AM</u> DEPART:	11:05 AM
FACILITY NAME: PECE OF MIND ENVIRONMENTAL, INC.	
<b>FACILITY LOCATION:</b> 2308 Mercator Drive	
ORLANDO 32807	
OWNER/AUTHORIZED REPRESENTATIVE: STEVE PECE Email: steve@peceofmind.com CONTACT NAME: JEFF HUSSING Email: ENTITLEMENT PERIOD: 10/15/2010 / 10/15/2015 (effective date) (end date)  PHONE: (407)568-3456 Mobile: (407)948-4299 PHONE: (321)228-4376 Mobile:	)
Facility Section  PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)  ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE	IANCE
PART II: ONSITE INTRODUCTORY MEETING	(check ☑ only one box for each question)
1. Name(s) of facility representative(s):	- '
Brief Notes:  2. Is the Authorized Representative still STEVE PECE? If no, who is?:	⊠ Yes □No
If different, did the facility provide an administrative update within 30 days?  3. Is the facility contact still JEFF HUSSING? If no, who is?:	☐ Yes ☐No ☐ Yes ☐No
4. Will facility be conducting VE test(s) during today's inspection?	∑ Yes

### Emissions Unit Section 1 –NMMP Plant-crusherw/2deckscreen,5conveyrs,RICE100kWgensetpwr

		(check <b>☑</b>	only one
	b	ox for each	question)
<u>Is</u>	the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Processing (Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the majority is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Granity Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand and (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock Stock (5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chlor and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Talc and Pyrophyllite; (10) Boron, including Borax, and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Vermical (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.}	y c, Gravel; 'alt; ide, Kernite,	
1.	Is the EU located at a fixed or portable nonmetallic mineral processing plant	<b>-</b>	
2	or hot mix asphalt plant that has an aboveground crusher or grinding mill?	⊠ Yes	∐No □No
	Was the EU constructed, modified, or reconstructed after August 31, 1983?		□No
4.	Is the EU one of the following?	Yes	No
	crusher, grinding mill, bucket elevator, belt conveyor, bagging operation,		
	storage bin, enclosed truck loading station enclosed railcar loading station; crusher or grinding mill at hot mix asphalt plant that reduces the size of nonmetallic		
	minerals embedded in recycled asphalt pavement or subsequent emissions unit up to,		
	but not including, the first storage silo or bin;		
	screening operation (a device for separating material according to size by passing		
	undersize material through one or more mesh surfaces (screens) in series, and retaining oversize material on the mesh surfaces. Grizzly feeders associated with truck dumping		
	and static (non-moving) grizzlies used anywhere in the nonmetallic mineral processing		
	plant are not considered to be screening operations.)		
	building enclosing any of the above EUs if all enclosed EUs are not individually in		
	compliance with emissions limits. {A "vent" is any opening through which there is mechanically induced air flow for the purpose of exhausting from a building		
	air carrying particulate matter (PM) emissions from one or more affected EUs.}		
su	answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to bpart OOO so skip the following questions and go directly to Question 24. the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.		
5.	Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or		
	subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process	□ V	⊠ Na
6	any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	Yes	⊠No
•	capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	Yes	⊠No
7.	Is the EU located at a portable sand and gravel plant or crushed stone plant with a		
0	capacity less than or equal to 136 megagrams/hour (150 tons/hour)?	Yes	⊠No
ð.	Is the EU located at a common clay plant or pumice plant with capacity less than or equal to 9 megagrams/hour (10 tons/hour)?	Yes	⊠No

#### $\underline{1-NMMP\ Plant-crusherw/2 deckscreen,5 conveyrs,RICE100 kWgensetpwr}$

9.	Is the EU a wet screening operation or subsequent screening operation, bucket elevator or belt conveyor in a production line that processes saturated material up to the first crusher, grinding mill or storage bin in the production line?	l ng	⊠No
10	Is the EU a screening operation, bucket elevator or belt conveyor in the production line downstream of wet mining operation that process saturated material up to the first crusher, grinding mill or storage bin in the production line?	☐ Yes	⊠No
sul If t	Inswer to any of the six Questions 5 -10 above is "Yes" then the EU is not subject to opart OOO so skip the following questions and go directly to Question 24. The answer to all of the six Questions 5-10 above is "No" then continue to Question 11.  When was the EU last constructed, modified, or reconstructed? 01/2007		
	Was the EU constructed, modified, or reconstructed on or after 4/22/2008?	☐ Yes	⊠No
If a	answer to Question 12 is "No" skip the following questions and go directly to Question 20		
13.	<b>Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	☐ Yes	□No
If a	unswer to Question 13 is "No" skip the following questions and go directly to Question 19		
14.	Initial Tests:  a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?	☐ Yes ☐ Yes ☐ Yes ☐ Yes	☐ No ☐No ☐No ☐No
15.	If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not individually in compliance with emissions limits:  a. Was an initial PM stack test performed on each vent control device within 180 days of initial startup of the EU?	☐ Yes	☐ No
	b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)? c. Was an initial VE test performed on fugitive emissions from non-vent building openings? d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	☐ Yes ☐ Yes ☐ Yes	No No No

#### $\underline{1-NMMP\ Plant-crusherw/2 deckscreen,5 conveyrs,RICE100 kWgensetpwr}$

16. Is a baghouse used to control emissions from the EU?	Yes	No
If yes, the owner operator:		
uses a bag leak detection system specified in 40 CFR 60.674(d);		
follows the requirements of 40 CFR 63AAAAA Lime Manufacturii	ng	
as specified in 40 CFR 60.674(e); or		
none of the above (i.e., out of compliance)		
17. If the EU is an individual, enclosed storage bin controlled by a baghouse,	_	_
were initial fugitive emissions less than or equal to 7% opacity?   N/A	☐ Yes	∐ No
18. Is a wet scrubber used to control emissions from the EU?	☐ Yes	∐No
If yes, does the owner/operator maintain and operate:		
a. a device for the continuous measurement of the pressure loss of the gas stream through the		
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's	□ x7	
instructions?	∐ Yes	∐No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +250		
pascals +1 inch water gauge pressure.}		
and b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the		
device has been calibrated on an annual basis in accordance with manufacturer's instructions?		□No
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5%	1 C3	
of design scrubbing liquid flow rate.}		
of design serubbing riquid now rate.		
19. Is wet suppression used to control emissions from the EU?	☐ Yes	□No
If yes:	_	_
a. Does the owner/operator perform monthly inspections to check that water is flowing to		
the discharge spray nozzles?		
b. Does the owner/operator initiate corrective action within 24 hours and complete		
corrective action as expediently as practical is water is not flowing properly?		
c. Is each inspection of the spray nozzles, including the date and any corrective action taken,		
recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?	Yes Yes	□No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following		
questions and go directly to Question 24.		
20 December FULL		
20. Does the EU have a particulate matter capture system (equipment including enclosures,	□ v	⊠ N-
Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	res	⊠No
21. Initial Tests:		
a. Was an initial PM stack test performed on the control device within 180 days of		
initial startup of the EU? N/A	☐ Yes	□ No
b. If yes, was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?	Yes	□No
c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	Yes	□No
		, ∪
d. If yes, was the opacity less than or equal to 7% opacity?	☐ Yes	□No

#### $\underline{1-NMMP\ Plant-crusherw/2 deckscreen, 5 conveyrs, RICE100 kWgensetpwr}$

22. If the EU is a building enclosing ar	ny other regulated EUs	and all enclosed EUs are not			
individually in compliance with en	nissions limits:				
a. Was an initial PM stack test perfo					
		🛭 N	'A	☐ Yes	☐ No
{A "vent" is any opening through wi	hich there is mechanicall	ly induced air flow for the			
purpose of exhausting from a building					
one or more affected EUs.}					
b. Was the EU found to be in compl	liance with the PM limit	of 0.05 g/dscm (0.022 gr/dscf)?		☐ Yes	□No
c. Were initial fugitive emissions from				T Yes	□No
	8 · I	<i>3</i>	· I · · · · J		
23. Is a wet scrubber used to control e	emissions from the EU?			☐ Yes	⊠No
If yes, does the owner/operator main					
a. a device for the continuous measu		oss of the gas stream through the	<u>,</u>		
		al basis in accordance with man			
				☐ Yes	□No
		manufacturer to be accurate with		103	
pascals +1 inch water gauge pr	•	mandiacturer to be accurate with	mi +230		
and	coourc. j				
b. a device for the continuous measu	grament of the combling	liquid flow rate to the wet some	her and th	ı A	
		ance with manufacturer's instruc		Yes	□No
				res	NO
of design scrubbing liquid flow	•	manufacturer to be accurate with	IIII +3%		
or design scrubbing fiquid flow	viate.				
24. When was the last VE test conduct	ted by the experiences	tor for this EU2 2/10/2013			
a. If EU is not subject to 40 CFR 60				□ Vac	□ No
•		to been tested within the past 3	years?	∐ Yes	□No
b. If EU is subject to 40 CFR subpar				□ <b>3</b> 7	⊠ M.
		ndar years?		∐ Yes	⊠No
11. has the EU been tested yet w	vitnin the current calenda	ar year?		Yes	□No
5 Was a VE test conducted by the ac	un au/an augtau fan thia w	nit duning this site visit?		✓ Vac	□ No
25. Was a VE test conducted by the ov				Yes Yes	□No
a. Was the VE test conducted at a pr	rocess rate that is represe	entative of the normal rate?		⊠ Yes	□No
Rate: 100 TPH	1' 4. EDA M. 4 100			N 37	□ N.
b. Was the VE test conducted according				⊠ Yes	□No
c. The VE test resulted in an opacity				N 17	
d. Did the VE test demonstrate com	pliance with the opacity	limit? (See chart below)		⊠ Yes	□No
				<b>□</b> **	
6. Was a VE test conducted by the <i>in</i>					∐No
a. Was the VE test conducted at a pr	rocess rate that is represe	entative of the normal rate?		⊠ Yes	∐No
Rate: <u>0</u>				<b>—</b>	
la 11/00 than 1/1/ toot non-decated non-on-	ding to EPA Method 09			Yes Yes	☐No
b. Was the VE test conducted accord					
c. The VE test resulted in an opacity	y of $0\%$ for the highest si	x-minute average.		<b>-</b> -	
	y of $0\%$ for the highest si	x-minute average.		⊠ Yes	□No
c. The VE test resulted in an opacity	y of $0\%$ for the highest si	x-minute average.		⊠ Yes	□No
c. The VE test resulted in an opacity	y of <u>0</u> % for the highest si pliance with the opacity	x-minute average. limit? (See chart below)		× Yes	
c. The VE test resulted in an opacity	y of <u>0</u> % for the highest si pliance with the opacity  VE Opac	x-minute average. limit? (See chart below) tity Limits			
c. The VE test resulted in an opacity	y of <u>0</u> % for the highest si pliance with the opacity  VE Opac  EU not subject to	x-minute average. limit? (See chart below)  city Limits  Subpart OOO EU	Subpart	t 000 E	CU
c. The VE test resulted in an opacity	v of 0% for the highest si pliance with the opacity  VE Opac  EU not subject to 40 CFR 60	x-minute average. limit? (See chart below)  city Limits  Subpart OOO EU  constructed, modified,	Subpart	t OOO E	CU dified,
c. The VE test resulted in an opacity	y of <u>0</u> % for the highest si pliance with the opacity  VE Opac  EU not subject to	x-minute average. limit? (See chart below)  city Limits  Subpart OOO EU	Subpart	t 000 E	CU dified,
c. The VE test resulted in an opacity	v of 0% for the highest si pliance with the opacity  VE Opac  EU not subject to 40 CFR 60	x-minute average. limit? (See chart below)  city Limits  Subpart OOO EU  constructed, modified,	Subpart	t OOO E cted, mo nstructed	CU dified,
c. The VE test resulted in an opacity d. Did the VE test demonstrate com	VE Opac  EU not subject to 40 CFR 60 Subpart OOO	x-minute average. limit? (See chart below)  city Limits  Subpart OOO EU  constructed, modified, or reconstructed prior to 4/22/2008	Subpart constru- or recor	t OOO E cted, mo nstructed 22/2008	CU dified,
c. The VE test resulted in an opacity	v of 0% for the highest si pliance with the opacity  VE Opac  EU not subject to 40 CFR 60	x-minute average. limit? (See chart below)  tity Limits  Subpart OOO EU  constructed, modified, or reconstructed prior	Subpart constru- or recor	t OOO E cted, mo nstructed	CU dified,

## Emissions Unit Section 2 –NMMP Plant-crusher pwr unit ,375hp diesel RICE&100 kW genset

		(check 🗹	only one
	ł	ox for each	question)
Te	the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Processin		,
15	{Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the majoric is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Granit Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand and (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock (5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chlo and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Talc and Pyrophyllite; (10) Boron, including Borax, and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.}	ty e, Gravel; Salt; ride, Kernite,	
1.	Is the EU located at a fixed or portable nonmetallic mineral processing plant		
	or hot mix asphalt plant that has an aboveground crusher or grinding mill?	⊠ Yes	□No
2.	Is the EU located above ground (i.e., not in an underground mine)?	🕅 Yes	□No
	Was the EU constructed, modified, or reconstructed after August 31, 1983?		□No
	Is the EU one of the following?	Yes	⊠No
	☐ crusher, ☐ grinding mill, ☐ bucket elevator, ☐ belt conveyor, ☐ bagging operation,		
	storage bin, enclosed truck loading station enclosed railcar loading station;		
	crusher or grinding mill at hot mix asphalt plant that reduces the size of nonmetallic		
	minerals embedded in recycled asphalt pavement or subsequent emissions unit up to,		
	but not including, the first storage silo or bin;		
	screening operation (a device for separating material according to size by passing		
	undersize material through one or more mesh surfaces (screens) in series, and retaining		
	oversize material on the mesh surfaces. Grizzly feeders associated with truck dumping		
	and static (non-moving) grizzlies used anywhere in the nonmetallic mineral processing		
	plant are not considered to be screening operations.)		
	building enclosing any of the above EUs if all enclosed EUs are not individually in		
	compliance with emissions limits. {A "vent" is any opening through		
	which there is mechanically induced air flow for the purpose of exhausting from a building		
	air carrying particulate matter (PM) emissions from one or more affected EUs.}		
su	answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to bpart OOO so skip the following questions and go directly to Question 24. the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.		
5.	Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or		
	subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process		
	any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	☐ Yes	□No
6.	Is the EU located at a fixed sand and gravel plant or crushed stone plant with a		
	capacity less than or equal to 23 megagrams/hour (25 tons/hour)?	Yes Yes	□No
7.	Is the EU located at a portable sand and gravel plant or crushed stone plant with a	_	_
	capacity less than or equal to 136 megagrams/hour (150 tons/hour)?	☐ Yes	☐No
8.	Is the EU located at a common clay plant or pumice plant with capacity less than or		
	equal to 9 megagrams/hour (10 tons/hour) ?	Yes	□No

#### 2 –NMMP Plant-crusher pwr unit ,375hp diesel RICE&100 kW genset

9.	Is the EU a wet screening operation or subsequent screening operation, bucket elevator or		
	belt conveyor in a production line that processes saturated material up to the first crusher,		
	grinding mill or storage bin in the production line?	☐ Yes	□No
	{Note: "wet screening operation" means a screening operation which removes unwanted material or		
	which separates marketable fines from the product by a washing process which is designed and operate		
	at all times such that the product is saturated with water. "Saturated material" means mineral materia		
	with sufficient surface moisture such that particulate matter emissions are not generated from processing		
	of the material through screening operations, bucket elevators and belt conveyors. Material that is wet	ted	
	solely by wet suppression systems is not considered to be "saturated" for purposes of this definition.}		
10	Is the EU a screening operation, bucket elevator or belt conveyor in the production line		
	downstream of wet mining operation that process saturated material up to the first crusher,		
	grinding mill or storage bin in the production line?	☐ Yes	□No
		<del>_</del>	_
	{Note: Wet mining operation means a mining or dredging operation designed and operated to extract		
	any nonmetallic mineral from deposits existing at or below the water table, where the nonmetallic		
	mineral is saturated with water. "Saturated material" means mineral material with sufficient surface		
	moisture such that particulate matter emissions are not generated from processing of the material		
	through screening operations, bucket elevators and belt conveyors. Material that is wetted solely by		
	wet suppression systems is not considered to be "saturated" for purposes of this definition.}		
<b>I</b> f	answer to any of the six Questions 5 -10 above is "Yes" then the EU is not subject to		
	bpart OOO so skip the following questions and go directly to Question 24.		
	the answer to all of the six Questions 5-10 above is "No" then continue to Question 11.		
11	.When was the EU last constructed, modified, or reconstructed?		
12	. Was the EU constructed, modified, or reconstructed on or after 4/22/2008?	Yes	□No
If	answer to Question 12 is "No" skip the following questions and go directly to Question 20		
13	.Does the EU have a particulate matter capture system (equipment including enclosures,		
	Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	☐ Yes	□No
		_	_
<b>If</b>	answer to Question 13 is "No" skip the following questions and go directly to Question 19		
14	.Initial Tests:		
	a. Was an initial PM stack test performed on the control device within 180 days of		
	initial startup of the EU? N/A	☐ Yes	□No
	b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	Yes	□No
	c. Was an initial VE test performed on any fugitive emissions (escaping capture system)?	Yes	□No
	d. If yes, was the opacity less than or equal to 7% opacity?	☐ Yes	☐No
15	. If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not		
	individually in compliance with emissions limits:  a. Was an initial PM stack test performed on each vent control device within 180 days of		
	initial startup of the EU?	☐ Yes	☐ No
	{A "vent" is any opening through which there is mechanically induced air flow for the	1 cs	
	purpose of exhausting from a building air carrying particulate matter (PM) emissions from		
	one or more affected EUs.}		
	b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)?	☐ Yes	□No
	c. Was an initial VE test performed on fugitive emissions from non-vent building openings?	Yes	□No
	d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	Yes	□No
ı		_	_

#### 2 –NMMP Plant-crusher pwr unit ,375hp diesel RICE&100 kW genset

16. Is a baghouse used to control emissions from the EU?	Yes	□No
If yes, the owner operator:  conducts quarterly 30-minute VE tests using Method 22; uses a bag leak detection system specified in 40 CFR 60.674(d); follows the requirements of 40 CFR 63AAAAA Lime Manufacturi as specified in 40 CFR 60.674(e); or none of the above (i.e., out of compliance)		
17. If the EU is an individual, enclosed storage bin controlled by a baghouse, were initial fugitive emissions less than or equal to 7% opacity?   N/A	☐ Yes	☐ No
<b>18.Is a wet scrubber used to control emissions from the EU?</b> If yes, does the owner/operator maintain and operate:	Yes	□No
a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	Yes	□No
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions? {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.}		□No
19. Is wet suppression used to control emissions from the EU?	☐ Yes	□No
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>	☐ Yes	□No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.		
<b>20.Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	☐ Yes	□No
21. Initial Tests:  a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?	☐ Yes ☐ Yes ☐ Yes ☐ Yes	☐ No ☐No ☐No ☐No

#### 2 –NMMP Plant-crusher pwr unit ,375hp diesel RICE&100 kW genset

22. If the EU is a building enclosing an	y other regulated EUs	and all enclosed EUs are not			
individually in compliance with em					
a. Was an initial PM stack test perform	rmed on each vent conti	rol device within 180 days of			
initial startup of the EU?		N	/A	Yes	☐ No
{A "vent" is any opening through wh	ich there is mechanical	ly induced air flow for the			
purpose of exhausting from a building					
one or more affected EUs.}	, , , ,	•			
b. Was the EU found to be in compli	ance with the PM limit	of 0.05 g/dscm (0.022 gr/dscf)?		☐ Yes	□No
c. Were initial fugitive emissions fro				Yes	□No
c. Were initial ragilitie emissions no	m non vent bunding op	chings less than or equal to 770	opacity.		
23.Is a wet scrubber used to control e	nissions from the EU?	,		Yes	□No
If yes, does the owner/operator maint					
a. a device for the continuous measur		oss of the gas stream through th	Δ		
		al basis in accordance with man			
instructions?				□ Vas	□ No
				☐ Yes	∐No
· · · · · · · · · · · · · · · · · · ·	•	manufacturer to be accurate with	nın +250		
pascals +1 inch water gauge pre	essure.}				
and	. 6.1	1			
b. a device for the continuous measu					□ 37
		ance with manufacturer's instru		∐ Yes	∐No
		manufacturer to be accurate with	hin +5%		
of design scrubbing liquid flow	rate.}				
24. When was the last VE test conducted				_	_
a. If EU is not subject to 40 CFR 60		EU been tested within the past 5	years?	⊠ Yes	∟No
b. If EU is subject to 40 CFR subpar					
i. has the EU been tested during	g each of the past 4 cale	endar years?		☐ Yes	□No
ii. has the EU been tested yet w	ithin the current calenda	ar year?		Yes	No
					_
25. Was a VE test conducted by the ow				Yes	∐No
a. Was the VE test conducted at a pro	ocess rate that is represe	entative of the normal rate?		⊠ Yes	□No
Rate: <u>100 kW</u>					
b. Was the VE test conducted accord	ling to EPA Method 9?			⊠ Yes	□No
c. The VE test resulted in an opacity					
d. Did the VE test demonstrate comp	liance with the opacity	limit? (See chart below)		⊠ Yes	☐No
26. Was a VE test conducted by the ins				Yes	□No
a. Was the VE test conducted at a pro	ocess rate that is represe	entative of the normal rate?		⊠ Yes	□No
Rate: <u>100 kW</u>					
b. Was the VE test conducted accord	ling to EPA Method 9?			⊠ Yes	□No
c. The VE test resulted in an opacity				_	<del></del>
d. Did the VE test demonstrate comp				⊠ Yes	□No
1	1 ,	,		_	_
	VE Opac	city Limits			
	EU not subject to	Subpart OOO EU	Subpart	: <b>OOO EU</b>	
	40 CFR 60	constructed, modified,	constru	cted, modif	ied,
	Subpart OOO	or reconstructed prior		structed or	
			UI ICCUI	war acteu di	- 01
	Subpart 000	_	ofter 1/2	2/2008	
Cauchar with no continuo avotare	-	to 4/22/2008	after 4/2		
Crusher with no capture system All other affected EUs	20% 20%	_	after 4/2	22/2008 12% 7%	

### Emissions Unit Section 3 –NMMP Plant-2 portable (jobsite only) radial stackers,30"X50"

		(check <b>☑</b>	only one
	ŀ	ox for each	question)
<u>Is</u> 1	the Emissions Unit (EU) subject to 40 CFR part 60 subpart OOO – Nonmetallic Mineral Processing (Note: "Nonmetallic mineral" means any of the following minerals or any mixture of which the majority is any of the following minerals: (1) Crushed and Broken Stone, including Limestone, Dolomite, Granity Traprock, Sandstone, Quartz, Quartzite, Marl, Marble, Slate, Shale, Oil Shale, and Shell; (2) Sand and (3) Clay including Kaolin, Fireclay, Bentonite, Fuller's Earth, Ball Clay, and Common Clay; (4) Rock (5) Gypsum (natural or synthetic); (6) Sodium Compounds, including Sodium Carbonate, Sodium Chlos and Sodium Sulfate; (7) Pumice; (8) Gilsonite; (9) Talc and Pyrophyllite; (10) Boron, including Borax, and Colemanite; (11) Barite; (12) Fluorospar; (13) Feldspar; (14) Diatomite; (15)Perlite; (16) Vermic (17) Mica; (18) Kyanite, including Andalusite, Sillimanite, Topaz, and Dumortierite.}	ng Plants? y e, Gravel; Salt; ride, Kernite,	
2. 3.	Is the EU located at a fixed or portable nonmetallic mineral processing plant or hot mix asphalt plant that has an aboveground crusher or grinding mill?	<ul><li>✓ Yes</li><li>✓ Yes</li></ul>	No No No No
sul If t	answer to any of the four Questions 1 -4 above is "No" then the EU is not subject to opart OOO so skip the following questions and go directly to Question 24. the answer to all of the four Questions 1-4 above is "Yes" then continue to Question 5.		
6. 7.	Is the EU subject to 40 CFR part 60 subpart F (Portland Cement Plants) or subpart I (Hot Mix Asphalt Facilities), or does it follow in the plant process any other EU that is subject to 40 CFR part 60 subpart F or subpart I?	☐ Yes ☐ Yes ☐ Yes	<ul><li>□No</li><li>□No</li><li>□No</li></ul>
	equal to 9 megagrams/hour (10 tons/hour)?	Yes	⊠No

#### 3 –NMMP Plant-2 portable (jobsite only) radial stackers,30"X50"

	Is the EU a wet screening operation or subsequent screening operation, bucket elevator or belt conveyor in a production line that processes saturated material up to the first crusher, grinding mill or storage bin in the production line?	l ng	s ⊠No
	Is the EU a screening operation, bucket elevator or belt conveyor in the production line downstream of wet mining operation that process saturated material up to the first crusher, grinding mill or storage bin in the production line?	☐ Yes	s ⊠No
sub If t	to the six Questions 5 - 10 above is "Yes" then the EU is not subject to spart OOO so skip the following questions and go directly to Question 24. The answer to all of the six Questions 5-10 above is "No" then continue to Question 11.		
	When was the EU last constructed, modified, or reconstructed? 01/2007  Was the EU constructed, modified, or reconstructed on or after 4/22/2008?	☐ Yes	s ⊠No
	inswer to Question 12 is "No" skip the following questions and go directly to Question 20	res	140
	Does the EU have a particulate matter <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	☐ Yes	sNo
If a	unswer to Question 13 is "No" skip the following questions and go directly to Question 19		
	Initial Tests:  a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?	☐ Yes ☐ Yes ☐ Yes ☐ Yes	s □No s □No
	If the EU is a building enclosing any other regulated EUs and all enclosed EUs are not individually in compliance with emissions limits:  a. Was an initial PM stack test performed on each vent control device within 180 days of initial startup of the EU?	☐ Yes	s 🗌 No
	one or more affected EUs.} b. If yes, was the EU found to be in compliance with the PM limit of 0.032 g/dscm (0.014 gr/dscf)? c. Was an initial VE test performed on fugitive emissions from non-vent building openings? d. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?	Yes Yes Yes	s 🔲No

#### 3 –NMMP Plant-2 portable (jobsite only) radial stackers,30"X50'

16. Is a baghouse used to control emissions from the EU?	Yes	□No
If yes, the owner operator:  conducts quarterly 30-minute VE tests using Method 22; uses a bag leak detection system specified in 40 CFR 60.674(d); follows the requirements of 40 CFR 63AAAAA Lime Manufacturi as specified in 40 CFR 60.674(e); or none of the above (i.e., out of compliance)	ng	
17. If the EU is an individual, enclosed storage bin controlled by a baghouse, were initial fugitive emissions less than or equal to 7% opacity?   N/A	☐ Yes	☐ No
<b>18.Is a wet scrubber used to control emissions from the EU?</b> If yes, does the owner/operator maintain and operate:	Yes	□No
a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	Yes	□No
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions? {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.}		□No
19. Is wet suppression used to control emissions from the EU?	☐ Yes	□No
<ul> <li>If yes:</li> <li>a. Does the owner/operator perform monthly inspections to check that water is flowing to the discharge spray nozzles?</li> <li>b. Does the owner/operator initiate corrective action within 24 hours and complete corrective action as expediently as practical is water is not flowing properly?</li> <li>c. Is each inspection of the spray nozzles, including the date and any corrective action taken, recorded in the written or electronic logbook as required by 40 CFR 60.676(b)?</li></ul>	☐ Yes	□No
If the EU was constructed, modified, or reconstructed on or after 4/22/2008 skip the following questions and go directly to Question 24.		
<b>20.Does the EU have a particulate matter</b> <i>capture system</i> (equipment including enclosures, Hoods, fans, dampers, etc.) to capture and transport particulate matter to a control device?	☐ Yes	⊠No
21. Initial Tests:  a. Was an initial PM stack test performed on the control device within 180 days of initial startup of the EU?	☐ Yes ☐ Yes ☐ Yes ☐ Yes	☐ No ☐No ☐No ☐No

#### 3 –NMMP Plant-2 portable (jobsite only) radial stackers,30"X50"

individually in compliance with emissions limits:  a. Was an initial PM stack test performed on each vent control device within 180 days of initial startup of the EU?  (a ''wen'' is any opening through which there is mechanically induced air flow for the purpose of echausting from a building air carrying particulate matter (PM) emissions from one or more affected EUs.]  b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?  (b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?  (c. Were initial fligitive emissions from non-vent building openings less than or equal to 7% opacity?  (c. Were initial fligitive emissions from the EU?  (c. Wes initial fligitive emissions flower emissions from the EU?  (c. Wes initial fligitive emissions flower emissions flowere	22. If the EU is a building enclosing any		and all enclosed EUs are not			
initial startup of the EU?						
A "vent" is any opening through which there is mechanically induced air flow for the purpose of exhausting from a building air carrying particulate matter (PM) emissions from one or more affected EUs.     No   No   No   No   No   No   No	a. Was an initial PM stack test perform	med on each vent contr	ol device within 180 days of			
purpose of exhausting from a building air carrying particulate matter (PM) emissions from one or more affected EUs.)  b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)?				/A	☐ Yes	∐ No
one or more affected EUS.] b. Was the EU found to be in compliance with the PM limit of 0.05 g/dscm (0.022 gr/dscf)? Yes						
b. Was the EÜ found to be in compliance with the PM limit of 0.05 g/dscm (0.022 g/dscf)?		air carrying particular	te matter (PM) emissions from			
c. Were initial fugitive emissions from non-vent building openings less than or equal to 7% opacity?—						
23. Is a wet scrubber used to control emissions from the EU?					=	=
If yes, does the owner/operator maintain and operate: a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	c. Were initial fugitive emissions from	n non-vent building ope	enings less than or equal to 7%	opacity?	∐ Yes	∐No
If yes, does the owner/operator maintain and operate: a. a device for the continuous measurement of the pressure loss of the gas stream through the scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	23.Is a wet scrubber used to control en	nissions from the EU?			Yes	⊠No
scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions? —	If yes, does the owner/operator mainta	in and operate:				
instructions?	a. a device for the continuous measure	ement of the pressure lo	oss of the gas stream through the	e		
Note: The monitoring device must be certified by the manufacturer to be accurate within +250 pascals +1 inch water gauge pressure.}   and						
pascals +1 inch water gauge pressure.}  and b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?					☐ Yes	□No
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?   Yes  No {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.}  24. When was the last VE test conducted by the owner/operator for this EU? 2/19/2013 a. If EU is not subject to 40 CFR 60 subpart OOO; has the EU been tested within the past 5 years?   Yes  No b. If EU is subject to 40 CFR subpart OOO: i. has the EU been tested during each of the past 4 calendar years?   Yes  No ii. has the EU been tested yet within the current calendar year?   Yes  No was the EU been tested by the owner/operator for this unit during this site visit?   Yes  No Rate: 100 TPH   b. Was the VE test conducted at a process rate that is representative of the normal rate?   Yes  No c. The VE test demonstrate compliance with the opacity limit? (See chart below).   Yes  No was the VE test conducted by the inspector for this unit during this site visit?   Yes  No was the VE test conducted at a process rate that is representative of the normal rate?   Yes  No was the VE test conducted by the inspector for this unit during this site visit?   Yes  No was the VE test conducted at a process rate that is representative of the normal rate?   Yes  No was the VE test conducted at a process rate that is representative of the normal rate?   Yes  No was the VE test conducted according to EPA Method 9?   Yes  No was the VE test conducted according to EPA Method 9?   Yes  No was the VE test conducted according to EPA Method 9?   Yes  No was the VE test conducted according to EPA Method 9?   Yes  No was the VE test conducted according to EPA Method 9?   Yes  No was the VE test demonstrate compliance with the opacity limit? (See chart below).   Yes  No was the VE test demonstrate compliance wit	{Note: The monitoring device m	ust be certified by the i	nanufacturer to be accurate with	nin +250		
b. a device for the continuous measurement of the scrubbing liquid flow rate to the wet scrubber and the device has been calibrated on an annual basis in accordance with manufacturer's instructions?	pascals +1 inch water gauge pres	ssure.}				
device has been calibrated on an annual basis in accordance with manufacturer's instructions? — Yes {Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.}  24. When was the last VE test conducted by the owner/operator for this EU? 2/19/2013  a. If EU is not subject to 40 CFR 60 subpart OOO;  i. has the EU been tested during each of the past 4 calendar years? — YesNo ii. has the EU been tested during each of the past 4 calendar year? — YesNo ii. has the EU been tested yet within the current calendar year? — YesNo a. Was the VE test conducted by the owner/operator for this unit during this site visit? — YesNo a. Was the VE test conducted at a process rate that is representative of the normal rate? — YesNo c. The VE test resulted in an opacity of 0.4% for the highest six-minute average. d. Did the VE test demonstrate compliance with the opacity limit? (See chart below). — YesNo a. Was the VE test conducted by the inspector for this unit during this site visit? — YesNo a. Was the VE test conducted at a process rate that is representative of the normal rate? — YesNo c. The VE test conducted by the inspector for this unit during this site visit? — YesNo a. Was the VE test conducted at a process rate that is representative of the normal rate? — YesNo Rate: 100 TPH b. Was the VE test conducted at a process rate that is representative of the normal rate? — YesNo c. The VE test resulted in an opacity of 0.625% for the highest six-minute average. d. Did the VE test demonstrate compliance with the opacity limit? (See chart below). — YesNo c. The VE test resulted in an opacity of 0.625% for the highest six-minute average. d. Did the VE test demonstrate compliance with the opacity limit? (See chart below). — YesNo constructed, modified, or reconstructed, modified, or reconstructed modified, or reconstructed on or after 4/22/2008 Crusher with no capture system 20% 15% 15%						
{Note: The monitoring device must be certified by the manufacturer to be accurate within +5% of design scrubbing liquid flow rate.}  24. When was the last VE test conducted by the owner/operator for this EU? 2/19/2013  a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?						
24. When was the last VE test conducted by the owner/operator for this EU? 2/19/2013  a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?					∐ Yes	∐No
24. When was the last VE test conducted by the owner/operator for this EU? 2/19/2013  a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years?			nanufacturer to be accurate with	nın +5%		
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years? —	of design scrubbing liquid flow i	rate.}				
a. If EU is not subject to 40 CFR 60 subpart OOO, has the EU been tested within the past 5 years? —	24. When was the last VE test conducte	d by the owner/operat	tor for this EU? 2/19/2013			
b. If EU is subject to 40 CFR subpart OOO:  i. has the EU been tested during each of the past 4 calendar years?				vears?	☐ Yes	□No
i. has the EU been tested during each of the past 4 calendar years?			rance in the result of the res	<i>y</i> = === = :		
iii. has the EU been tested yet within the current calendar year?			ndar years?		☐ Yes	⊠No
25. Was a VE test conducted by the owner/operator for this unit during this site visit?					🛱 Yes	_
a. Was the VE test conducted at a process rate that is representative of the normal rate?	·		-		_	_
Rate: 100 TPH  b. Was the VE test conducted according to EPA Method 9?						=
b. Was the VE test conducted according to EPA Method 9?				⊠ Yes	∐No	
c. The VE test resulted in an opacity of <u>0.4</u> % for the highest six-minute average.  d. Did the VE test demonstrate compliance with the opacity limit? (See chart below).   26. Was a VE test conducted by the inspector for this unit during this site visit?   a. Was the VE test conducted at a process rate that is representative of the normal rate?   BYESNO  Rate: 100 TPH  b. Was the VE test conducted according to EPA Method 9?   C. The VE test resulted in an opacity of <u>0.625</u> % for the highest six-minute average.  d. Did the VE test demonstrate compliance with the opacity limit? (See chart below).   YesNo  YesNo  YesNo  YesNo  YesNo  The VE test demonstrate compliance with the opacity limit? (See chart below).   YesNo  YesNo  The VE test demonstrate compliance with the opacity limit? (See chart below).   YesNo  YesNo  The VE test demonstrate compliance with the opacity limit? (See chart below).   YesNo  YesNo  The VE test demonstrate compliance with the opacity limit? (See chart below).   YesNo  The VE Opacity Limits  EU not subject to 40 CFR 60 constructed, modified, or reconstructed, modified, or reconstructed prior to 4/22/2008  Crusher with no capture system 20% 15% 12%				<b>-</b> -		
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below)					⊠ Yes	∐No
26. Was a VE test conducted by the inspector for this unit during this site visit? — YesNo a. Was the VE test conducted at a process rate that is representative of the normal rate? — YesNo Rate: 100 TPH b. Was the VE test conducted according to EPA Method 9? — YesNo c. The VE test resulted in an opacity of 0.625% for the highest six-minute average. d. Did the VE test demonstrate compliance with the opacity limit? (See chart below). — YesNo  VE Opacity Limits  EU not subject to 40 CFR 60 constructed, modified, or reconstructed prior to 4/22/2008  Crusher with no capture system 20% 15% 12%				<b>-</b>		
a. Was the VE test conducted at a process rate that is representative of the normal rate? Yes	d. Did the VE test demonstrate compl	iance with the opacity	limit? (See chart below)		⊠ Yes	∐No
a. Was the VE test conducted at a process rate that is representative of the normal rate? Yes	26. Was a VE test conducted by the <i>inst</i>	pector for this unit du	ring this site visit?		⊠ Yes	□No
Rate: 100 TPH  b. Was the VE test conducted according to EPA Method 9?						=
b. Was the VE test conducted according to EPA Method 9? \ \times \text{ Tesulted in an opacity of } \frac{0.625}{0.625}\% for the highest six-minute average.  d. Did the VE test demonstrate compliance with the opacity limit? (See chart below) \times \text{ Yes }No  \text{No}  \text{VE Opacity Limits}  \text{EU not subject to } \text{Subpart OOO EU } \text{constructed, modified, or reconstructed, modified, or reconstructed prior to 4/22/2008}  \text{Crusher with no capture system} \text{20\%} \text{15\%} \text{12\%}	-					
c. The VE test resulted in an opacity of <u>0.625</u> % for the highest six-minute average. d. Did the VE test demonstrate compliance with the opacity limit? (See chart below). ————————————————————————————————————		ng to EPA Method 9? -			⊠ Yes	□No
d. Did the VE test demonstrate compliance with the opacity limit? (See chart below). Yes						_
VE Opacity Limits  EU not subject to 40 CFR 60 constructed, modified, or reconstructed prior to 4/22/2008  Crusher with no capture system  VE Opacity Limits  Subpart OOO EU constructed, modified, or reconstructed on or after 4/22/2008  15%  12%					Yes	□No
EU not subject to 40 CFR 60 constructed, modified, or reconstructed prior to 4/22/2008  Crusher with no capture system  Subpart OOO EU constructed, modified, or reconstructed prior to 4/22/2008  15%  Subpart OOO EU constructed, modified, or reconstructed on or after 4/22/2008		•				
EU not subject to 40 CFR 60 constructed, modified, or reconstructed prior to 4/22/2008  Crusher with no capture system  Subpart OOO EU constructed, modified, or reconstructed prior to 4/22/2008  15%  Subpart OOO EU constructed, modified, or reconstructed on or after 4/22/2008		VF Onac	itv I imits			
40 CFR 60 constructed, modified, or reconstructed prior to 4/22/2008 crusher with no capture system 20% constructed, modified, or reconstructed on or after 4/22/2008 15% 12%						
Subpart OOO or reconstructed prior to 4/22/2008 or reconstructed on or after 4/22/2008  Crusher with no capture system 20% 15% 12%				_		ied.
to 4/22/2008         after 4/22/2008           Crusher with no capture system         20%         15%         12%			, ,		,	
Crusher with no capture system 20% 15% 12%		Suspart OOO	-			11 01
	Crusher with no canture system	20%		arter 4/2		
All build affected EOS 2070 1070 770						
	1111 Outer affected LOS	20 /0	1070	<u> </u>	1 /0	

### **Facility Section (continued)**

REASONABLE PRECAUTIONS FOR UNCONFINED EMISSIONS	(check ☑ only one box for each question)	
1. Does the owner/operator of the NMMP Plant take reasonable precautions to control unconfined emissions by:		
a) Use of water suppression system(s) with spray bars located wherever unconfined emissions occur (at the feeder(s), the entrance and exit of the crusher(s), the classifier screens, and the conveyor drop points)?   N/A  If no, where are unconfined emissions occurring?	⊠ Yes	☐ No
b) Use of water trucks equipped with spray bars to apply water or effective dust suppressant(s) on a regular basis (to all stockpiles, roadways and work yards)? N/A c) Paving and maintaining roads and parking areas? N/A d) Removal of particulate matter from roads and other paved areas under control	⊠ Yes ⊠ Yes	☐ No ☐ No
of the owner/operator to prevent re-entrainment, and from building or work areas to reduce airborne particulate matter? N/A  e) Reduction of stock pile height, or installation of wind breaks to mitigate wind entrainment of	⊠ Yes	☐ No
particulate matter from stock piles? \[ \] N/A	Yes	☐ No
2. If reasonable precautions <u>not</u> being taken:  a) Did the inspector perform a general VE test (20% opacity)? N/A  b) If tested: ()% opacity. Were the visible emissions < 20% opacity?  c) What caused the problem(s) (if known)?	☐ Yes ☐ Yes	☐ No ☐No
CONFIRMATION OF GENERAL PERMIT ELIGIBILITY	(check 🗹 box for each	only one question)
1. Does this facility keep records to show that it does not have the potential to emit:  a) 10 tons per year or more of any hazardous air pollutant?  b) 25 tons per year or more of any combination of hazardous air pollutants?  c) 100 tons per year or more of any other regulated air pollutant?	- X Yes	□No □No □No
2. Does this facility include:  a) any emission units or activities not covered by the applicable air general permit (with the exception units and activities that are exempt from permitting pursuant to subsection Rule 62-210.300(3) or Rule 62-4.040, F.A.C.)?  If YES, what non-exempt units or activities?	or	⊠No
b) any emissions units or activities authorized by another air general permit where such other air gene permit and this general permit specifically allow the use of one another at the same facility?		⊠No
If YES, what other general permit units or activities?		

<u>(</u> 27	Is the total combined annual facility-wide fuel usage of all plants less than or equal to:  a) 275,000 gallons of diesel fuel?	⊠ Yes ⊠ Yes ⊠ Yes ⊠ Yes Mane/yr ≤ 1.00 e/yr	No  No  No  No  No
<b>1. 2</b> .	Has the owner or operator allowed the circumvention of any air pollution control device, or Allowed the emission of air pollutants without the proper operation of all applicable air pollution control devices? ————————————————————————————————————	Yes	only one question)  SNoNoNoNo
	ELOCATABLE PLANT  The facility:  is stationary; is relocatable; or consists of both stationary and relocatable NMMP and/or concrete batching plants. (If only stationary, skip the following questions 2 and 3.)	(check ☑ box for each	only one question)
	For a relocated NMMP plant:  a) did the owner or operator notify the appropriate Department or Local Air Program by telephone, e-mail, fax, or written communication at least one business day prior to changing location? b) did the owner or operator transmit a Facility Relocation Notification Form [DEP No. 62-210.900(6 to the Department or Local Air Program no later than five business days following relocation?  If the relocateble NMMP plant was co-located at a facility with a separate air construction or air opera	5)]	□No
3.	If the relocatable NMMP plant was co-located at a facility with a separate air construction or air opera permit, and the relocatable NMMP plant is <u>not</u> included as an emissions unit in that separate permit:  a) was the relocatable NMMP plant being used for a non-routine purpose? ————————————————————————————————————	- Yes	No

CHANGES  Administrative Changes:  1. Were there any changes in the name, address, or phone massociated with a change in ownership or with a physical operations comprising the facility; or any other similar massociated with a change in ownership or with a physical operations comprising the facility; or any other similar massociated with the facility provide written notification within	box for each qu umber of the facility or authorized representative not relocation of the facility or any emissions units or inor administrative change at the facility? Yes	nly one estion) No
New or Modified Process Equipment or Change in Ownersh  3. Since the last registration form submittal has there been a) Installation of any new process equipment? b) Alterations to existing process equipment without rep. c) Replacement of existing equipment with equipment th d) A change in ownership? 4. If the answer to any question 3a. – d. is YES, was a new 30 days prior to the change?		⊠No ⊠No ⊠No ⊠No □No
Ilka Bundy  Inspector's Name (Please Print)	8/1/2013  Date of Inspection  8/1/2014	
Inspector's Signature	Approximate Date of Next Inspection	

**COMMENTS:** Ilka Bundy, Orange County EPD inspector, met with Greg Gonzales, consultant, on August 1, 2013, to audit the second visible emissions compliance test conducted on the crusher and associated equipment. The facility already tested this year on February 19, 2013. The facility had failed to conduct the required annual compliance testing in 2012 and was offered compliance assistance. The compliance assistance offer allowed the facility to test twice in 2013 to avoid paying a penalty for missing the 2012 compliance test. The site was wet down by a water truck, which is also used at the crusher to provide water to the spray bars inside of the unit. The yard was very clean. No objectionable odors were detected. No uncontolled emissions were observed. The crusher was operating at ~100 tons per hour and all observed opacities were below permit limits. The facility appears to be in compliance with their air permit at this time.