

Florida Department of Environmental Protection

Northwest District 160 W. Government Street, Suite 308 Pensacola, Florida 32502-5740 Rick Scott Governor

Jennifer Carroll Lt. Governor

Herschel T. Vinyard Jr. Secretary

January 23, 2012

By Electronic Mail, Received Receipt Requested evansfuneralhome@aol.com

Mr. Jerry Evans, Owner Evans Funeral Home 668 Walton Road DeFuniak Springs, Florida 32433

Dear Mr. Evans:

On January 18, 2012, a Department representative with the Air Resource Management Program inspected your facility, ID 1310267. A copy of the inspection report is enclosed. The inspection and a review of Department records indicate the facility was in compliance at the time of the inspection for those items specifically noted in the inspection report.

The cremation unit had not been constructed at the time of the inspection.

This letter applies only to activities covered by the Air Resource Management Program. If you have any questions, please contact Jennifer Waltrip at 850/595-0662 or jennifer.waltrip@dep.state.fl.us.

Sincerely,

Carol Melton

Carol Melton

Air Compliance Supervisor

CM/jw/c

Enclosure



HUMAN CREMATORY



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) RE-INSPECTION (FUI)		/DISCOVERY (CI)						
AIRS ID#: 1310267 DATE: <u>1/18/12</u>	ARRIVE:	DEPART:	_					
FACILITY NAME: EVANS FUNERAL HOME								
FACILITY LOCATION: 668 WALTON RI	D							
DEFUNIAK SPRI	INGS 32433-3539							
OWNER/AUTHORIZED REPRESENTATIVE: Email: CONTACT NAME: JERRY EVANS Email: ENTITLEMENT PERIOD: 8/25/2011 / 8/25/2011	5/2016	PHONE: (850)951-0668 Mobile: PHONE: (850)951-0668 Mobile:						
Facility Section PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box) ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE								
PART II: ONSITE INTRODUCTORY MEETIN 1. Name(s) of facility representative(s): Jerry Evan Brief Notes:		`	check v only one ox for each question)					
2. Is the Authorized Representative still JERRY EV If no, who is?:	VANS?	· [2	☑ Yes □No					
If different, did the facility provide an administra 3. Is the facility contact still JERRY EVANS? If no, who is?:	ative update within 30 day	's? [☐ Yes ☐No ☑ Yes ☐No					
4. Will facility be conducting VE test(s) during tod If yes, was the compliance authority notified at least	lay's inspection?east 15 days in advance? -	[[☐ Yes					

Emissions Unit Section 1 – Human Crematory-prim/2ndarychmbrs,NG,tempM&R,opacM,150lbs/hr

PA	RT I: FILE REVIEW PRIOR TO INSPECTION	(check ☑ box for each	only one question)
1.	a. Complete AC application or, if no AC permit, initial GP registration received on or after August 30, 1989? b. If yes, were design calculations provided then to confirm a sufficient volume in the	⊠ Yes	□No
3.	secondary chamber combustion zone to provide for at least a 1.0 second gas residence time at 1800 degrees Fahrenheit?	∑ Yes∑ Yes	□No □No
4.	Past Visible Emissions (VE) tests: a. Was a VE test performed within each of the past 4 calendar years? b. Has a VE test been performed yet within the current calendar year? c. If first year of operation, was a VE test performed within 30 days of commencing	☐ Yes ☐ Yes	⊠No ⊠No
	operation? N/A d. Date of last VE test: e. Was the VE test report filed with the compliance authority no later than 45 days after the test?	☐ Yes	□No
	f. Did the facility demonstrate compliance during the last VE test? If no, what was the problem (if known)?		□No
PA	RT II: <u>VISIBLE EMISSIONS TESTING</u>	(check 🗹	only one
		box for each	question)
1.	Was a visible emissions test conducted by the facility for this unit during this site visit? a. Was the test conducted with the unit operating at a capacity of one adult-sized cadaver? b. Was the visible emissions test conducted according to EPA Method 9?	Yes	
	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit? (5% opacity, six-minute average, except that visible emissions not exceeding 15% opacity shall be allowed for up to six minutes		□No
2.	Was a visible emissions test conducted by the inspector during this site visit?		⊠No □No
2	c. The visible emission test resulted in an opacity of % for the highest six minute average. d. Did the visible emission test demonstrate compliance with the limit?		□No
3.	Is there any reason to ask for a special test to determine compliance with the PM and CO standard If yes, what reason?	Yes Yes	⊠No
PA	RT III: MONITORING/RECORDKEEPING REQUIREMENTS	(check ☑ box for each	only one question)
1.	Were there any objectionable odors detected?	☐ Yes	□No
	An upwind/downwind survey of the facility was conducted. The observed parameters were: Downwind odor level detected- Wind direction - Upwind odor level detected-	(1-10)	
	Continuous Monitoring Systems –		
a	Is a continuous temperature monitoring system installed on each unit to record temperatures in the secondary chamber in accordance with the manufacturer's instructions?	☐ Yes	□No
b	Is the temperature probe properly placed, at least at the distance where the 1.0 second gas residence time at \Box 1,800 ¹ \Box 1,600 ² degrees was determined?	☐ Yes	□No

D	DT III. MONITODING/DECODD/EEDING DECUIDEMENTS (continued)		
P	ART III: MONITORING/RECORDKEEPING REQUIREMENTS (continued)		
c.	Are the following records kept on file, available for inspection, for at least the past two years?		
	 All temperature measurements	☐ Yes	□No
	monitoring system all continuous performance evaluations	Yes	□No
	3) All CEMS or monitoring device calibration checks (last performed on ()	Yes Yes	□No
	4) Adjustments	Yes	□No
	5) Preventive maintenance performed on systems/devices	∐ Yes	No
	6) Corrective maintenance performed on systems/devices	☐ Yes	∐No
d.	Are the temperature charts properly documented with operator name, operator indication of		
İ	when cremation in the primary chamber was begun, date, time, and temperature markings	Yes Yes	□No
e.	Was the crematory unit installed after $2/1/07$? If no, skip e.(1) – (3)	∐ Yes	∐No
	(1) Is the crematory unit equipped and operated with a pollutant monitoring system to automatical		□ Na
	control combustion based on continuous in-stack opacity measurement?(2) Is the system calibrated to restrict combustion in the primary chamber whenever any opacity	☐ Yes	∐No
	exceeds 15% opacity?	☐ Yes	□No
	(3) Has the opacity measurement system been cleaned and checked for proper operation in		
	accordance with the manufacturer's recommended maintenance schedule?	☐ Yes	□No
			-1
_	DE IN GEGOVE A DV GOVERNOM GOVERNOM GOVERNOM A STANDER	(check ✓	only one
PA	ART IV: SECONDARY COMBUSTION ZONE TEMPERATURES		ch question)
			in question)
1.	If the application to construct was BEFORE August 30, 1989 is the:		on question)
1.	If the application to construct was <u>BEFORE</u> August 30, 1989 is the: a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F		in question)
1.	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes	No
1.	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the crematic 	Yes on	No
1.	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes	. ,
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? b. secondary chamber combustion zone temperature equal to or greater than 1400°F before the cremating process begins in the primary chamber?	Yes on	No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes on Yes	No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes	No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes On Yes Yes On Yes	□No □No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes	No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes On Yes Yes On Yes	□No □No
	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	Yes On Yes Yes On Yes Yes On Yes	NoNoNoNo
2.	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNoNo
2.	 a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNoNo
2. P A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNoNono
2. P A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	NoNoNoNoNoNo
2. P A	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber? ————————————————————————————————————	☐ Yes on ☐ Yes ☐ Yes on ☐ Yes (check ☑	NoNoNoNo
2. PA	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	NoNoNo only one ch question)
2. PA	a. actual operating temperature of the secondary chamber combustion zone no less than 1400°F throughout the combustion process in the primary chamber?	☐ Yes on ☐ Yes	NoNoNo only one ch question)

PART VI: EQUIPMENT MAINTENANCE		(check only one box for each question)			
1. Is the crematory unit maintained in accordance with the manufacture	r's specifications?	Yes	□No		
2. Is there a written plan onsite which addresses the operating procedur shutdown and malfunction?		Yes	□No		
3. Does the crematory allow for a visible check on the flame characteristic If no, skip a. – b.	stics?	∐ Yes	□No		
a. Was the flame characteristic visually checked at least once during b. Was the flame adjusted when necessary?	each operating shift?	☐ Yes ☐ Yes	□No □No		
PART VII: EU INSPECTION COMPLIANCE STATUS (check	only one box)				
☐ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE	SIGNIFICANT Non-COMPLI	ANCE			
Facility Section (continued)					
SPECIAL CONDITIONS AND PROCEDURES		(check 🗹 box for each	only one question)		
Administrative Changes:					
 Were there any changes in the name, address, or phone number of the associated with a change in ownership or with a physical relocation of operations comprising the facility; or any other similar minor adminitized. If yes, did the facility provide written notification within 30 days of the same of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within 30 days of the facility provide written notification within a provide written notification within the facility provide writt	of the facility or any emissions unit strative change at the facility?	s or Yes	⊠No □No		
New or Modified Process Equipment or Change in Ownership:					
3. Since the last registration form submittal has there been	ent?ubstantially different?	Yes	NoNoNoNoNoNo		
Jennifer Waltrip	January 18, 2012				
Inspector's Name (Please Print)	Date of Inspection				
	January 2013				
	Approximate Date of Next Insp	ection			

COMMENTS: On January 18, 2012, Department personnel conducted an unannounced annual air compliance inspection of Evans Funeral Home. Mr. Jerry Evans was available to assist during the inspection. According to Mr. Evans, the cremation unit has not been installed.