



SECONDARY ALUMINUM SWEAT FURNACE



COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1, INS2) COMPLAINT/DISCOVERY (CI)
 RE-INSPECTION (FUI) ARMS COMPLAINT NO:

AIRS ID#: 0251342	DATE: <u>3/7/2013</u>	ARRIVE: <u>11:49 AM</u>	DEPART: <u>12:06 PM</u>
FACILITY NAME: ST JUDAS TADEUS FOUNDRY			
FACILITY LOCATION: 9851 NW 115TH WAY MEDLEY 33178-1140			
OWNER/AUTHORIZED REPRESENTATIVE: ALFONSO VEGA		PHONE: (305)889-2131	
Email: sanjudasfoundry@bellsouth.net		Mobile: (786)295-7787	
CONTACT NAME:		PHONE:	
Email:		Mobile:	
ENTITLEMENT PERIOD: 9/15/2011 / 9/15/2016 (effective date) (end date)			

PART I: INSPECTION COMPLIANCE STATUS (check only one box)

IN COMPLIANCE MINOR Non-COMPLIANCE SIGNIFICANT Non-COMPLIANCE

PART II: CONTROL TECHNOLOGY – Rule 62-213.300 FAC

1. Does each secondary aluminum sweat furnace have an afterburner? -----Yes No

2. Does each afterburner has a design residence time of 0.8 seconds or more, and an operating temperature of 1600 degrees Fahrenheit or greater? -----Yes No

PART III: BASIC REQUIREMENTS – Rule 62-213.300(3) FAC

1. Has the responsible official (RO) provided a written OM&M plan on-site? -----Yes No

2. Has the RO provided a temperature monitoring device to continuously monitor and record the 15-minute block average operating temperature to insure that it is at or above 1600 degrees F? -----Yes No

PART IV: RECORDKEEPING/REPORTING REQUIREMENTS – Rule 62-213.300(3) FAC

1. Has the RO maintained records of 15-minute block average afterburner temperature? ----- Yes No
2. Has the RO provided records of any period when the average temperature in any 3-hour block period falls below 1600 degrees Fahrenheit? -----Yes No N/A
3. Has the RO maintained records of afterburner inspections? -----Yes No
4. Has the RO maintained a startup/shutdown/malfunction plan? -----Yes No

FRANK DELGADO

3/7/2013

Inspector's Name (Please Print)

Date of Inspection

3/2014

Inspector's Signature

Approximate Date of Next Inspection

COMMENTS: THE FURNACE WAS IN USE AT THE TIME OF THE INSPECTION. THE FURNACE DOES NOT EXHAUST TO THE OUTSIDE. DIESEL FUEL IS THE FUEL USED TO OPERATE THE FURNACE. THE FURNACE CAPACITY IS SIXTY (60) POUNDS. THEY MELT CLEAN ALUMINUM SPECIALLY FROM ALUMINUM WHEELS. ON A GOOD DAY THEY CAN MELT BETWEEN 150 TO 300 POUNDS. THE HOUSEKEEPING IS GOOD.

REVIEWED

By Ray Gordon at 12:10 pm, Apr 05, 2013