

## CHROMIUM ELECTROPLATING/ANODIZING



## COMPLIANCE INSPECTION CHECKLIST

INSPECTION TYPE: ANNUAL (INS1 RE-INSPECTION)		
AIRS ID#: 0251357 DATE: 4/17/2013	ARRIVE: <u>10:15 AM</u> DEPART: <u>11:15 AM</u>	
FACILITY NAME: AMS/MASTER PLATING USA INC-MEDLEY		
FACILITY LOCATION: 8161 NW	91ST TER	
MEDLEY	33166-2134	
OWNER/AUTHORIZED REPRESENTA Email: Jose.Perez@amsNDT.com CONTACT NAME: BARBARA ARNO Email: Barnosa@aol.com ENTITLEMENT PERIOD: 6/7/2012 / (effective date)	Mobile: (786)436-1212 PHONE: (305)885-0899 Mobile: (305)491-4763	
PART I: INSPECTION COMPLIANCE STATUS (check ☑ only one box)  ☑ IN COMPLIANCE ☐ MINOR Non-COMPLIANCE ☐ SIGNIFICANT Non-COMPLIANCE		
PART II: CLASSIFICATION – Rule 62-213.300 FAC Facility type(s)/applicable standard as indicated on notification form:		
1. Hard Chromium Plating		
a. Existing Large (0.015 mg/dscm) c. New (0.015 mg/dscm)	b. Existing Small (0.03 mg/dscm)  d. Alternative Standard for existing facilities (0.03 mg/dscm) using a rolling average of rectifier capacity (less than 60 million A-hr/year)	
2. <u>Decorative Chromium Plating/Anodizing</u>		
a. Chromic Acid Bath	<ol> <li>Emissions of ≤ 0.01/mg/dscm (4.4x10<sup>-6</sup> gr/dscf)</li> <li>Surface tension of ≤ 45 dynes/cm (3.1x10<sup>-3</sup> lb-f/ft) (May only be selected if a wetting agent is used.)</li> </ol>	
b. Trivalent Chromium Bath	1) With wetting agent	
c. Chromium Anodizing	<ol> <li>Emissions of ≤ 0.01 mg/dscm (4.4x10<sup>-6</sup> gr/dscf)</li> <li>Surface tension of 45 dynes/cm (3.1x10<sup>-3</sup> lb-f/ft)</li> <li>(May only be selected if a wetting agent is used.)</li> </ol>	

PART III: <u>CONTROL TECHNOLOGY</u> – Rule 62-213.300 FAC		
(Salect control		
( <u>Select control</u> device)	DEVICE IN USE?	
<u>device</u> )	DEVICE III OSE:	
1. Composite Mesh Pad	□Yes □No	
2. Fiber Bed Mist Eliminator	Yes No	
3. Packed Bed Scrubber	Yes No	
	∑Yes □No	
5. Foam Blanket Fume Suppressant	Yes No	
6. Fume Suppressant w/ Wetting Agent	Yes No	
o. Tune suppressant in nothing rigent	100	
Has the facility conducted an initial performance test to establish monitoring parameters? (Not required for sources using a wetting agent or 1-inch foam blanket thickness)	□Yes □No □N/A	
(Not requirea for sources using a weiting agent of 1-inch joam blanket intekness)		
PART IV: <u>RECORDKEEPING/REPORTING REQUIREMENTS</u> – Rule 62-213.300	(3)	
**		
Has the responsible official maintained the following records?		
1. Quartarly inspection records for add on air pollution control devices and		
<ol> <li>Quarterly inspection records for add-on air pollution control devices and monitoring equipment. (applicable only to a facility using a packed bed scrubber</li> </ol>	flow had	
mist eliminator, or composite mesh pad)	, fiber-bea	
2. Operations and Maintenance Plan (OMP). (applicable only to a facility using a		
scrubber, fiber-bed mist eliminator, or composite mesh pad)		
3. Maintenance records for the source, add-on pollution control devices, and	I les LINO LIN/A	
monitoring equipment (equipment identified, date performed, description)	- I res I no	
4. Records of date of occurrence, duration, cause, and corrective action of each	+ DVas DNa	
malfunction of process, add-on pollution control device, and monitoring equipmen  5. Results of all performance tests		
6. Records of monitoring data. (not applicable to trivalent chromium baths using a		
agent)		
ageni)	I les I lo I lv/A	
Composite Mesh Pad		
Measure the pressure drop across the CMP daily	- Tyes TNo	
Packed Bed Scrubber	105	
Measure the pressure drop across the PBS and the inlet velocity daily	□Yes □No	
Fiber-Bed Mist Eliminator		
Measure the pressure drop across the FBME and the upstream device daily	□Yes □No	
Packed Bed Scrubber/Composite Mesh Pad		
Measure the pressure drop across the CMP daily	□Yes □No	
Foam Blanket Fume Suppressant		
Measure the foam blanket thickness at the appropriate interval	□Yes □No	
Fume Suppressant w/ Wetting Agent		
Measure the surface tension at the appropriate interval		
7. Purchase records of wetting agent components	Yes No N/A	
8. Records of the date and time that fume suppressants are added to the bath	□Yes □No □N/A	
9. Records of rectifier capacity, if used to determine facility size	□Yes □No □N/A	
10. Records of the total process operating time		
11. Records identifying specific periods of excess emissions	- Yes No	
12. Startup, Shutdown & Malfunction Plan	- □Yes □No	

FRANK DELGADO	4/17/2013	
Inspector's Name (Please Print)	Date of Inspection	
	4/2014	
Inspector's Signature	Approximate Date of Next Inspection	

**COMMENTS:** NEW FACILITY. KURT JONES FROM VANAIRE WAS PERFORMING THE INITIAL CROMIUM STACK TEST. THE TEST STARTED AT 8:00 A.M., AND WILL BE COMPLETED TOMORROW. THERE IS ONE (1) HARD CHROMIUM ELECTROPLATING TANK.

REVIEWED

By Ray Gordon at 2:58 pm, Apr 22, 2013