

RECEIVED

PERCHLOROETHYLENE DRY CLEANER
AIR GENERAL PERMIT NOTIFICATION FORM

AUG 25 2008

Part III. Notification of Intent to Use General Permit

NORTHEAST DISTRICT
DEP-JACKSONVILLE

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

| | |
|---|------------------------------------|
| 1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): | Triple EEE, Inc DBA RON'S CLEANERS |
| 2. Site Name (For example, plant name or number): | RON'S CLEANERS |
| 3. Hazardous Waste Generator Identification Number: | |
| 4. Facility Location: Street Address: City: Gainesville County: Alachua Zip Code: 32608 | 1603 SW 13th |
| 5. Facility Identification Number (DEP Use ONLY - do not fill in): | 0010095-003 |

Responsible Official

| |
|---|
| 6. Name and Title of Responsible Official: Name: RON EDWARDS Title: President, owner |
| 7. Responsible Official Mailing Address: Organization/Firm: RON'S CLEANERS Street Address: 1603 SW 13th St City: Gainesville County: Alachua Zip Code: 32608 |
| 8. Responsible Official Telephone Number: Telephone: () - - Fax: () - - |

Facility Contact (If different from Responsible Official)

| | |
|---|-----------------------------|
| 9. Name and Title of Facility Contact (For example, plant manager): | Chad Edwards, Plant Manager |
| 10. Facility Contact Address: Street Address: 1603 SW 13th St City: Gainesville County: Alachua Zip Code: 32667 | Ron's Cleaners |
| 11. Facility Contact Telephone Number: Telephone: (352) 378-2382 Fax: () N/A | |

Handwritten signature/initials

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site?

For each dry-to-dry machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|---------------------|---------------------------------------|---|
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

SEE NEXT PAGE

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|---------------------|---------------------------------------|---|
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

120 gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening _____)

RECEIVED
SEP 19 2008
New York State
Department of
Environmental
Conservation

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site? 1

For each dry-to-dry machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|---------------------|---------------------------------------|---|
| <u>3-3-07</u> | Existing/New | RC/CA/None required | <u>SAME</u> |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an EXISTING unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a NEW unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|---------------------|---------------------------------------|---|
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

 gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening)

3. What is the facility's source classification based on the definitions found in section (3) of Part II?
 Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
 - Transfer only on-site (used less than 200 gallons of perc per year)
 - Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
 - Transfer only on-site (used 200 - 1,800 gallons of perc per year)
 - Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?
 (Indicate with an "X".)

- | | |
|--|---|
| <u>Existing machines at small area source</u> (NONE REQUIRED) <input checked="" type="checkbox"/> | <u>New machines at small area source</u> Refrigerated condenser <input type="checkbox"/> |
| <u>Existing machines at large area source</u> Carbon adsorber <input type="checkbox"/> Refrigerated condenser <input type="checkbox"/> | <u>New machines at large area source</u> Refrigerated condenser <input type="checkbox"/> |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
 No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

SEE NEXT PAGE

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

Small Area Source

- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
- Transfer only on-site (used less than 200 gallons of perc per year)
- Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
- Transfer only on-site (used 200 - 1,800 gallons of perc per year)
- Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing machines at small area source
(NONE REQUIRED)

New machines at small area source
Refrigerated condenser

Existing machines at large area source
Carbon adsorber
Refrigerated condenser

New machines at large area source
Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating: 2 0

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

- I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are _____
- No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.

Ron Edwards or
Print name of responsible official

[Signature]
Signature

08 / 08 08
Date

Dibble, Dickson

From: Dibble, Dickson
Sent: Tuesday, September 09, 2008 8:42 AM
To: 'echad13@yahoo.com'
Cc: Bowman, Sandy
Subject: AIRS ID# 0010095, TRIPLE EEE INC d.b.a. RON'S CLEANERS, 1603 SW 13TH ST, GAINESVILLE, FL 32608
Attachments: dep62_213_900(2).doc

Tracking:

| Recipient | Delivery |
|---------------------|-----------------------------|
| 'echad13@yahoo.com' | |
| Bowman, Sandy | Delivered: 9/9/2008 8:42 AM |

*15 DAYS
 REMAINING
 OF 9/9/08 AS*

Chad,

I am hoping that you have MS Word on your computer as I have attached our Word version to this e-mail. I am so used to most people having Adobe Acrobat Reader that I send that format most of the time rather than the Word or .doc version.

I hope this works.

Dick

Dickson E. Dibble, ES III

FL Dept of Environmental Protection
 Div. of Air Resource Management
 Bureau of Air Monitoring & Mobile Sources
 Air General Permit Program
 Tel. (850) 921-9586
 FAX (850) 922-6979
 ICG-#345

Dickson.Dibble@dep.state.fl.us



Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communications may therefore be subject to public disclosure

From: Dibble, Dickson (Dickson.Dibble@dep.state.fl.us)
To: echad13@yahoo.com
Date: Friday, August 29, 2008 10:06:21 AM
Cc: Bowman, Sandy
Subject: AIRS ID# 0010095, TRIPLE EEE INC d.b.a. RON'S CLEANERS, 1603 SW 13TH ST, GAINESVILLE, FL 32608

RECEIVED
SEP 19 2008
Bureau of Air Monitoring & Mobile Sources

Mr Chad Edwards,

The link below will download the PERC DC Air General Permit registration form to your computer for printing.

[http://www.floridadep.org/Air/forms/titlevgp/dep62_213_900\(2\).pdf](http://www.floridadep.org/Air/forms/titlevgp/dep62_213_900(2).pdf)

As we discussed this morning there is some information requested on your application, which was omitted and which we need in order to proceed with the application process. Please provide the remaining information to question 1.(a) in the box on page 15. That is, 1) the **date the Dry-To-Dry machine was purchased from the manufacturer** or the date of manufacture, 2) whether the status of the machine is **Existing/New**, 3) the **Control Device(s) Required**, and 4) the **Date the control device was installed** (if already included at the time of purchase write "SAME").

Secondly, Page 16, question 5, asks for the horsepower of your boiler which was also left blank.

You can either send me those pages with the above requested information, or simply put it in an e-mail addressed to me, either of which I will append to the original form.


Dickson E. Dibble

Dickson E. Dibble, ES III

FL Dept of Environmental Protection
Div. of Air Resource Management
Bureau of Air Monitoring & Mobile Sources
Air General Permit Program
Tel. (850) 921-9586
FAX (850) 922-6979
ICG-#345

Dickson.Dibble@dep.state.fl.us

45



Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communications may therefore be subject to public disclosure

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Michael W. Sole is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on this link to the DEP Customer Survey. Thank you in advance for completing the survey.

RECEIVED
 SEP 19 2008
 DEPARTMENT OF ENVIRONMENT & PLANNING
 6 MACHINE SHOP

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site? 1

For each dry-to-dry machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|----------------------|---------------------------------------|---|
| <u>3-3-07</u> | Existing/ <u>New</u> | RC/CA/ <u>None required</u> | <u>SAME</u> |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site?

How many dryers/reclaimers do you have on-site?

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an EXISTING unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a NEW unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|---------------------|---------------------------------------|---|
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

 gallons (You must fill this in)

(b) If less than 12 months, how many? months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

Small Area Source

Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)

Transfer only on-site (used less than 200 gallons of perc per year)

Both machine types on-site (used less than 140 gallons of perc per year)

Large Area Source

Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)

Transfer only on-site (used 200 - 1,800 gallons of perc per year)

Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

Existing machines at small area source (NONE REQUIRED)

New machines at small area source Refrigerated condenser

Existing machines at large area source

Carbon adsorber

Refrigerated condenser

New machines at large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating: 2 0

What type of fuel do you use? propane natural gas No. 2 fuel oil No. 4 fuel oil No. 6 fuel oil Other (please list) _____

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
(b) Leak detection inspection and repair
(c) Refrigerated condenser temperature monitoring
(d) Carbon adsorber exhaust perc concentration monitoring
(e) Startup, shutdown, malfunction plan

