## PERCHLOROETHYLENE DRY CLEANERS ARMS UPDATED

CO

	1
TITLE V GENERAL PERMIT	DATE
MPLIANCE INSPECTION CHECKLIST 🗸 📗	אוני

TYPF	OF	INSPR	CTION:

6/ 100

ANNUAL

#

RE-INSPECTION

AIRS ID#: 0090181 DATE: 7-21-99 TIME IN: 11115 3 PAME OUT FACILITY NAME: Island Cleaner FACILITY LOCATION: 1345 S. Patrick Ave Satellite Beach, FL 32437 RESPONSIBLE OFFICIAL: Larry Mula PHONE: 407-777-4711 CONTACT NAME: \_\_

PART I	I: NO	TIFICA	MOIT

(check appropriate box)

A.

- 1. New facility notified DARM 30 days prior to startup
- 2. Facility failed to notify DARM to use general permit
- Facility indicated on notification form that it is: ☐ Drop store/out of business/petroleum (check appropriate box)

1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yrboth types, x < 140 gal/yr (constructed before 12/9/91)

PART II: CLASSIFICATION

- 3. Existing large area source dry-to-dry only,  $140 \le x \le 2,100 \text{ gal/yr}$ transfer only,  $200 \le x \le 1,800$  gal/yr both types,  $140 \le x \le 1,800 \text{ gal/yr}$ (constructed before 12/9/91)
- 5. This is a correct facility classification

- 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91)
- 4. New large area source dry-to-dry only,  $140 \le x \le 2{,}100 \text{ gal/yr}$ transfer only,  $200 \le x \le 1,800$  gal/yr both types,  $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after 12/9/91)

☐ No notification form

Can not determine DN

If no, please check the appropriate classification:

- facility qualified for a general permit as number \_\_\_\_\_above
- facility exceeds above limits and is not eligible for a general permit
- B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 50 gallons. Approx new owner Since march aq

## PART III: GENERAL CONTROL REQUIREMENTS Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? DY ON BANA 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DN DN/A least 24 hours prior to disposal? 1 curtise / 1 Spin 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber DY ON DINA beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) MY MN 1. Equipped all machines with the appropriate vent controls? dy on ona 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the CY ON ON/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the Y ON ON/A condenser exceeded 45°F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

В	. Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	ΠN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΩY	Ωи	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΩY	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΠV	ΠN	□N/A
	Is the perc concentration equal to or less than 100 ppm?			□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ОΥ		□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?			□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ПИ	□N/A

PART V: RECORDKEEPING REQUIREMENTS			
Has the responsible official: (check appropriate boxes)	. ,		
1. Maintained receipts for perc purchased?	DY DN		
2. Maintained rolling monthly averages of perc consumption? Feb. Pulchase	CAY ON		
3. Maintained leak detection inspection and repair reports for the following:			
a. documentation of leaks repaired w/in 24 hrs? or;	DY ON ON		
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	איאל אם צם		
4. Maintained calibration data? (for applicable direct reading instruments)	DY DN DN/A		
5. Maintained exhaust duct monitoring data on perc concentrations?	en on a		
6. Maintained startup/shutdown/malfunction plan?	en da		
7. Maintained deviation reports?	DY ON ONA		
Problem corrected?	DY ON BAIA		
8. Maintained compliance plan, if applicable?	OY ON SONA		

==				
<b>P/</b>	ART VI: LEAK DETECTION AN	ND REPAIRS		
1.	. Does the responsible official condu	ict a weekly (for small source	s, bi-weekly) leak detection a	nd repair
	inspection?			day on
2.	. Has the facility maintained a leak l	log?		CY ON
3.	. Does the responsible official check	the following areas for leaks	;?	
	Hose connections, fittings, couplings, and valves	באמם מס ציפו	Muck cookers	DY ON ON/A
	Door gaskets and seating	DY ON ON/A	Stills	DY ON ON/A
	Filter gaskets and seating	DY ON ON/A	Exhaust dampers	אואם אם אם
	Pumps	DY ON ON/A	Diverter valves	6Y ON ONA
	Solvent tanks and containers	אומם מם אלם	Cartridge filter housings	אאם אם צם
	Water separators	DY ON ON/A	·	
4.	. Which method of detection is used	by the responsible official?		
	Visual examination (condensed solvent on exterior surfaces)			4
	Physical detection (airflow felt through gaskets)			
	Odor (noticeable perc odor)			ď
	Use of direct-reading instrum	nentation (FID/PID/calorimetr	ric tubes)	۵ <sub>.</sub> .
	Halogen leak detector			4
	If using direct-reading instrumentation, is the equipment:			. □N/A
	a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?			OY ON
	<ul> <li>b. Calibrated against a standard gas prior to and after each use (PID/FID only)?</li> </ul>			מם צם
	c. Inspected for leak	on a weekly basis?	OY ON	
ſ	d. Kept in a clean ar	nd secure area when not in us	ie?	מם צם
ı	e. Verified for accur	מם צם		

Randall Cunningham	7-21-
Inspector's Name (Please Print)	Date of Inspec
Mall 1	
10000 Com	1-100
Inspector's Signature	Approximate Date of N

ADDITIONAL SITE INFORMATION:	
·	
·	
	·

ATRS ID#: 0090181

## DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: ISland Cla	eane/5		DATE: <u>7-2/-99</u>
FACILITY LOCATION: 1395 S. Pat	trick Ave		
	Beach, FL 329		•
Annual Reporting Period: March (New Owner)	19 99	TO July	1999
Based on each term or condition of the Title V gene			
62-213.300, Florida Administrative Code (F.A.C.),		~_	
If NO, complete the following:			
#1. Term or condition of the general permit that ha	as not been in continuous (	compliance during the report	ing period stated above:
Exact period of non-compliance: from		to	
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:		· · · · · · · · · · · · · · · · · · ·	
#2. Term or condition of the general permit that ha	as not been in continuous (	compliance during the repor	ting period stated above:
Exact period of non-compliance: from		, to	
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:			
As the responsible official, I hereby certify, based of made in this notification are true, accurate and confupon purchase receipts, does not exceed 2,100 galacombination facilities.  RESPONSIBLE OFFICIAL:	mplete. Further, my annu lons per year for dry-to dr	al consumption of perchloro by facilities or 1,800 gallons	ethylene solvent, based
Name (Ple	case Print)	Signature	Date

Page \_\_\_\_ of \_\_\_\_.

<sup>\*</sup>This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

## TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION:	ANNUAL 🔀 COMI	PLAINT/DISCOVERY	RE-INSPECTION
TIME IN: 11!/5	TIME OUT: 11:45	AIRS ID#:	90181
TYPE OF FACILITY: Dry	Cleantr		
FACILITY NAME: ISlur	A Cleaners		DATE: 7-21-99
FACILITY LOCATION: 134	15 S. Patrick Ave		,
5 <sub>a</sub>	tellite Beach FL	32397	
RESPONSIBLE OFFICIAL:	Larry Mula	PHONE NUMBER:_	407-777-4717
<del>y_</del>	the compliance requirements evaluate Rule 62-213.300, Florida Administrat		ity is found to be in
Based on the results of discrepancies were not	the compliance requirements evaluated: ed:	ed during this inspection, the follo	wing compliance
COMPLIANCE REQ	UIREMENT/PROBLEM	FOLLOW-UP ACTION	ON REQUIRED
	·		;
COMMENTS:			
In Co	mpliance		
The Annual Compliance Certification  DATE OF NEXT INSPECTION	cation form has been properly certified $7-2000$	d and submitted to the inspector.	YES NO
INSPECTION CONDUCTED	BY: Randall Cuni	roximate)  Oingham  ase Printy	
INSPECTOR'S SIGNATURE	Eddl Cf	PHONE NUMBER:_	
	Page	of <u></u> .	Revised 10/96