PERCHLOROETHYLENE DRY CLEANERS TITLE V GENERAL PERMIT

COMPLIANCE INSPECTION CHECKLIST

ARMS	UPDATED
DATE_	3-29-00
BY	Re

TYPE OF INSPECTION:

ANNUAL

COMPLAINT/DISCOVERY

RE-INSPECTION

AIRS 1D#: 0090181 DATE: 3-29-00 TIME IN: 10:30	TIME OUT: 11:00
FACILITY NAME: Island Cleaner	·
FACILITY LOCATION: 1395 S. Patrick Ave.	
Satellite Beach, FL 32937	7
RESPONSIBLE OFFICIAL: Larry Muly PHONE: 4	107-777-4711
CONTACT NAME:PHONE:	· · · · · · · · · · · · · · · · · · ·
PART I: NOTIFICATION	
(check appropriate box)	
1. New facility notified DARM 30 days prior to startup	
2. Facility failed to notify DARM to use general permit	
PART II: CLASSIFICATION	
Facility indicated on notification form that it is: (check appropriate box)	tion form out of business/petroleum
A.	out of ousiness penoteum
1. Existing small area source 2. New small area source	
dry-to-dry only, $x < 140$ gal/yr dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr transfer only, $x < 200$ gal/yr	
both types, $x < 140$ gal/yr both types, $x < 140$ gal/yr	∇
(constructed before 12/9/91) (constructed on or after 12/9/91)	B M
3. Existing large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr (constructed before $12/9/91$) 5. This is a correct facility classification 4. New large area source dry-to-dry only, $140 \le x \le 2,100$ transfer only, $200 \le x \le 1,800$ gal/yr (constructed on or after $12/9/91$)	OR - 4
5. This is a correct facility classification \(\textsty \) \(\te	
If no, please check the appropriate classification: facility qualified for a general permit as number facility exceeds above limits and is not eligible for a general	above l permit
B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 n facility was 14.5 gallons.	nonths by this dry cleaning

Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?

PART IV: PROCESS VENT CONTROLS

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A.	Has the responsible official	of all	new	sources	and	existing	large a	irea :	sources:
(ch	eck appropriate boxes)					-			•

Equipped all machines with the appropriate vent controls?
 Equipped dry-to-dry machines with a closed-loop vapor venting system?
 Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?
 Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?
 Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?
 Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?

	·			
В.	. Has the responsible official of an existing large or new large area source also:	/	-	
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΠY	□N	ļ
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ūΥ	ПИ	∵ □N/A
	Is the temperature differential equal to or greater than 20° F?	ПY	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΟY	ПN	□n/a
	Is the perc concentration equal to or less than 100 ppm?	ΩY	DИ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	ПN	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	ПИ	□N/A.
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΟY	ПИ	□N/A
_				
PA	ART V: RECORDKEEPING REQUIREMENTS			
,	as the responsible official: heck appropriate boxes)		<u> </u>	
1.	Maintained receipts for perc purchased?		ПN	
2.	Maintained rolling monthly averages of perc consumption?	Y	□N	
3.	Maintained leak detection inspection and repair reports for the following:			
	a. documentation of leaks repaired w/in 24 hrs? or;	ΩY	ΠN	NVA
i	b. documentation of parts ordered to repair leak and leak repaired w/in 2 days			,

PART	PART VI: LEAK DETECTION AND REPAIRS				
1. Doe	es the responsible official conduct	a weekly (for small source	s, bi-weekly) leak detection a	ınd repair	
insp	pection?			DY ON	
2. Has	the facility maintained a leak log	.?		By on	
3. Doe	es the responsible official check the	e following areas for leaks'	?		
ų.	Hose connections, fittings, couplings, and valves	dy on ona	Muck cookers	DY ON ON/A	
	Door gaskets and seating	A'אם אם צם	Stills	DY ON ONA	
	Filter gaskets and seating	באמם מם צם	Exhaust dampers	אואם אם אס	
	Pumps	באתם תם עם	Diverter valves	אואם אם צם	
	Solvent tanks and containers	DY DN DN/A	Cartridge filter housings	אואם אם צף	
	Water separators	DY DN DN/A	•		
4. Which method of detection is used by the responsible official?					
	Visual examination (condensed solvent on exterior surfaces)				
Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes)					
	Odor (noticeable perc odor)				
	Use of direct-reading instrument	tation (FID/PID/calorimetr	ric tubes)		
	Halogen leak detector				
	If using direct-reading instrumentation, is the equipment:				
l	a. Capable of detecting	perc vapor concentrations	s in a range of 0-500 ppm?	DY DN	
	b. Calibrated against a (PID/FID only)?	standard gas prior to and a	after each use		
ļ	c. Inspected for leaks and obvious signs of wear on a weekly basis?				
	d. Kept in a clean and secure area when not in use?				
ı	e. Verified for accuracy	y by use of duplicate sample	les (calorimetric only)?	OY ON	

Randall Lynningham
Inspector's Name (Please Printy)

Adall Common of the second of the

Approximate Date of Next Inspection

ADDITIONAL SITE INFORMATION:	
. •••	
	·
	•
,	
	ľ
	·
	li di

Revised 01/18
1/C 4 12 C G G 1 / 1 G

AIRS ID#:	000	0	18	

He

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: ISIGNA CLEANEY	DATE: 3-29-00
1200 5 Rhak A.a	
Satellite Beach, FL 22937	
Annual Reporting Period: March 26 TO March	20 <u>00</u>
Based on each term or condition of the Title V general air permit, my facility has remained in complianc	e with DEP Rule
62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.	es 🔲 no
If NO, complete the following:	
#1. Term or condition of the general permit that has not been in continuous compliance during the repor	ting period stated above:
Exact period of non-compliance: fromtoto	
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
#2. Term or condition of the general permit that has not been in continuous compliance during the repor	ting period stated above:
Exact period of non-compliance: fromtoto	
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
As the responsible official, I hereby certify, based on information and belief formed after reasonable inquin this notification are true, accurate and complete. Further, my annual consumption of perchloroethyles purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for dry-to dry facilities. RESPONSIBLE OFFICIAL: Name (Please Print) Signature	ne solvent, based upon

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL (CO	MPLAINT/DISCOVERY RE-INSPECTION			
TIME IN: 10130 TIME OUT: 11.00)AIRS ID#:			
FACILITY NAME: ISland Cleaner	DATE: 3-24-00			
FACILITY LOCATION: 1395 Patrick Ave. Sytchite Beach, FL 3:	0.937			
RESPONSIBLE OFFICIAL: Larry Mula	PHONE NUMBER: 407-777-4711			
Based on the results of the compliance requirements evalu compliance with DEP Rule 62-213.300, Florida Administra				
Based on the results of the compliance requirements evaludiscrepancies were noted:	ated during this inspection, the following compliance			
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED			
COMMENTS:				
InCompliance				
The Annual Compliance Certification form has been properly certified and submitted to the inspector. YES NO DATE OF NEXT INSPECTION: 3 = 200 /				
INSPECTION CONDUCTED BY: Randall Compagnam				
INSPECTOR'S SIGNATURE: PAUL (Please Print) PHONE NUMBER: 407-777-4711				

Revised 10/96