

**CONCRETE BATCHING PLANTS
AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEET**

RECEIVED

APR 30 2012

Facility Identification Number - If known (seven digit number)

0111013

0111013-007

DIVISION OF AIR
RESOURCE MANAGEMENT

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
- Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit). If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. (See "Surrender of Existing Air Operation Permit(s)" below.)
- Operates an existing facility not currently permitted or using an air general permit.

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
- Continue operating the facility after a change of ownership.
- Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C.
- Any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable

All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):

N/A

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Adonel Concrete Pumping and Finishing of South Florida

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)

Ft. Lauderdale Plant

Facility Location (Physical location of the facility, not necessarily the mailing address.)

Street Address: 5512 NW 10 Terr.

City: Ft. Lauderdale

County: Broward

Zip Code: 33309

2810

Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility)

N/A

FLORIDA DEPARTMENT OF
 ENVIRONMENTAL PROTECTION
 2012 APR 27 AM 9:15
 STATE ACCOUNTING
 REVENUE

RECEIVED

APR 24 2012

CONCRETE BATCHING PLANTS
AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEET
DIVISION OF AIR
RESOURCE MANAGEMENT

Facility Identification Number - If known (seven digit number)

0111013

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
- Operate an existing permitted facility not currently using an air permit (from an air operation permit to an air general permit). If the facility has other air permits, such permit(s) must be surrendered by the owner or operator of the permit. (See "Surrender of Existing Air Operation Permit(s)" below.)
- Operates an existing facility not currently permitted or using an air permit.

RE-REGISTRATION (for facilities currently using an air general permit):

- Continue operating the facility after expiration of the current permit.
- Continue operating the facility after a change of ownership.
- Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C.
- Any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

1745 HES
4/24/12
TALKED
TO DEYANERHANA
MONTALVAN
& SHE WILL
SEND MONEY/CHECK
CHECK CHRIS

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable

All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):

N/A

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

A donel concrete Pumping and Finishing of South Florida

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)

Ft. Lauderdale Plant

Facility Location (Physical location of the facility, not necessarily the mailing address.)

Street Address: 5512 NW 10 Terr.

City: Ft. Lauderdale

County: Broward

Zip Code: 33309

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility)

N/A

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
2012 APR 23 PM 12:40
FINANCE & ACCOUNTING
REVENUE

Facility Contact

<u>Name and Position Title</u> (Plant manager or person to be contacted regarding day-to-day operations at the facility.) Print Name and Title: <u>Deyanirhan Montalvan</u> <u>Operations Manager</u>		
<u>Facility Contact Telephone Numbers</u> Telephone: <u>305-392-5416 ext. 167</u> Fax: <u>305-468-8011</u> Cell phone: <u>786-258-1173</u> E-mail: <u>dmontalvan@adonelconcrete.com</u>		
<u>Facility Contact Mailing Address</u> Organization/Firm: <u>Adonel concrete</u> Mailing Address: <u>2101 NW 110 Ave.</u> City: <u>Miami</u> County: <u>Dade</u> Zip Code: <u>33172</u>		

Other Contact/Representative (to serve as additional Department contact)

<u>Name and Position Title</u> Print Name and Title: <u>Anamaria Garcia</u> <u>Office Manager</u>		
<u>Other Contact/Representative Telephone Numbers</u> Telephone: <u>305-392-5416 ext. 146</u> Fax: <u>305-418-3252</u> Cell phone: <u>786-251-0429</u> E-mail: <u>amgarcia@adonelconcrete.com</u>		
<u>Other Contact/Representative Mailing Address</u> Organization/Firm: <u>Adonel concrete</u> Mailing Address: <u>2101 NW 110 Ave.</u> City: <u>Miami</u> County: <u>Dade</u> Zip Code: <u>33172</u>		

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2012 APR 23 PM 12:40
FINANCE & ACCOUNTING
REVENUE

Type of Facility

Check one:
 Stationary Facility Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

<input checked="" type="checkbox"/> Pave Roads	<input checked="" type="checkbox"/> Pave Parking Areas	<input checked="" type="checkbox"/> Pave Yards
<input type="checkbox"/> Maintain Roads/Parking/Yards	<input checked="" type="checkbox"/> Use Water Application	<input checked="" type="checkbox"/> Use Dust Suppressant
<input type="checkbox"/> Remove Particulate Matter	<input type="checkbox"/> Reduce Stock Pile Height	<input type="checkbox"/> Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

<input type="checkbox"/> Spray Bar	<input checked="" type="checkbox"/> Chute	<input type="checkbox"/> Enclosure
	<input checked="" type="checkbox"/> Partial enclosure	

Equipment Details Provide information for each silo, weigh hopper (batcher), and other enclosed storage and conveying equipment that are limited to a visible emissions of 5 percent opacity pursuant to Rule 62-296.414(1), F.A.C.

PROCESS EQUIPMENT TYPE (silo, weigh hopper, batcher, etc.)	PROCESS EQUIPMENT IDENTIFICATION*	CONTROL DEVICE (baghouse, vent filter, etc.)	CONTROL DEVICE MANUFACTURER	CONTROL DEVICE MODEL NUMBER
Flyash-SE Silo	14006-70-TON	Baghouse	C+W	CP-900
Cement NW Silo	14006-82-TON	Baghouse	C+W	CP-900
CDC w/WH	127128	Baghouse	C+W WH	WH Batcher

* If there are multiple pieces of the same types of process equipment (more than one silo, etc), provide an identifier (location, numeric designation, capacity or product) specific to each piece of equipment.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe type of concrete product(s) manufactured, all air pollutant-emitting processes, and identify any air pollution control measures used. Mobile source equipment information is not needed (eg.: trucks, bulldozers, front-end loaders, etc.)

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
 2012 APR 23 PM 12:40
 FINANCE & ACCOUNTING REVENUE



SOUTH FLORIDA ENVIRONMENTAL SERVICES
Air Quality Specialists

**VISIBLE EMISSION (METHOD 9) OPACITY TEST
REPORT**

PREPARED FOR: ADONEL CONCRETE.
2101 NW 110TH AVENUE
MIAMI, FLORIDA 33172

CONCERNING: VISIBLE EMISSION TEST – FT. LAUDERDALE PLANT
5512 NW 10TH TERRACE
FT. LAUDERDALE, FLORIDA 33309

DATE OF TEST: APRIL 9, 2012

PREPARED BY: SOUTH FLORIDA ENVIRONMENTAL SERVICES, LLC
2257 VISTA PARKWAY UNIT 25
WEST PALM BEACH, FL 33411

PROJECT #: 12-521

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2012 APR 23 PM 12:40
FINANCE & ACCOUNTING
REVENUE



SOUTH FLORIDA ENVIRONMENTAL SERVICES
Air Quality Specialists

VISIBLE EMISSIONS TEST REPORT

PREPARED FOR:

Adonel Concrete
2101 NW 110th Avenue
Miami, Florida 3172

CONCERNING:

Visible Emissions Testing
Adonel Concrete Ft. Lauderdale Plant
5512 NW 10th Terrace
Ft. Lauderdale, FL

PREPARED BY:

South Florida Environmental Services, LLC
2257 Vista Parkway Unit 25
West Palm Beach, Florida 33411

I hereby certify that the information contained in this report is true and accurate to the best of my knowledge.

Francis K Morlu
Project Manager

April 9, 2012

Date

COMPENDIUM:

On April 9, 2012, South Florida Environmental conducted visible emissions test for Adonel Concrete at a concrete batch plant located at 5512 NW 10th Terrace, Ft. Lauderdale. Adonel Concrete recently purchased this batch plant and is in the process of applying for General Air Operating Permit. This report will be a part of the permit application document. The test program was conducted on three dust collectors. One dust collector for the truck load-out and the two dust collectors for the East & West silos.

One tanker was used to load both silos one at a time. During the compliance test, the tanker truck maintained a loading pressure of 9 PSI. The silo dust collectors were each observed for a 30-minute period and the truck load-out dust collector vent was observed for a seven minutes period.

All testing and data reduction were conducted in accordance with EPA Method 9 as found in 40 CFR 60 Appendix A, as amended.

Francis K Morlu of South Florida Environmental Services was the certified visible emissions evaluator at the time of testing. Ms. Deyanirhah Montalvan, Customer Service Manager of Adonel Concrete coordinated the test program and Carlos was responsible for the plant operations.

RESULTS:

The results, summarized in Table 1, show that all the emission sources are operating in accordance as per FAC Rule 62-296, 414 and EPA Standards (40 CFR 60 Appendix A, as amended).

Table 1: Summary of Results

Location	Highest Six Minute Average	Overall Opacity	Limit
Existing Silo			
East silo dust collector	0.0 %	0.0 %	5.0%
West silo dust collector	0.0 %	0.0 %	5.0%
Truck Load-out Dust Collector	0.0 %	0.0 %	5.0%

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
 2012 APR 23 PM 12:40
 FINANCE & ACCOUNTING REVENUE

VISIBLE EMISSIONS TEST REPORT
Field Data Sheet

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
2012 APR 23 PM 12:41
FINANCE & ACCOUNTING
REVENUE




EPA METHOD 9 (40 CFR 60 - Appendix A) VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME ADONAL CONCRETE		
LOCATION 5512 NW 10TH TERRACE		
LOCATION		
CITY FT. LAUDERDALE	STATE FL	ZIP 33309
PROCESS EQUIPMENT LOADING CEMENT		OPERATING MODE 9 PSI
CONTROL EQUIPMENT DUST COLLECTOR		OPERATING MODE NORMAL
DESCRIBE EMISSION POINT VENT OF DUST COLLECTOR ON TOP OF SLID (EAST)		
HEIGHT OF EMISSION POINT ~ 50 FT		HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER START 48 END 48
DISTANCE TO EMISSION POINT START 150 END 150		DIRECTION TO EMISSION PT. (DEGREES 0-360)) START 280 END 280
VERTICAL ANGLE TO OBSERVATION POINT START 18 END 18		DIRECTION TO OBSERVATION POINT (DEGREES 0-360)) START 280 END 280
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT START 150 @ 280 END SAME		
DESCRIBE EMISSIONS START NONE END NONE		
EMISSION COLOR START N/A END N/A		WATER DROPLET PLUME <input type="checkbox"/> ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> NONE <input checked="" type="checkbox"/>
DESCRIBE PLUME BACKGROUND START SKY END SKY		
BACKGROUND COLOR START BLUE END SAME		SKY CONDITIONS START SCATTERED END SAME
WIND SPEED START 0-10 END 0-10		WIND DIRECTION START NE END NE
AMBIENT TEMP START 78 END 78		WET BULB TEMP RH percent

OBSERVATION DATE 4/19/12	START TIME 0908	END TIME 0938
------------------------------------	---------------------------	-------------------------

MIN	SEC				COMMENTS
	0	15	30	45	
1	0	0	0	0	
2	0	0	0	0	
3	0	0	0	0	
4	0	0	0	0	
5	0	0	0	0	
6	0	0	0	0	
7	0	0	0	0	
8	0	0	0	0	
9	0	0	0	0	
10	0	0	0	0	
11	0	0	0	0	
12	0	0	0	0	
13	0	0	0	0	
14	0	0	0	0	
15	0	0	0	0	
16	0	0	0	0	
17	0	0	0	0	
18	0	0	0	0	
19	0	0	0	0	
20	0	0	0	0	
21	0	0	0	0	
22	0	0	0	0	
23	0	0	0	0	
24	0	0	0	0	
25	0	0	0	0	
26	0	0	0	0	
27	0	0	0	0	
28	0	0	0	0	
29	0	0	0	0	
30	0	0	0	0	



OBSERVER'S NAME (PRINT) FRANK K. MORLU	
OBSERVER'S SIGNATURE <i>Frank Morlu</i>	DATE 4/19/12
ORGANIZATION SPES	
CERTIFIED BY EIA	DATE 4/19/12


ADDITIONAL INFORMATION

**EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM**

COMPANY NAME MADONAL CONCRETE		
LOCATION 5512 NW 10TH TERRACE		
LOCATION		
CITY, ST., ZIP LAUDERDALE FL. 33309	STATE	
PROCESS EQUIPMENT LOADING CEMENT	OPERATING MODE 9 PSI	
CONTROL EQUIPMENT DUST COLLECTOR	OPERATING MODE NORMAL	
DESCRIBE EMISSION POINT VENT OF DUST COLLECTOR ON TOP OF WEST SILO		
HEIGHT OF EMISSION POINT ~ 50	HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER START 4.8 END 4.8	
DISTANCE TO EMISSION POINT START 156 END 156	DIRECTION TO EMISSION PT. (DEGREES 0-360) START 280 END 280	
VERTICAL ANGLE TO OBSERVATION POINT START 18 END 18	DIRECTION TO OBSERVATION POINT (DEGREES 0-360) START 280 END 280	
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT START 156 @ 280 END SAME		
DESCRIBE EMISSIONS START NONE END NON		
EMISSION COLOR START N/A END	WATER DROPLET PLUME ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> NONE <input checked="" type="checkbox"/>	
DESCRIBE PLUME BACKGROUND START SKY END SKY		
BACKGROUND COLOR START GRAY END GRAY	SKY CONDITIONS START CLEAR END SAME	
WIND SPEED START 0-10 END 0-10	WIND DIRECTION START NE END NE	
AMBIENT TEMP START 78 END 78	WET BULB TEMP START	
	RH percent END	

OBSERVATION DATE 4/9/12	START TIME 0944	END TIME 1014
-----------------------------------	---------------------------	-------------------------

MIN	SEC				COMMENTS
	0	15	30	45	
1	0	0	0	0	
2	0	0	0	0	
3	0	0	0	0	
4	0	0	0	0	
5	0	0	0	0	
6	0	0	0	0	
7	0	0	0	0	
8	0	0	0	0	
9	0	0	0	0	
10	0	0	0	0	
11	0	0	0	0	
12	0	0	0	0	
13	0	0	0	0	
14	0	0	0	0	
15	0	0	0	0	
16	0	0	0	0	
17	0	0	0	0	
18	0	0	0	0	
19	0	0	0	0	
20	0	0	0	0	
21	0	0	0	0	
22	0	0	0	0	
23	0	0	0	0	
24	0	0	0	0	
25	0	0	0	0	
26	0	0	0	0	
27	0	0	0	0	
28	0	0	0	0	
29	0	0	0	0	
30	0	0	0	0	



OBSERVER'S NAME (PRINT) FRANCIS K. MORLU	
OBSERVER'S SIGNATURE [Signature]	DATE 4/9/12
ORGANIZATION SPES	
CERTIFIED BY EIA	DATE 1/11/12

ADDITIONAL INFORMATION


**EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM**

COMPANY NAME ADONEL CONCRETE		
LOCATION 5512 NW 10TH TERRACE		
LOCATION		
CITY FT. LAUDERDALE	STATE FL	ZIP 33309
PROCESS EQUIPMENT TRUCK-LOAD-OUT		OPERATING MODE NORMAL
CONTROL EQUIPMENT DUST COLLECTION		OPERATING MODE NORMAL
DESCRIBE EMISSION POINT VENT OF DUST COLLECTOR		
HEIGHT OF EMISSION POINT ~ 10		HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER START 4 END 4
DISTANCE TO EMISSION POINT		DIRECTION TO EMISSION PT. (DEGREES 0-360))
START 20 END 20		START 270 END 270
VERTICAL ANGLE TO OBSERVATION POINT		DIRECTION TO OBSERVATION POINT (DEGREES 0-360))
START 11 END 11		START 270 END 270
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT		
START 20 @ 270 END SAME		
DESCRIBE EMISSIONS		
START NONE END NONE		
EMISSION COLOR		WATER DROPLET PLUME
START N/A END N/A		ATTACHED <input type="checkbox"/> DETACHED <input type="checkbox"/> NONE <input checked="" type="checkbox"/>
DESCRIBE PLUME BACKGROUND		
START SKY END SKY		
BACKGROUND COLOR		SKY CONDITIONS
START BLUE END BLUE		START SCATTERED END SAME
WIND SPEED		WIND DIRECTION
START 0-10 END 0-10		START NE END NE
AMBIENT TEMP		WET BULB TEMP RH percent
START 78 END 79		

OBSERVATION DATE 4/9/12	START TIME 1020	END TIME 1027
-----------------------------------	---------------------------	-------------------------

MIN	SEC					COMMENTS
		0	15	30	45	
1	0	0	0	0	0	
2	0	0	0	0	0	
3	0	0	0	0	0	
4	0	0	0	0	0	
5	0	0	0	0	0	
6	0	0	0	0	0	
7	0	0	0	0	0	
8	0					
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						

FILED IN A DEPARTMENT OF
 ENVIRONMENTAL PROTECTION
 2012 APR 23 PM 12:41
 FINANCIAL ACCOUNTING
 REVENUE



OBSERVER'S NAME (PRINT) FRANCIS K. MORLEY	
OBSERVER'S SIGNATURE <i>[Signature]</i>	DATE 4/9/12
ORGANIZATION SFES	
CERTIFIED BY ETA	DATE 1/11/12

ADDITIONAL INFORMATION

VISIBLE EMISSIONS TEST REPORT
Field Loading Sheet



PERMANENT ADDRESS - FORT LAUDERDALE, FL

IN 730 AM

CONTINENTAL
HEIDELBERGCEMENT Group

Port Everglade
196H188654



STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - NOT NEGOTIABLE

RECEIVED, subject to the applicable classification, tariff, circular and/or contract in effect on the date of the issue of this Original Bill of Lading, the property described below, in apparent good order, except as noted "contents and condition of contents of packages unknown", marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the National Motor Freight Classification in effect on the date hereof, if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Uniform Straight Bill of Lading set forth in the classification which governs this shipment, said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

Delivery Date/Time: Apr 9, 2012 7:06 AM

Loaded On: Apr 9, 2012 7:06 AM

ADONEL-MIAMI
2101 N.W. 110 AVE
MIAMI FL 33172
US

Customer Number : 0000018652
Customer P.O. # :
Carrier : A CUSTOMER PICKUP
Carrier ID : 0000400643

Description	Quantity	Unit of Measure	Truck, Trailer & Pup	Silo	Scale ID	Gross	Tare	Net
Gray Portland Type I Bulk Sweden	26.08	TON	1007 1008	A		79280 LB	27120 LB	52160 LB

Special Instructions : PLEASE GIVE CUSTOMER A MILL TEST!-0514250

Ascen
~~Signature~~
Ft. Lauderdale

Note: Any manually-entered weights or quantities are identified with a darker background.

Weighmaster signature

Prior to signing delivery receipt, verify condition of shipment. No loss or damage claims considered unless exception is noted on Bill of Lading by consignee at time of delivery.	
CUSTOMER PICKUP	
RECEIPT OF THE PRODUCT AND QUANTITY DESIGNATED HEREON IS ACKNOWLEDGED, FOB ORIGIN, BY CUSTOMER OR AGENT FOR CUSTOMER FOR DELIVERY TO THE CUSTOMER AND DESTINATION IDENTIFIED HEREON.	
COMPANY _____	Subject to Section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.
AGENT _____	
TRACTOR LIC. NO. _____	
Received by <i>Ascen</i> _____ (Customer's signature)	PER _____ (Signature of Consignor)
The description and weight indicated on this Bill of Lading are correct subject to verification by the respective Weight and Inspection Bureau according to Agreement CONTINENTAL FLORIDA MATERIALS INC. - SHIPPER	CHARGES ARE PREPAID UNLESS MARKED
	NOT PREPAID
	CONTINENTAL FLORIDA MATERIALS INC. - SHIPPER PER -
	RECEIVED BY CARRIER AGENT ABOVE PER -

VISIBLE EMISSIONS EVALUATOR CERTIFICATE





VISIBLE EMISSIONS EVALUATOR

Francis Morlu

This is to certify that the above named observer has met the specifications of Federal Reference Method 9 and is qualified as a visible emissions evaluator. Maximum deviation on white and black smoke did not exceed 7.5% opacity and no single error exceeding 15% opacity was incurred during the certification test conducted by Eastern Technical Associates, Inc. of Raleigh, N.C.

This certificate is valid for six months from date of issue.

400479	MOR522312
Certificate Number	Student ID Number
1/11/2012	West Palm Beach, FL
Date of Certification	Location
7/12/2012	ORLF10
Certification Expiration Date	Last Lecture

Jody Monk
Director of Training