

Lawton Chiles

Governor

Department of Environmental Protection

0112206

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

August 26, 1996

Mr. Jaqui Dagois, President Mayfair Cleaners, Inc. 2760 East Oakland Park Boulevard Fort Lauderdale, Florida 33306

Dear Mr. Dagois:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 12, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief Bureau of Air Monitoring

Statty West

and Mobile Sources

/DD

cc: Mr. Robert Wong, Broward County

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

p 15 4- does not need to be marked

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1.	Facility Owner/Company Name (Name of corporation, agency, or individual owner):
M	AYFAIR CLEANERS INC
2.	Site Name (For example, plant name or number):
10	PAYFAIR CLEANERS
'	
3.	Hazardous Waste Generator Identification Number:
	HAT 64824 = 96 FLD 981004351
4.	Facility Location:
	Street Address: 2760 EAST OAKLAND PARK BLUD
	City: FT LAUDERDACE County: BROWARD Zip Code: FL33306
. 5.	Facility Identification Number (DEP Use):
	1 0//2206 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	D
	Responsible Official
6.	Name and Title of Responsible Official:
	TAQUI DAGOIS PRESIDENT MAYFAIR CLEANERS INC
	THOU PHOUS PRESIDENT MATTHIR CLEANERS INC
	Responsible Official Mailing Address:
'	Organization/Firm: MAYFAIR CLEANERS INC
	Street Address: P.O. BOX DUSW 7
'	City: FT LAUDERDALE County: BROWARD Zip Code: FL 33306
	Responsible Official Telephone Number:
	Telephone: (954) 576-0873 Fax: () -
	Facility Country (16 different from Property)
	Facility Contact (If different from Responsible Official)
Q '	Name and Title of Facility Contact (For example, plant manager):
, ,	Traine and Three of Facility Contact (For example, plant manager).
	•
10.	Facility Contact Address:
	-
:	Street Address:
(City: Zip Code:
	•
11. 1	Facility Contact Telephone Number:
	Telephone: () - Fax: () -

RECEIVED

AUG 1 2 1996

Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

		Date	Date		Date	Date		Date	Date
	ļ	Machine	Control		Machine	Control		Machine	Control
· ·		Initially	Device ,		Initially	Device		Initially	Device
Type of Machine	ID	Purchased	Installed /	ID	Purchased	Installed	ID	Purchased	Installed
Example	#1	03-OCT-93) 12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
Dry-to-Dry Unit	/ -#1	8-04-	. 95 '	1		•			
(1) w/ ref. condenser		12-04-	- 63	1			Ι		
(2) w/ carbon adsorber	\mathcal{D}	17 2- 0	ng			 			1
(3) w/ no controls		-					-		
Washer Unit									
(4) w/ ref. condenser		1	1		1	1			T .
(5) w/ carbon adsorber	_							 	
(6) w/ no controls					-		-	 	
Dryer Unit					<u> </u>			<u>.</u> L	.1
(7) w/ ref. condenser		Ι		1		T			
(8) w/ carbon adsorber									†
(9) w/ no controls			<u> </u>			-		 	+
Reclaimer Unit		J							
(10) w/ ref. condenser		1					Ė		
(11) w/carbon adsorber								 	
(12) w/ no controls						 		-	† .
	are ro	equired to be ity of perchlo	installed [_	perc)	ĺ	n the latest 12	2 moi	nths?	
(b) If less than 12 mont Check why it is less					_] New store	:: [] Did	not k	eep records:	
3. What is the facility's so (Indicate with an "X".					nitions foun	d in section (3) of	Part II?	
Existing small are	ea so	urce 🔀	Ne	w sm	iall area soui	rce []		
Existing large are	a sou	irce []	Ne	w lar	ge area sour	-ce []		

DEP Form No. 62-213.900(2)

Effective: 6-25-96

4. What control technology is required on machines (Indicate with an "X".)	pursuant to section (5) of Part II of this notification form?
Existing large area source Carbon adsorber []	Refrigerated condenser
New small area source Refrigerated condenser []	
New large area source Refrigerated condenser []	•
	units shall not be eligible to use the general permit pursuant d hot water generating units on-site meet the following
	have a total heat input of 10 million BTU/hr or less (298 atural gas except for periods of natural gas curtailment e than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site	
Francisco A.M. and A. a	
	and Recordkeeping Information
Check all logs which are required to be kept on-site i	in accordance with the requirements of this general permit:
(a) Purchase receipts and solvent purchases	ب
(b) Leak detection inspection and repair	ليا
(c) Refrigerated condenser temperature monitoring	
(d) Carbon adsorber exhaust perc concentration mon	itoring
(e) Instrument calibration	
(f) Start-up, shutdown, malfunction plan	$\left[\checkmark \right]$

DEP Form No. 62-213.900(2) Effective: 6-25-96

Surrender of Existing Air Permit(s)

Plea	se indicate	with an "X" the appropriate selection:
		I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s)
	/	
		No air permits currently exist for the operation of the facility indicated in this notification form.
ı		Responsible Official Certification
	this notific statements maintain t	ersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in cation. I hereby certify, based on information and belief formed after reasonable inquiry, that the smade in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to the all terms and conditions of this general permit as set forth in Part II of this notification form.
	I will pron	nptly notify the Department of any changes to the information contained in this notification.
2	Signature	TOTOM MAYFAIR CLEANERS INC. 17/96

BEST AVAILABLE COPY INSPECTION SUMMARY REPORT YPE OF INSPECTION: ANNUAL COMPLAINT/DISCOVERY

TYPE OF INSPECTION:	ANNUAL [COM	1PLAINT/DISCC	VERY	RE-INSPECTION
TIME IN: 1445	TIME OUT:	153	? 0	AIRS ID#:	0112206
TYPE OF FACILITY:	May FAIR	Cle	ANCRS	Perc	DAY Cleanges
FACILITY NAME:	MAY	FAIR	Cleaner	25	DATE: 4/14/97
FACILITY LOCATION:	2760	Ê.	OAKland	PARK	Blud.
RESPONSIBLE OFFICIAL:	Vagui	Dagoi	PH ع	ONE NUMBER	(954) 566-0875
	the compliance requirem Rule 62-213.300, Florida		=		cility is found to be in
Based on the results of discrepancies were not	the compliance requiremed:	nents evalua	ated during this in	ispection, the fol	Howing compliance
COMPLIANCE REQ	UIREMENT/PROB	BLEM	FOLL)W-UP ACT	ION REQUIRED
			F	RECEI	VED
				B YAM	1997
				Bureau of Air & Mobile S	
					-
COMMENTS:					
The Annual Compliance Certifi	cation form has been pro	perly certif	fied and submitted	to the inspector	r. YES NO
DATE OF NEXT INSPECTION	ON::NC	RIL	98 oproximate)		
INSPECTION CONDUCTED) BY:	ha	lease Print)	pola	·
INSPECTOR'S SIGNATURE	:: The man	(P)	•	ONE NUMBER	(954) 5 19 - 1235
	V	Page	of		Revised In/9/

. AIRS ID#: 0/12206

Revised 10/10/96

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

					
FACILITY NAME: MAY	Cair (" Leone	C-31	DATE	4/14/27
FACILITY LOCATION: 2	760 F	· Darkh	and Por	2K Blud.	7 4
Ft.	Conde d	ale F1	33	306	
Annual Reporting Period:	opil 14	19 <u>92</u>	то	April	1928
Based on each term or condition of the Title 62-213.300, Florida Administrative Code (F					EP Rule
·	.A.C.), during the	period covered i	by mis statem	the TES	— 110
If NO, complete the following:					
#1. Term or condition of the general permi	t that has not been	in continuous co	ompliance dur	ing the reporting peri	od stated above:
Exact period of non-compliance: from			to		
Action(s) taken to achieve compliance:					
Method used to demonstrate compliance:					
#2. Term or condition of the general permi	t that has not been	in continuous co	ompliance dur	ing the reporting peri	od stated above:
· · · · · · · · · · · · · · · · · · ·		,			
Exact period of non-compliance: from			to		
Action(s) taken to achieve compliance:					
Method used to demonstrate compliance:					
1. Total of a serious and compilation.					
				 	
As the responsible official, I hereby certify, made in this notification are true, accurate	_		•	• •	
upon rolling averages of purchase receipts,					
year for transfer or combination facilities.		(A)	MILITA		/ /
RESPONSIBLE OFFICIAL:		05		W(W)	4/4/95
Na T	me (Please Print) PAGUI DPAG	IAIS AL	AYto	nlature O	/ Date
	TYVI WITE		T/JAJA	BRSINC	

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Page _____ of ____.

Ale

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

AIRS ID#0112206 NERS INC

MAYFAIR CLEANERS INC JAQUI DAGOIS PO BOX 24547 FT LAUDERDALE FL 33306 RECEIVED

AN 2 6 1998

Bureau of Air Monitoring & Mobile Sources

Do NOT Remove Label

Annual Reporting Period:	19TO		19
Based on each term or condition of the Title V general air po 62-213.300, Florida Administrative Code (F.A.C.), during the		→	DEP Rule
If NO, complete the following:			T.
#1. Term or condition of the general permit that has not bee	en in continuous compliance	during the reporting pe	riod stated above:
Exact period of non-compliance: from	to)	-
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:			20CM VOCM VED VED
#2. Term or condition of the general permit that has not bee	n in continuous compliance	during the reporting pe	riod stated above:
Exact period of non-compliance: from	to_		
Action(s) taken to achieve compliance:			
Method used to demonstrate compliance:			
As the responsible official, I hereby certify, based on information notification are true, accurate and complete. Further, my annual does not exceed 2,100 gallons per year for dry-to dry facilities or RESPONSIBLE OFFICIAL: Name (Please Print)	al consumption of perchloroet	hylene solvent, based upoi	n purchase receipts,

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

YPE OF INSPECTION:	ANNUAL [COMPL:	AINT/DISCOVERY		REHNSPECT	100
TME IN: 1440		1530			112206	
TYPE OF FACILITY:	Perc	DRY	Cleaners	<u> </u>		
ACILITY NAME:	MAY FAIR	CI	PANERS	0	DATE: Y/2	2/98
ACILITY LOCATION:	12760	E.	DAK Imad	PK	Bluf	
RESPONSIBLE OFFICIAL:	Jaqui Dog	ois	РНОМЕ МО	JMBER:	566-087	3
<u></u>	of the compliance requirement Rule 62-213.300, Florida A			, the facili	ry is found to be in	1
Based on the results of discrepancies were no	of the compliance requirement ored:	nts evaluated	during this inspection	, the follow	wing compliance	
COMPLIANCE REC	QUIREMENT/PROBL	EM	FOLLOW-UF	ACTIO	N REQUIRE	D
				7	•	
					\mathcal{C}_{\star}	
			Q _L	MAL	6/	
			¢	1 /2 C	L	٠ –
				8/2/4	19, 0	
				Sollyon		
		1		, S. J.	Onigo —	
			•		ū	
	····				· · · · · ·	
	•					
COMMENTS	*	·	•			
The Annual Compliance Certi	fication form has been prope	edy genified :	and submitted to the i	nspector.	YES	NOI
DATE OF NEXT INSPECT	10N: 4/27	/48				-
		Appro	ximate)			
INSPECTION CONDUCTE	D 3Y: John	Copp	OlA			
	TOPO .	(Hetse	Print)			
INSPECTOR'S SIGNATUR	E Dagsol	<u> </u>	PHONENU	MBER:_	954-51	9-12
		Page of				Cavised !

AIRS ID#: 0112206 /ACC

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: MAY FAIR CLARRES DATE: 4/27	/98
FACILITY NAME: May FAIR Cleaners DATE: 4/27 FACILITY LOCATION: 2760 E. DAKIMAL PK. Blad.	
Ft. Landordole, Fl. 33306	
Annual Reporting Period: April 27 1998 TO April	19 99
Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES	
If NO, complete the following:	
#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated at	ove:
Exact period of non-compliance: from	
Action(s) taken to achieve compliance:)
Method used to demonstrate compliance:	
#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated at	oove:
Exact period of non-compliance: from	
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
As the responsible official. I hereby certify, based on information and belief formed after reasonable inquiry, that the statem made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, be upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfe combination facilities pressure ATR CEANES INC.	ised

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL RE-INSPEC	COMPLAINT/DISCONER TON
AIRS ID#: 01/2206 DATE: 4/2	7/98 TIME IN: 1440 TIME OUT 1530
FACILITY NAME: May for	R Cleaners
FACILITY LOCATION: 2760	E. OAKland PK. Bland.
	u der døle, F1. 33306
RESPONSIBLE OFFICIAL: Jaqui	DA901'S PHONE: 576-0873
CONTACT NAME: Joqui Da	90is PHONE: 566-0873
PART I: NOTIFICATION	
(check appropriate box)	
1. New facility nowfied DARM 30 days prior to	Startin
2. Facility failed to notify DARM to use general	`
2. I active tance to note brace to use general	r permit
PART II: CLASSIFICATION	
PART U: CLASSIFICATION Facility indicated on notification form that it	No notification form
PART D: CLASSIFICATION Facility indicated on notification form that it (check appropriate box)	is:
Facility indicated on notification form that it (check appropriate box) A.	☐ Drop store/out of business/petroleum
Facility indicated on notification form that it (check appropriate box) A. 1. Existing small area source	☐ Drop store/out of business/petroleum 2. New small area source ☐
Facility indicated on notification form that it (check appropriate box) A.	☐ Drop store/out of business/petroleum
Facility indicated on notification form that it (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr
Facility indicated on notification form that it (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr
Facility indicated on notification form that it (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr
Facility indicated on notification form that it (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr transfer only, 200 \le x \le 1,800 gal/yr both types, 140 \le x \le 1,800 gal/yr	Drop store/out of business/petroleum 2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after $12/9/91$) 4. New large area source dry-to-dry only, $140 \le \hat{x} \le 2.100$ gal/yr transfer only, $200 \le x \le 1.800$ gal/yr both types, $140 \le x \le 1.800$ gal/yr

Is the responsible official of the dry cleaning facility: (check appropriate boxes) 1. Storing perchloroethylene in tightly sealed and impervious containers? A/MD MC YO ANA NO 2. Examining the containers for leakage? Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at AVAD ND YS least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber TON DN/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Curbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) DY DN 1. Equipped all machines with the appropriate vent controls? AIND ND YD 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? AMC NO YO 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? DY DN

PART III: GENERAL CONTROL REQUIREMENTS

DY ON ONA

MO AD

5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the

6. Conducted all temperature monitoring after an appropriate cooldown period and after

verifying that the coolant had been completely charged?

condenser exceeded 45° F?

В.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΟY	ДN	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΟY	ПN	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΟY	ИD	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΟY	NO	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΟY	ИD	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	ИO	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΟY	ИO	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	DИ	DN/A

Р.	ART V: RECORDKEEPING REQUIREMENTS						
	Has the responsible official: (check appropriate boxes)						
1.	Maintained receipts for perc purchased?	ON ON					
2.	Maintained rolling monthly total of perc consumption?	™ □N					
3.	Maintained leak detection inspection and repair reports for the following:						
	a. documentation of leaks repaired w/in 24 hrs? or;	ON ONA					
	b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	ON ONA					
4.	Maintained calibration data? (for applicable direct reading instruments)	OY ON PX/A					
5.	Maintained exhaust duct monitoring data on perc concentrations?	AND ND YD					
6.	Maintained startup/shutdown/malfunction plan?	OV ON					
7.	Maintained deviation reports?	ANA NO YO					
	Problem corrected?	Y ON ONA					
8.	Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? Maintained deviation reports? Problem corrected? Maintained compliance plan, if applicable?	אאם אם 🕦					

PART VI: LEAK DETECTION AND REPAIRS

1.	Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair				
	inspection?		•	ON ON	
2.	Has the facility maintained a leak log?			ON ON	
3.	Does the responsible official check the f	ollowing areas for leaks	?		
	Hose connections, fittings, couplings, and valves	ON ONIA	Muck cookers	RY ON ON/A	
	Door gaskets and seating	ON ON/A	Sulls	SY ON ON/A	
	Filter gaskets and seating	Y ON ONA	Exhaust dampers	Y ON ON/A	
	Pumps	ON ON/A	Diverter valves	AVAC NO 🐿	
	Solvent tanks and containers	Y ON ONA	Cartridge filter housings	AVID NO YE	
	Water separators	ZY ON ONIA			
4.	Which method of detection is used by the	ne responsible official?			
Visual examination (condensed solvent on exterior surfaces)				10	
	Physical detection (airflow felt thr	ough gaskets)		9	
	Odor (nouceable perc odor)		. .		
	Use of direct-reading instrumental	tion (FID/PID/calorimet	ric tubes) ON SITA	3	
	Halogen leak detector		,	٥	
	If using direct-reading instru	umentation, is the equi	pment:	⊙ N/A	
	 a. Capable of detecting p 	erc vapor concentration	s in a range of 0-500 ppm?	NO YO	
	b. Calibrated against a st (PID/FID only)?	tandard gas prior to and	after each use	אם צם	
c. Inspected for leaks and obvious signs of wear on a weekly basis?			NO YO		
	d. Kept in a clean and se	cure area when not in u	se?	OY ON	
	e. Venified for accuracy	by use of duplicate samp	oles (calorimetric only)?	ОУ ОИ	

Inspector's Named Please Print)

Date of Inspection

45

Approximate Date of Next Inspection

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: MAY FAIR CLARGES DATE: 4/ FACILITY LOCATION: 2760 E DAKING PK. Blad.	27/98
FT. Landerdole, Fl. 33306	
Annual Reporting Period: April 27 1998 TO April	19 <i>99</i>
Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rul 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement.	
If NO, complete the following:	
#1. Term or condition of the general permit that has not been in continuous compliance during the reporting period state	ed above:
Exact period of non-compliance: from to 40 2	
Action(s) taken to achieve compliance:	0
Method used to demonstrate compliance:	
#2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stat	ed above:
Exact period of non-compliance: from	
Action(s) taken to achieve compliance:	
Method used to demonstrate compliance:	
As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the st made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solven upon purchase receipts, does not exceed 3,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for trocombination facilities PRESIDEMAYFAIR CLEAN SISSING PRESIDENT AYFAIR CLEAN SISSING PRESPONSIBLE OFFICIAL:	ı, based
Name (Please Print) Signature	Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

PERCHLOROETHYLENE DRY CLEANERS
TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLES F

TYPE OF INSPECTION:	ANNUAL	Œ	Keomplaint/disc	ÖVERY □
	RE-INSPECTION	. 👊	V_{h}_{L}	aitOrnie
			of Air "	-oncee
	Lu / a		Bureau of Air N	
AIRS ID#: <u>0//2206</u> DA	ATE: $3/N/9$	7 TIME I	N: <u>/0.55</u> TIM	E OUT:
FACILITY NAME:	FAIR C	/emer	<u>s</u>	
FACILITY LOCATION:	2760	F. 0.	Kland PK	Black.
	Ft. Lond	lendale,	F1. 33306	
RESPONSIBLE OFFICIAL:	Nacqui!	Dagois	_PHONE:57	
CONTACT NAME: FRE	d Sryde	<u> </u>	PHONE: 576	6 08>3
1				
PART I: NOTIFICATION				
(check appropriate box)		-		
1. New facility notified DARM 30) days prior to startur	p		
2. Facility failed to notify DARM	to use general permi	ıt		. 🗅
PART II: CLASSIFICATION		·		
PART II: CLASSIFICATION Facility indicated on notification	form that it is:		☐ No notification for	m .
Facility indicated on notification (check appropriate box)	form that it is:		☐ No notification for ☐ Drop store/out of b	
Facility indicated on notification (check appropriate box) A.		Name amall a	☐ Drop store/out of b	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source	2.	. New small a	☐ Drop store/out of burea source	
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr	2.	ry-to-dry only,	☐ Drop store/out of burea source x < 140 gal/yr	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source	2. dr		☐ Drop store/out of barea source x < 140 gal/yr < 200 gal/yr	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	dı tr.	ry-to-dry only, ansfer only, x oth types, x <	☐ Drop store/out of barea source x < 140 gal/yr < 200 gal/yr	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	2. di tr. bo	ry-to-dry only, ransfer only, x oth types, x < constructed on	□ Drop store/out of barea source x < 140 gal/yr < 200 gal/yr 140 gal/yr or after 12/9/91)	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source	2. di tr. bo (c	ry-to-dry only, ransfer only, x oth types, x < constructed on . New large a	□ Drop store/out of barea source x < 140 gal/yr < 200 gal/yr 140 gal/yr or after 12/9/91) rea source	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 < x < 2,10	dı dı tr. bo (c	ry-to-dry only, ransfer only, x oth types, x < constructed on New large a ry-to-dry only,	Drop store/out of barea source $x < 140 \text{ gal/yr}$ $< 200 \text{ gal/yr}$ 140 gal/yr or after $12/9/91$) The source $140 \le x \le 2,100 \text{ gal/yr}$	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,10 transfer only, 200 ≤ x ≤ 1,800	di tr. bo (c 2. 2. 3. 4. 3.0 gal/yr dr gal/yr tr	ry-to-dry only, ransfer only, x oth types, x < constructed on New large a ry-to-dry only, ransfer only, 20	Drop store/out of barea source $x < 140 \text{ gal/yr}$ < 200 gal/yr 140 gal/yr or after 12/9/91) The source $140 \le x \le 2,100 \text{ gal/yr}$ of $0 \le x \le 1,800 \text{ gal/yr}$	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 < x < 2,10	di tr. bo (co 2)0 gal/yr dr gal/yr tr l/yr bo	ry-to-dry only, ransfer only, x oth types, x < constructed on New large a ry-to-dry only, ransfer only, 20 oth types, 140	Drop store/out of barea source $x < 140 \text{ gal/yr}$ $< 200 \text{ gal/yr}$ 140 gal/yr or after $12/9/91$) The source $140 \le x \le 2,100 \text{ gal/yr}$	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,10 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 gal	di tr. bo (c 2. 4. 00 gal/yr di gal/yr tr l/yr bo	ry-to-dry only, ransfer only, x oth types, x < constructed on New large a ry-to-dry only, ransfer only, 20 oth types, 140	Drop store/out of barea source x < 140 gal/yr < 200 gal/yr 140 gal/yr or after $12/9/91$) .	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,10 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 gal (constructed before 12/9/91) 5. This is a correct facility class	da tr. bo (co. s. a.	ry-to-dry only, ransfer only, x oth types, x < constructed on . New large a ry-to-dry only, ransfer only, 20 oth types, 140 constructed on	Drop store/out of barea source x < 140 gal/yr < 200 gal/yr 140 gal/yr or after $12/9/91$) rea source $140 \le x \le 2,100 \text{ gal/yr}$ $20 \le x \le 1,800 \text{ gal/yr}$ $2 \le x \le 1,800 \text{ gal/yr}$ or after $12/9/91$)	ousiness/petroleum
Facility indicated on notification (check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,10 transfer only, 200 ≤ x ≤ 1,800 both types, 140 ≤ x ≤ 1,800 gal (constructed before 12/9/91) 5. This is a correct facility clas If no, please check the ap ☐ facility	du tr. bo (co.) 2. di tr. bo (co.) 3. di tr. bo (co.) 4. 00 gal/yr dr gal/yr tr. l/yr bo (co.) 3. sification	ry-to-dry only, ransfer only, x oth types, x < constructed on New large a ry-to-dry only, ransfer only, 20 oth types, 140 constructed on New large a ry-to-dry only, 20 oth types, 140 constructed on ly	□ Drop store/out of barea source $x < 140 \text{ gal/yr}$ $< 200 \text{ gal/yr}$ 140 gal/yr or after $12/9/91$) Frea source $140 \le x \le 2,100 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ or after $12/9/91$) □ Can not determine	ousiness/petroleum

(check appropriate boxes) DY ON ON/A 1. Storing perchloroethylene in tightly sealed and impervious containers? DY ON ON/A 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at DY ON ONA least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber □N □N/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) I. Equipped all machines with the appropriate vent controls? DY DN QY QN QN/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the QY QN QN/A condenser upon opening the door? 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated ND YD condenser on a weekly/bi-weekly basis? 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the OY ON ON/A condenser exceeded 45° F? 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? UA UN

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:

B.	Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΟY	ПΝ	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ΟY	□N (□N/A
	Is the temperature differential equal to or greater than 20° F?	ŪΥ	□N I	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΟY	ו אם	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ΠY	□N (□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΟY	מם	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	חט (□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	□N (□N/A

PART V: RECORDKEEPING REQUIREMENTS No leaks Has the responsible official: (check appropriate boxes) 1. Maintained receipts for perc purchased? 2. Maintained rolling monthly total of perc consumption? 3. Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days □N □N/A and parts installed w/in 5 days of receipt? DY ON ON/A 4. Maintained calibration data? (for applicable direct reading instruments) OY ON ON/A 5. Maintained exhaust duct monitoring data on perc concentrations? OX ON 6. Maintained startup/shutdown/malfunction plan? DY ON ON/A 7. Maintained deviation reports? GY ON ON/A Problem corrected? ON ON/A 8. Maintained compliance plan, if applicable?

PAR	PART VI: LEAK DETECTION AND REPAIRS					
1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair						
ir	OY ON					
2. H	2. Has the facility maintained a leak log?					
3. D	oes the responsible official check the	following areas for leaks	s?			
	Hose connections, fittings, couplings, and valves	OY ON ON/A	Muck cookers	OM ON/A		
	Door gaskets and seating	DY ON ON/A	Stills	DY ON ON/A		
	Filter gaskets and seating	ON ON/A	Exhaust dampers	DY ON ON/A		
	Pumps	COY ON ON/A	Diverter valves	MY ON ON/A		
	Solvent tanks and containers	GY ON ON/A	Cartridge filter housings	DRY ON ON/A		
	Water separators	ON ON/A				
4. W	hich method of detection is used by t	he responsible official?				
	Visual examination (condensed s	olvent on exterior surface	es)			
	Physical detection (airflow felt th	rough gaskets)				
	Odor (noticeable perc odor)			a / /		
	Use of direct-reading instruments	ition (FID/PID/calorimet	tric tubes)	0 N/A		
	Halogen leak detector			a /		
	If using direct-reading instr	umentation, is the equi	pment:	□N/A		
ļ	a. Capable of detecting	perc vapor concentration	s in a range of 0-500 ppm?	OY ON		
	b. Calibrated against a s (PID/FID only)?	standard gas prior to and	after each use	OY ON		
	c. Inspected for leaks ar	nd obvious signs of wear	on a weekly basis?	QY QN		
	d. Kept in a clean and s	ecure area when not in u	se?	□Y □N		
	e. Verified for accuracy	by use of duplicate samp	oles (calorimetric only)?	UV UN		
			,.			
	Inspector's Name (Please Pri	2	3/11/99 Date of Inspe	· · · · · · · · · · · · · · · · · · ·		
	Inspector's Name (Please Pri	nt)	Date of Inspe	cuon		
	D /		2/00			
	Inspector's Signature		3/00 Approximate Date of	Next Inspection		

AIRS ID#: <u>/0//2206</u>

Hus

Revised 09/15/97

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: MAY	tia Clan	wers	DA1	TE: 3/11/8 9
FACILITY NAME: May Samuel FACILITY LOCATION: 2760	e E. O.	okland BI	K. Blud	
	2 /			3/
Annual Reporting Period:		_19 <u>9</u> 7 TO		<u>3/</u> 19 <u>9</u> 8
Based on each term or condition of the Title V 62-213.300, Florida Administrative Code (F.A	•	•		DEP Rule
If NO, complete the following:				
#1. Term or condition of the general permit th	nat has not been in co	ntinuous compliance du	uring the reporting p	eriod stated above:
Exact period of non-compliance: from		to		
Action(s) taken to achieve compliance:				
Method used to demonstrate compliance:				<u></u>
#2. Term or condition of the general permit th	nat has not been in co	ntinuous compliance du	iring the reporting p	eriod stated above:
Exact period of non-compliance: from		to	•	
Action(s) taken to achieve compliance:				
Method used to demonstrate compliance:	· 			
As the responsible official, I hereby certify, ba made in this notification are true, accurate and upon purchase receipts, does not exceed 2,100 combination facilities. RESPONSIBLE OFFICIAL: FRED Sometimes Name	d complete. Further,) gallons per year for	my annual consumption	n of perchloroethyle	ne solvent, based
Name	(Please Print)	Sig	gnatur	Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

BEST AVAILABLE COPY

at line over top of envelope to	PIO-1
Complete items 7, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: AIRS ID # 0112206 MAYFAIR CLEANERS JAQUI DAGOIS PO BOX 24547 FT LAUDERDALE FL 33306	Agent Agent Agent Adent Adent
2. Article Number (Copy from service label) 2. 333 667 Z/6	
PS Form 3811, July 1999 Domestic Retu	urn Receipt 102595-99-M-1789

	Z 333 (US Postal Service • Receipt for Cert	Drovidod	
		AIRS ID # 0112206	l
JAQ PO	YFAIR CLEANERS JUI DAGOIS BOX 24547 LAUDERDALE FL 33	306	
	Postage	\$	
	Certified Fee		
	Special Delivery Fee		
10	Restricted Delivery Fee		
1995	Return Receipt Showing to Whom & Date Delivered		
April	Return Receipt Showing to Whom, Date, & Addressee's Address		
800	TOTAL Postage & Fees	\$	
PS Form 3800 , April 1995	Postmark or Date		

Z [] 94. 2], 2 737

US Postal Service

Receipt for Certified Mail

No Insurance Coverage Provided.

Do not use for International Mail (See reverse) Sent to AIRS ID # 0112206 MAYFAIR CLEANERS JAQUI DAGOIS PO BOX 24547 FT LAUDERDALE FL 33306 Cerunea ree Special Delivery Fee Restricted Delivery Fee Return Receipt Showing to Whom & Date Delivered

Return Receipt Showing to Whom Date, & Addressee's Address Return Receipt Showing to Whom Date, & Addressee's Address PS Form 3800, TOTAL Postage & Fees \$ Postmark or Date

	The return address.	io fant edi	
	ver top of envelope to	o ənil ts bl	0님
<u>DRESS</u> completed on the reverse side?	SENDER: © Complete items 1 and/or 2 for additional services. © Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so that we card to you. Attach this form to the front of the mailpiece, or on the back if space permit. Write "Return Receipt Requested" on the mailpiece below the article The Return Receipt will show to whom the article was delivered and delivered. 3. Article Addressed to: AIRS ID # 0112206 MAYFAIR CLEANERS JAQUI DAGOIS PO BOX 24547 FT LAUDERDALE FL 33306	can return this does not a number. I the date 4a. Article N 2094 4b. Service Register Express	I also wish to receive the following services (for an extra fee): 1. Addressee's Address 2. Restricted Delivery Consult postmaster for fee. Page 1
s your RETURN AD	5. Received By: (Print Name) 77 QUI DAGOIS 8. Signature (Addresses or Agent) PS Form 3811, December 1994	8. Addresse and fee is	e's Address of Vivil Faquested Spaid) Domestic Return Receipt



Department of Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

February 25, 2000

AIRS ID#

Mr. Jaqui Dagois Mayfair Cleaners Post Office Box 24547 Ft. Lauderdale, Florida 33306

Dear Mr. Dagois:

Thank you for your February 19 note informing the Department that Mayfair Cleaners has been sold. The Department has inactivated Mayfair Cleaners in our database.

Rule 62-213.300, Florida Administrative Code (F.A.C.), states that an annual operation fee in the amount of \$50.00 is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirement of the Title V general permit. Our records indicate that Mayfair Cleaners was in operation in 1999. Therefore, the annual operation fee is now due.

In addition, Rule 62-213.300, F.A.C., states that the general permit is not transferable and does not follow a change in ownership of the facility. The new owner will need to submit a notification form.

Our final reminder notices along with invoices to facilities not yet paying the 1999 annual operation fee has been mailed. For your convenience, a reminder notice and invoice has been mailed to Mayfair Cleaners. If you have any questions concerning the fee or the Title V general permit program, please call me at 850/921-9583.

Sincerely,

Sandra Bowman

Mobile Source Control Section

SB\


Cc: Jarrett Mack, Broward County Art Pennetta, Broward County



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

 039318^{5}

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.



PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL	COMPLAINT/DISCOVERY
RE-INSPECTION RE	
- FLD981- OOL	1531 6/36/99 Hugmat Exp
AIRS ID#: 0112266 DATE: 3/14	00 TIME IN: 11:30 Am TIME OUT: 11:50 para
FACILITY NAME: Mayfair Clear	NEW M
FACILITY LOCATION: 2760 9. C	Dakland Pek Blud.
	lerdale, FL 33306 3,9 -
RESPONSIBLE OFFICIAL: BRICCE OSH	eroff PHONE: 954 (566-40973)
CONTACT NAME: Kothy Awe	1 leh PHONE:
PART I: NOTIFICATION	
(check appropriate box)	
1. New facility notified DARM 30 days prior to sta	urtun D
2. Facility failed to notify DARM to use general po	·
PART II: CLASSIFICATION	
V	
Facility indicated on notification form that it is: (check appropriate box)	☐ No notification form ☐ Drop store/out of business/petroleum
A.	a brop store out or ous mess ped orealing
1. Existing small area source	2. New small area source
dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	dry-to-dry only, $x \le 140 \text{ gal/yr}$ transfer only, $x \le 200 \text{ gal/yr}$
both types, $x < 140$ gal/yr	both types, x < 140 gal/yr
(constructed before 12/9/91)	(constructed on or after 12/9/91)
3. Existing large area source	4. New large area source
dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr	dry-to-dry only, $140 \le x \le 2{,}100 \text{ gal/yr}$ transfer only, $200 \le x \le 1{,}800 \text{ gal/yr}$
both types, $140 \le x \le 1,800$ gal/yr	both types, $140 \le x \le 1,800 \text{ gal/yr}$
(constructed before 12/9/91)	(constructed on or after 12/9/91)
5. This is a correct facility classification	□Y □N □Can not determine
If no, please check the appropriate classific facility qualified for a ge facility exceeds above lin	(■
B. The total quantity of perchloroethylene (perc) pr	

(check appropriate boxes) DY ON ON/A 1. Storing perchloroethylene in tightly sealed and impervious containers? ON ON/A 2. Examining the containers for leakage? 3. Closing and securing machine doors except during loading/unloading? 4. Draining cartridge filters in their housing or in sealed containers for at MY ON ON/A least 24 hours prior to disposal? 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber ON ON/A beds according to the manufacturer's specifications? PART IV: PROCESS VENT CONTROLS In Part II-A: If classification 1 has been checked, no controls are required. Proceed to Part V. If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below). If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below). A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes) DY DN 1. Equipped all machines with the appropriate vent controls? DY ON ON/A 2. Equipped dry-to-dry machines with a closed-loop vapor venting system? 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door? DY DN DN/A 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis? DY DN 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F? DY ON ONA 6. Conducted all temperature monitoring after an appropriate cooldown period and after DY DN verifying that the coolant had been completely charged?

PART III: GENERAL CONTROL REQUIREMENTS

Is the responsible official of the dry cleaning facility:

В	. Has the responsible official of an existing large or new large area source also:			
1.	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ΩY	Ωи	
2.	Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	ПY	ΩΝ	□N/A
	Is the temperature differential equal to or greater than 20° F?	ΩY	ПN	□N/A
3.	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	ΩY	ΩΝ	□N/A
	Is the perc concentration equal to or less than 100 ppm?	ПY	ПΝ	□N/A
4.	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	ΩY	ΩΝ	□N/A
5.	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	ΩY	ПΝ	□N/A
6.	Routed airflow to the carbon adsorber (if used) at all times?	ΩY	ПΝ	□N/A

PART V: RECORDKEEPING REQUIREMENTS					
Has the responsible official: (check appropriate boxes)					
1. Maintained receipts for perc purchased?	DAY ON				
2. Maintained rolling monthly total of perc consumption?	OTY ON				
3. Maintained leak detection inspection and repair reports for the following:	No Reals				
a. documentation of leaks repaired w/in 24 hrs? or;	DY ON ON/A				
b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?	DY ON WYA				
4. Maintained calibration data? (for applicable direct reading instruments)	OY ON DAN/A				
5. Maintained exhaust duct monitoring data on perc concentrations?	ØY ON ON/A				
6. Maintained startup/shutdown/malfunction plan?	ØY ON				
7. Maintained deviation reports?	OY ON ON/A				
Problem corrected?	O'A ON GAN'A				
8. Maintained compliance plan, if applicable?	OY ON EM/A				

PART VI: LEAK DETECTION AND REPAIRS 1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair ΠN inspection? 2. Has the facility maintained a leak log? ΠN 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, MY ON ON/A DOMY ON ON/A couplings, and valves Muck cookers MY ON ON/A □N □N/A Door gaskets and seating Stills DY ON ON/A CY ON ON/A Exhaust dampers Filter gaskets and seating MY ON ON/A □N □N/A Diverter valves Pumps MY ON ON/A Solvent tanks and containers OYY ON ON/A Cartridge filter housings MY ON ON/A Water separators 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: NO YO a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? b. Calibrated against a standard gas prior to and after each use UN VO (PID/FID only)? DY DN c. Inspected for leaks and obvious signs of wear on a weekly basis? ND YD d. Kept in a clean and secure area when not in use? OY ON e. Verified for accuracy by use of duplicate samples (calorimetric only)?

Approximate Date of Next Inspection

Inspector's Signature

BEST AVAILABLE COPY UK I CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM



FACILITY NAME: MAY FAIR CLEANERS	DATE:	3/14/00
FACILITY NAME: MAY FAIR CLOANERS FACILITY LOCATION: 2760 E. Oak Lond Pork	Blud.	7 7
Ft. 1 mderdalo		
Annual Reporting Period: March 1999 TO	March	<u> </u>
Based on each term or condition of the Title V general air permit, my facility has remaine 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this state	~/ ~	Rule DNO
If NO, complete the following:		
#1. Term or condition of the general permit that has not been in continuous compliance of	during the reporting period	stated above:
Exact period of non-compliance: from		
Action(s) taken to achieve compliance:		
Method used to demonstrate compliance:		
=2. Term or condition of the general permit that has not been in continuous compliance of	during the reporting period	stated above:
Exact period of non-compliance: from		
Action(s) taken to achieve compliance:		
Method used to demonstrate compliance:		
As the responsible official, I hereby certify, based on information and belief formed after made in this notification are true, accurate and complete. Further, my annual consumpting upon purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities of combination facilities. RESPONSIBLE OFFICIAL: Affil Awefley Lathy Only the combined of	on of perchloroethylene sol	vent, based

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Page _____ of ____.

RECEIVE RECEIV

PHONE (954) 566 0873

19TH FEBRUARY 2000

ATTIN
SANDRA BOWMAN

D.E.P
TWIN TOWERS OFFICE BUILDING
2600 BLAIR STONE ROAD
TALLAHASSEE
FL 32399-2400

DEAR MS BOWMAN,

PLEASE BE ADVISED THAT MAYPAIR CLEANERS INC.

THE NEW OWNER IS

BRUCE OSHEROFF

NEW COMPANY NAME IS

MAYFAIR CLEANERS OF FT LAUDERDALE AND THE

ADDRESS IS THE SAME.

THANK YOU FOR YOUR ATTENTION YOURS SINCERELY

> PRESIDENT NO CLEDINES

MAYFAR CLEANERSINC



Department of

Environmental Protection

Jeb Bush Governor Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Sécretary

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070



(cut here)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID # 0112206

MAYFAIR CLEANERS JAQUI DAGOIS PO BOX 24547 FT LAUDERDALE FL 33306

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1 Fund: 20-2-035001

Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

300664

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

MAYFAIR CLEANERS INC JAQUI DAGOIS PO BOX 24547

FT LAUDERDALE FL 33306

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

THIS PORTION MUST BE ATTACHED AU REMITTANCE FOR PROPER HANDLING

258133

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

RECEIVED MAIL ROOM

JAN 15 97

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 0112206

AIRS ID#0112206

MAYFAIR CLEANERS INC JAQUI DAGOIS PO BOX 24547 FT LAUDERDALE FL 33306 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0359139

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label


AIRS ID # 0112206

MAYFAIR CLEANERS JAQUI DAGOIS PO BOX 24547 FT LAUDERDALE FL 33306 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1 Fund: 20-2-035001

Obj.: 002273





1	U.S. Postal S CERTIFIED (Domestic Mail O	MAIL	REC.E	EIPT overage F	Provided)		
9656	_						
026 4328	Postage Certified Fee Return Receipt Fee (Endorsement Required) Restricted Delivery Fee	\$			stmark Here		
2000 0000 0	(Endorsement Required)	ANERS		01AG		:	
AT TOP OF ENVELOPE F RETURN ADDRESS. COTTED LINE	PLACE STICKER A TO THE RIGHT O EOLD AT	\(\frac{1}{2}\)	COMPLET	TE THIS SE	CCTION ON DEL		
 Complete items 1, 2 item 4 if Restricted D Print your name and so that we can return Attach this card to the or on the front if spa 	Delivery is desired. address on the reven the card to you. The back of the mailpine	rse	C. Signatu	re · ·		☐ Agent ☐ Addressee	
Article Addressed to: AIRS ID AOUI DAGOIS	# 0112206001AG			•	different from iter ery address belov	—	
AAYFAIR CLEANERS O BOX 24547 T LAUDERDALE FL 33306		Ľ	3. Service Type Certified Mail			eipt for Merchandise	
			4. Restric		r: (Extra Pee)	☐ Yes	
2. Article Number (Copy from service label) 7000 0600 0026 4128 9656							
PS Form 3811, July 1999 Domestic Return Receipt 102595-99-M-1789							

1

, :

f



Governor

Department of Environmental Protection

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

David B. Struhs Secretary

To: Users of the Title V General Air Permits

Records in the Division of Air Resource Management indicate that you have claimed eligibility for your facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution subject to Title V of the federal Clean Air Act, your facility is entitled to operate for no more than five years with a permit under Section 403.0872, Florida Statutes (F.S.). Rule 62-213.300, F.A.C., establishes that the duration of the permit is for five years and no later than 30 days prior to the fifth anniversary of the filing of intent to use this general permit, the responsible official shall submit a new notice of intent which shall contain all current information regarding the facility.

The enclosed notification form is for your convenience. If you wish to maintain your eligibility, please complete and submit this form to the following address.

General Permits Section
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

It is important to note that facilities not in compliance with the conditions of their existing Title V Air General Permit may not be eligible to use a new general permit after the existing general permit expires. Such facilities will be required to make application for an operating permit as a major source under Title V. It is very important for facilities to assure that they are now in compliance with their general permit conditions to avoid this costly situation.

Rule 62-213.300(2)(d), F.A.C., states the Title V air general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that action is <u>a violation of the permit</u>. Eligibility for use of the Title V air general permit may be nullified if the conditions of the permit are not being met. As indicated above, any facility not eligible to operate under the terms of a Title V air general permit should apply for an operating permit as a major source under Title V.

"More Protection, Less Process"

If you have any questions regarding your eligibility to operate as a Title V Air General Permit facility, please contact Rick Butler at 850/921-9586 or e-mail rick butler@dep.state.fl.us or Sandy Bowman at 850/921-9583 or e-mail sandy.bowman@dep.state.fl.us.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring and Mobile Sources

DD/ Enclosure



Department of Environmental Protection

Division of Air Resources Management

PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM

Part I. Procedures For Use of General Permit

- (1) Eligibility Determination. The Department of Environmental Protection has established a Title V air general permit under Rule 62-213.300(1)(a), F.A.C., for perchloroethylene dry cleaning facilities, the terms and conditions of which are listed in Part II of this Perchloroethylene Dry Cleaner Air General Permit Notification Form. A perchloroethylene dry cleaning facility may use this Title V air general permit provided the facility meets the eligibility criteria set forth in the rule and, throughout the term of the general permit, maintains its eligibility to use the general permit and complies with all terms and conditions of the general permit. The responsible official of the perchloroethylene dry cleaning facility shall determine the facility's eligibility for the Title V air general permit and notify the Department of intent to use the general permit.
 - (a) A perchloroethylene dry cleaning facility is eligible to operate under the terms and conditions of the Title V air general permit established at Rule 62-213.300(1)(a), F.A.C., provided the responsible official has submitted a completed Part III of this notification form to the Department at least 30 days prior to beginning operations under the general permit and, throughout the term of the general permit, all of the following conditions are met:
 - 1. The facility operates no emissions units other than perchloroethylene dry cleaning systems and emissions units which are considered insignificant pursuant to the criteria of Rule 62-213.300(2)(a)1., F.A.C., set forth in paragraph (1)(b);
 - 2. The facility is classified as a small or large area source pursuant to 40 CFR Part 63, Subpart M; that is, the facility is a Title V source by virtue of being subject to 40 CFR Part 63, Subpart M, but does not emit any pollutant in a major amount as set forth in paragraphs (a) through (e) of the definition of "major source of air pollution" at Rule 62-210.200, F.A.C.; and
 - 3. The facility complies with all general conditions of Rule 62-213.300(3), F.A.C., set forth in Part II of this notification form, and all requirements of 40 CFR Part 63, Subparts A and M, as applicable, also set forth in Part II of the notification form.
 - (b) No facility which contains an emissions unit, other than perchloroethylene dry cleaning systems or a unit considered insignificant pursuant to this paragraph, shall be eligible to use this air general permit. No facility is eligible to use more than one air general permit. An emissions unit or activity shall be considered insignificant if all of the following criteria are met:
 - 1. The emissions unit or activity would be subject to no unit-specific applicable requirement.
 - 2. The emissions unit or activity would neither emit nor have the potential to emit:
 - a. 500 pounds per year or more of lead and lead compounds expressed as lead;
 - b. 1,000 pounds per year or more of any hazardous air pollutants;
 - c. 2,500 pounds per year or more of total hazardous air pollutants; or
 - d. 5.0 tons per year or more each of any other regulated pollutants.
 - 3. The emissions unit or activity, in combination with other units and activities at the facility, would neither cause the facility to emit nor have the potential to emit:
 - a. 100 tons per year or more of carbon monoxide, nitrogen oxides, particulate matter, sulfur dioxide, or volatile organic compounds;
 - b. 5 tons per year or more of lead and lead compounds expressed as lead;
 - c. 10 tons per year or more of any hazardous air pollutant;
 - d. 25 tons per year or more of total hazardous air pollutants; or

- e. 100 tons per year or more of any other regulated pollutant.
- (c) Any facility that would use a Title V air general permit under Rule, 62-213.300, F.A.C., must surrender all existing air permits authorizing the operation of the facility.
- (d) If a facility at any time becomes ineligible for the use of the Title V air general permit and is subject to the source-specific Title V air operation permit requirements of Chapter 62-213, F.A.C., it shall be subject to enforcement action for operating without an air operation permit.
- (e) Notwithstanding the shield provisions of Rule 62-213.460, F.A.C., any facility utilizing a Title V air general permit will be subject to enforcement action for operation without a permit under Chapter 62-213, F.A.C., if it is determined to be initially ineligible for the air general permit which is being utilized.
- (2) Notification. For each facility intending to operate under the provisions of this Title V air general permit, the responsible official must complete and submit Part III of this Perchloroethylene Dry Cleaner Air General Permit Notification Form (DEP Form No. 62-213.900(2)) to give notice to the Department of intent to use such permit.
- (3) Administrative Corrections. Within 30 days of any changes requiring corrections to information contained in this notification form, the responsible official shall notify the Department in writing. Such changes shall include:
 - (a) Any change in name of the responsible official or facility address or phone number;
 - (b) A change in facility status requiring more frequent monitoring or reporting by the responsible official from that noted on the most recent notification form; and
 - (c) Any other similar minor administrative change at the facility.
- (4) Violation of Permit. This Title V air general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that activity is a violation of the permit. The responsible official is placed on notice that violation of the permit constitutes grounds for revocation and suspension pursuant to Rules 62-4.100 and 62-4.530(4), F.A.C., and initiation of enforcement action pursuant to s. 403.141 through 403.161, F.S. No revocation shall become effective except after notice is served by personal service, certified mail, or newspaper notice pursuant to Section 120.60(5), F.S., upon the person or persons named therein and a hearing held, if requested within the time specified in the notice. The notice shall specify the provision of the law or rule alleged to be violated, or the permit condition or Department order alleged to be violated, and the facts alleged to constitute a violation thereof.
- (5) Nullification of Eligibility. Eligibility for use of a Title V air general permit is automatically nullified by:
 - (a) Submission of false or inaccurate information in the notification form for use of the Title V air general permit or in the required reports;
 - (b) Refusal of lawful inspection by Department staff;
 - (c) Failure to submit operational reports or other information required by the general permit; or
 - (d) Failure to timely pay the required annual emissions fee, penalty, or interest.
- (6) Use of Permit. Any facility eligible to operate under the terms of a Title V air general permit may use the permit 30 days after giving notice to the Department without any agency action.

DEP Form No. 62-213.900(2)

PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM

Part II. Permit Terms and Conditions (Keep this Part onsite for use by facility staff.)

- (1) Applicability. This part of the Perchloroethylene Dry Cleaner Air General Permit Notification Form establishes the terms and conditions of this Title V air general permit. Throughout the term of this air general permit, the responsible official shall ensure that the facility maintains its eligibility to use the general permit and complies with all general conditions of Rule 62-213.300(3), F.A.C., set forth below, and all requirements of 40 CFR Part 63, Subparts A and M, as applicable, also set forth in this part of the notification form.
- (2) General Conditions. All terms, conditions, requirements, limitations, and restrictions set forth in Rule 62-213.300(3), F.A.C., and listed below (Rule 62-213.300(3)(a) through (s), F.A.C.) are "general permit conditions" and are binding upon the owner or operator and upon the responsible official of the facility utilizing this Title V air general permit.
 - (a) The duration of this general permit is five years. No later than 30 days prior to the fifth anniversary of the filing of intent to use this general permit, the responsible official shall submit a new notice of intent which shall contain all current information regarding the facility. The general permit is not transferable and does not follow a change in ownership of the facility. Prior to any sale, other change of ownership, or permanent shutdown of the facility, the responsible official shall notify the Department.
 - (b) The owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable annually between January 15 and March 1 for the preceding year which the facility was in operation and subject to the requirements of this general permit.
 - (c) This general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that activity shall constitute a violation of the permit.
 - (d) This general permit does not convey any vested rights or any exclusive privileges, nor does it authorize any injury to public or private property nor any invasion of personal rights. It does not authorize any infringement of federal, state, or local laws or regulations.
 - (e) This general permit does not relieve the responsible official or the owner or operator of the facility from liability and penalties when the operation of the permitted activity causes harm or injury to human health or welfare; causes harm or injury to animal, plant or aquatic life; or causes harm or injury to property. It does not allow the responsible official, owner, or operator to cause pollution in contravention of Florida law.
 - (f) This general permit conveys no title to land or water, nor does it constitute state recognition or acknowledgment of title.
 - (g) The responsible official shall make every reasonable effort to conduct the specific activity authorized by this general permit in a manner that will minimize any adverse effects on adjacent property or on public use of the adjacent property, where applicable, and on the environment, including fish, wildlife, natural resources, water quality, or air quality.
 - (h) The responsible official shall allow a duly authorized representative of the Department access to the permitted facility or activity at reasonable times to inspect and test, upon presentation of credentials or other documents as may be required by law, to determine compliance with this general permit and Department rules.
 - (i) The responsible official shall maintain any permitted facility or activity in good condition.

(j) This general permit shall be effective until suspended, revoked, surrendered, expired, or nullified pursuant to Rule 62-213.300, F.A.C.

DEP Form No. 62-213.900(2)

- (k) Monitoring and Related Recordkeeping and Reporting Requirements.
 - The responsible official shall maintain records of monitoring information that specify the date, place, time, and operating conditions of measurement; the methodology used; the company or entity which performed the monitoring; and the analytical results. These shall include all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit.
 - The responsible official shall retain records of all monitoring data and supporting information for a period of at least five years from the date of collection.
 - The responsible official shall keep records in which all occurrences of deviations from any specific monitoring requirements and from the procedures of any startup, shutdown, and malfunction plan required pursuant to paragraph (2)(l), shall be clearly identified. Reports of these deviations shall be submitted to the Department during facility inspections and also submitted with the annual compliance certification as required by paragraph (2)(n)2. The responsible official shall certify each report as true, accurate, and complete.
 - The responsible official shall ensure that the Department is promptly notified of deviations from any specific monitoring requirements, including those attributable to upset conditions. Notification shall include the probable cause of such deviations and any corrective actions or preventive measures taken, except that notification shall not be required of actions taken consistent with any startup, shutdown, and malfunction plan required pursuant to paragraph (2)(1). Notification shall be provided within one working day of occurrence of the deviation and may be given by telephone.
- Operation and Maintenance Requirements. **(l)**
 - The responsible official shall maintain on-site a startup, shutdown, and malfunction plan for the facility that describes, in detail, procedures for operating and maintaining the equipment during periods of startup, shutdown, and malfunction. The plan may be in the form of an equipment operation manual and shall also specify corrective action for malfunctioning process and air pollution control equipment.
 - During periods of startup, shutdown, or malfunction, the responsible official shall operate and maintain equipment in accordance with the procedures specified in the plan. Records of compliance with the plan shall be kept on-site for a minimum of five years and shall contain a certification statement signed by the responsible official that the documentation is true, accurate, and complete, based upon information and belief formed after reasonable inquiry.
 - If any action is taken which is inconsistent with the plan, the responsible official shall record and report the actions taken in accordance with the requirements of paragraph (2)(k)3. and 4.. The record shall explain the circumstances of the event, the reason for not following the startup, shutdown, and malfunction plan, and whether any excess emissions and/or parameter monitoring exceedances are believed to have occurred. Taking actions inconsistent with those in the plan constitutes a violation of a permit condition and shall be subject to the provisions of Part I, paragraph (4).

(m) Compliance Plan Requirements.

For each applicable permit condition with which the facility is not in compliance at the time of giving notice to the Department of intent to use this general permit and for which the facility has not come into compliance within 30 days after the giving of such notice, the responsible official shall submit to the Department a compliance plan. The compliance plan shall contain measurable and enforceable milestones, including specific dates for completion of each milestone.

DEP Form No. 62-213.900(2) Effective: 2/24/99

2. The responsible official shall notify the Department in writing, within 15 days after the date for completion of each milestone, detailing the achievement of compliance, of progress achieved, requirements met or unmet, corrective measures adopted, and an explanation of any measures not met by the completion date for the compliance milestone. The responsible official shall certify that such notice is complete and accurate. Any deviation from the compliance plan shall constitute a violation of the permit condition and shall be subject to the provisions of Rule 62-213.300(2)(d), F.A.C.

(n) Compliance Certification.

- 1. For each applicable requirement with which the facility is in compliance, the responsible official shall submit a statement certifying such compliance to the Department annually. The responsible official shall certify each statement as true, accurate, and complete.
- 2. The statement of compliance shall identify each term or condition of the permit with which the facility has remained in compliance during the period covered by the statement and shall specify the method used to demonstrate compliance. It shall identify each term or condition of the permit with which the facility has not been in continuous compliance during that reporting period. It shall also include the monitoring report required pursuant to paragraph (3)(k)3.
- 3. For those terms or conditions which the facility has not been in continuous compliance during any reporting period, the statement shall include the exact period of non-compliance, actions taken to achieve compliance, and the method used to demonstrate compliance.
- (o) This general permit does not authorize any demolition or renovation of the facility or its parts or components which involves asbestos removal. This permit does not constitute a waiver of any of the requirements of Chapter 62-257, F.A.C., and 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos, adopted and incorporated by reference in Rule 62-204.800, F.A.C.
- (p) Refrigerant Requirements. Any facility having appliances or refrigeration equipment, including air conditioning equipment, which use Class I or II ozone-depleting substances such as chlorofluorocarbons and hydrochlorofluorocarbons listed as refrigerants in 40 CFR Part 82 Subpart A, Appendices A and B, which are adopted and incorporated by reference in Rule 62-204.800, F.A.C., shall service, repair, and maintain such equipment according to the work practices, personnel certification requirements, reporting and recordkeeping requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82, Subpart F, adopted and incorporated in Rule 62-204.800, F.A.C. No person shall knowingly vent or otherwise release any Class I or II substance into the environment during the repair, servicing, maintenance, or disposal of any such device except as provided in 40 CFR Part 82, Subpart F.
- (q) This general permit does not authorize any open burning nor does it constitute any waiver of the requirements of Chapter 62-256, F.A.C.
- (r) No person shall circumvent any air pollution control device or allow the emission of air pollutants without the proper operation of all applicable air pollution control devices.
- (s) All reports and notices submitted by the facility and all records required to be maintained according to paragraph (2) (k) 3., shall contain a certification statement signed by the responsible official that the documentation is true, accurate, and complete, based upon the information and belief formed after reasonable inquiry.
- (3) **Definitions.** The following words and phrases, when used in this notification form, shall have the following meanings:
 - (a) "Ancillary Equipment" The equipment used with a dry cleaning machine in a dry cleaning system, including emission control devices, pumps, filters, muck cookers, stills, solvent tanks, solvent containers, water separators, exhaust dampers, diverter valves, interconnecting piping, hoses, and ducts.
 - (b) "Articles" Any clothing, garments, textiles, fabrics, and leather goods that are dry cleaned.

- (c) "Area Source" A perchloroethylene dry cleaning facility which consumes an amount of perchloroethylene less than or equal to 2,100 gallons per year for dry-to-dry machines only, or consumes less than or equal to 1,800 gallons per year and utilizes either only transfer or both dry-to-dry and transfer machines on-site, where the amount of perchloroethylene consumed is determined by purchase receipts or by the solvent consumption log in accordance with the requirements of paragraph (6) of this Part.
- (d) "Biweekly" Any consecutive 14-day period of time.
- (e) "Carbon Adsorber" A bed of activated carbon into which an air-perchloroethylene gas-vapor stream is routed and which adsorbs the perchloroethylene on the carbon.
- (f) "Coin-operated Dry Cleaning Machine" A dry cleaning machine that is operated solely by the customer.
- (g) "Colorimetric Detector Tube" A glass tube (sealed prior to use) containing material impregnated with a chemical that is sensitive to perchloroethylene and is designed to measure the concentration of perchloroethylene in air.
- (h) "Construction" The fabrication (on-site), erection, or installation of a dry cleaning system.
- (i) "Control Device" Any device used to minimize perchloroethylene emissions, such as a refrigerated condenser or a carbon adsorber.
- "Desorption" The regeneration of a carbon adsorber by removal of the perchloroethylene adsorbed on the carbon.
- (k) "Diverter Valve" A flow control device that prevents room air from passing through a refrigerated condenser when the door of the dry cleaning machine is open.
- (l) "Dry Cleaning" The process of cleaning articles using perchloroethylene.
- (m) "Dry Cleaning Cycle" The washing and drying of articles in a dry-to-dry machine or transfer machine system.
- (n) "Dry Cleaning Facility" An establishment with one or more dry cleaning systems.
- (o) "Dry Cleaning Machine" A dry-to-dry machine or each machine of a transfer machine system.
- (p) "Dry Cleaning Machine Drum" The perforated container inside the dry cleaning machine that holds the articles during drycleaning.
- (q) "Dry Cleaning System" A dry-to-dry machine and its ancillary equipment or a transfer machine system and its ancillary equipment.
- (r) "Dryer" A machine used to remove perchloroethylene from articles by tumbling them in a heated air stream (see reclaimer).
- (s) "Dry-to-dry Machine" A one-machine dry cleaning operation in which washing and drying are performed in the same machine.
- (t) "Episodic Exceedance" Any exceedance of the perchloroethylene solvent consumption level which occurs three years or more after the most recent prior exceedance of the same type.
- (u) "Emissions Unit" Any part or activity of a facility that emits or has the potential to emit any air pollutant.
- (v) "Exhaust Damper" A flow control device that prevents the air-perchloroethylene gas-vapor stream from exiting the drycleaning machine into a carbon adsorber before room air is drawn into the dry cleaning machine.

7

(w) "Existing" - Dry cleaning machines which were manufactured or initially purchased from the manufacturer on or before December 9, 1991.

Effective: 2/24/99

DEP Form No. 62-213.900(2)

- (x) "Filter" A porous device through which perchloroethylene is passed to remove contaminants in suspension. Examples include lint filter (button trap), cartridge filter, tubular filter, regenerative filter, prefilter, polishing filter, and spin disc filter.
- (y) "Heating Coil" A device used to heat the air stream circulated from the dry cleaning machine drum, after perchloroethylene has been condensed from the air stream and before the stream reenters the dry cleaning machine drum.
- (z) "Large Area Source" A dry cleaning facility which:
 - 1. Contains only dry-to-dry machines and consumes equal to or between 140 and 2,100 gallons per year of perchloroethylene.
 - Contains only transfer machines and consumes equal to or between 200 and 1,800 gallons per year of perchloroethylene.
 - 3. Contains both dry-to-dry and transfer machines and consumes equal to or between 140 and 1,800 gallons per year of perchloroethylene.
- (aa) "Major Source" A dry cleaning facility which consumes an amount of perchloroethylene exceeding 2,100 gallons per year for dry-to-dry machines only or exceeding 1,800 gallons per year for either transfer machines only or facilities containing both dry-to-dry and transfer machines.
- (bb) "Muck Cooker" A device for heating perchloroethylene-laden waste material to volatilize and recover perchloroethylene.
- (cc) "New" Dry cleaning machines which were manufactured or initially purchased from the manufacturer after December 9, 1991.
- (dd) "Perceptible Leaks" Any perchloroethylene vapor or liquid leaks that are obvious from:
 - 1. The odor of perchloroethylene.
 - 2. Visual observation, such as of pools or droplets of liquid.
 - The detection of gas flow by passing fingers over the surface of the equipment.
- (ee) "Perchloroethylene Consumption" The total volume of perchloroethylene purchased yearly by the facility or added to the machine, based upon purchase receipts or other reliable measures.
- (ff) "Reclaimer" A machine used to remove perchloroethylene from articles by tumbling them in a heated air stream (see dryer).
- (gg) "Reconstruction" The replacement of a washer, dryer, or reclaimer; or replacement of any components of a dry cleaning system to such an extent that the fixed capital cost of the new components exceeds 50 percent of the fixed capital cost that would be required to construct a comparable new system.
- (hh) "Refrigerated Condenser" A vapor recovery system into which an air-perchloroethylene gas-vapor stream is routed and the perchloroethylene is condensed by cooling the gas-vapor stream.
- (ii) "Refrigerated Condenser Coil" The coil containing the chilled liquid used to cool and condense the perchloroethylene.
- (jj) "Responsible Official" One of the following:
 - 1. For a corporation: a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit under Chapter 62-213, F.A.C.;
 - 2. For a partnership: a general partner;
 - 3. For a sole proprietorship: the owner;

- 4. For a municipality, state, federal, or other public agency: either a principal executive officer or ranking official.
- (kk) "Small Area Source" A dry cleaning facility which:
 - Contains only dry-to-dry machines and consumes less than 140 gallons per year of perchloroethylene.
 - 2. Contains only transfer machines and consumes less than 200 gallons per year of perchloroethylene.
 - 3. Contains both dry-to-dry and transfer machines and consumes less than 140 gallons per year of perchloroethylene.
- (II) "Source" Each dry cleaning facility.
- (mm)"Still" Any device used to volatilize and recover perchloroethylene from contaminated perchloroethylene.
- (nn) "Temperature Sensor" A thermometer or thermocouple used to measure temperature.
- (00) "Transfer Machine System" A multiple-machine dry cleaning operation in which washing and drying are performed in different machines. Examples include:
 - 1. A washer and dryer(s)
 - 2. A washer and reclaimer(s), and/or
 - 3. A dry-to-dry machine and reclaimer(s) and/or dryer(s).
- (pp) "Washer" A machine used to clean articles by immersing them in perchloroethylene. This includes a dry-to-dry machine when used with a reclaimer.
- (qq) "Water Separator" A device used to recover perchloroethylene from a water-perchloroethylene mixture.
- (rr) "Year or Yearly" Any consecutive 12-month period of time.

(4) Basic Requirements.

- (a) The responsible official shall determine the eligibility of the facility for this permit and shall submit a completed Part III of this Dry Cleaner Air General Permit Notification Form at least 30 days prior to beginning operations under this general permit.
- (b) The responsible official shall certify in the initial notification and annually thereafter that the annual consumption of perchloroethylene does not exceed 2,100 gallons per year for dry-to-dry facilities or 1,800 gallons per year for transfer or combination facilities. The annual consumption total shall be based upon purchase receipts and the average shall be recalculated on a monthly basis.
- (c) New facilities shall comply with all applicable requirements upon start-up.
- (d) The operation of transfer cleaning machines purchased after September 22, 1993, is prohibited.
- (e) This permit does not apply to the operation of coin-operated dry cleaning units used solely by customers.
- (5) Control Technology Requirements. Control technology requirements are based upon the facility's classification as a small or large area source; the type of machine(s) used, and its date of manufacture or initial purchase from the manufacturer. If the solvent consumption exceeds the source limit for the facility's classification, the facility shall immediately comply with all additional requirements of 40 CFR Part 63, Subpart M, for the appropriate higher classification; unless the consumption meets the definition of an episodic exceedance. Additionally, facilities previously classified as large area sources must apply for a major source permit under Chapter 62-213, F.A.C., within 180 days of exceeding the solvent consumption level. The facility shall operate and maintain equipment according to the manufacturer's specifications. The manuals, design specifications, and other instructional materials shall be kept on-site by the responsible official.
 - (a) General Control Requirements. All facilities shall:

- 1. Store perchloroethylene in tightly sealed containers which are impervious and chemically unreactive to the solvent.
- 2. Examine the containers for leakage as required in paragraph (7) of this Part.
- 3. Close and secure machine doors except during loading and unloading.
- 4. Drain cartridge filters in their housing or in sealed containers for a minimum of twenty-four hours.
- 5. Maintain the solvent-to-carbon ratio and steam pressure for carbon adsorber beds to ensure that stripping occurs according to the manufacturer's specifications.
- (b) Process Vent Controls.
 - 1. All existing dry cleaning systems located in small area source facilities and new transfer dry cleaning systems located in small area source facilities which contain only transfer cleaning systems do not require process vent controls.
 - 2. For all new dry cleaning systems located in small area source facilities, the owner or operator shall:
 - a. Equip all machines with a refrigerated condenser, except for the transfer dry cleaning systems subject to paragraph (5)(b)1. above.
 - b. Equip dry-to-dry, dryer, and reclaimer machines with a closed-loop vapor venting system, such that the air-perchloroethylene gas-vapor stream contained within the machine shall not be vented or released to the atmosphere while the machine drum is rotating.
 - c. Operate the refrigerated condenser with a diverter valve, which prevents air drawn into the dry cleaning machine when the door of the machine is opened from passing through the refrigerated condenser.
 - d. Measure and record the exhaust stream temperature of the outlet on the refrigerated condenser on a weekly basis. The temperature must not exceed 45 degrees Fahrenheit (F) [7.2 degrees Celsius (C)].
 - e. Repair or adjust the equipment within twenty-four hours if the exhaust stream temperature exceeds 45 degrees F. The repair shall be documented as required in paragraph (6) of this Part.
 - f. The temperature sensor used in Section (5)(b)2.d. above shall be designed to measure an exhaust stream temperature of 45 degrees F [7.2 degrees C] to an accuracy of plus or minus 2 degrees F [1.1 degrees C]. The sensor must have a detectable range of at least 32 degrees F to 120 degrees F [0 to 48.9 degrees C].
 - g. Conduct all temperature monitoring following an appropriate cooldown period and after verifying that the coolant has been completely charged.
 - 3. For all existing dry cleaning systems located in large area source facilities, the owner or operator shall:
 - a. Comply with all the requirements listed for new dry cleaning systems located in small area source facilities, except that machines equipped with carbon adsorbers on or before September 22, 1993 are not required to refit with refrigerated condensers.
 - b. Measure and record the exhaust stream temperature on the outlet side of a refrigerated condenser located on dry-to-dry machines, reclaimers, and dryers on a weekly basis as required in paragraph (5)(b)2.d. of this Part.
 - c. Measure and record the temperature of the washer exhaust at both the inlet and outlet sides of the refrigerated condenser. If the temperature differential is less than 20 degrees F [11.1 degrees C], the equipment shall be repaired or adjusted within twenty-four hours. The repair shall be documented pursuant to paragraph (7) of this Part.

- d. Measure and record the concentration of perchloroethylene in the exhaust from the carbon adsorber at a sampling port on a weekly basis using a colorimetric tube. The measurement shall be obtained at the end of the final dry cleaning cycle prior to desorption while the machine is venting to the carbon adsorber. If the concentration of perchloroethylene exceeds parts per million (ppm), the equipment shall be repaired or adjusted within twenty-four hours. The repair shall be documented as required in paragraph (7) of this Part.
- e. The location of the sampling port for measuring perchloroethylene concentrations in the exhaust duct shall be at least eight stack or duct diameters downstream from any flow disturbances such as a bend, expansion, contraction, or outlet; downstream from no other inlet; and two stack or duct diameters upstream from any flow disturbance such as a bend, expansion, contraction, inlet, or outlet.
- f. Transfer systems shall be equipped with individual refrigerated condenser coils for dryers, reclaimers, and washers.
- g. The airflow shall never be routed to bypass the carbon adsorber.
- For all new dry cleaning systems located in large area source facilities, the owner or operator shall:
 - a. Comply with all the requirements listed for existing dry cleaning systems located in large area source facilities, except that all machines shall be equipped with a refrigerated condenser.

(6) Recordkeeping Requirements.

- (a) The responsible official shall maintain the following records in a log kept on-site, for a minimum of five years:
 - 1. All purchase receipts for determination of perchloroethylene solvent consumption and monthly consumption logs.
 - 2. All leak detection inspection and repair reports.
 - 3. All control equipment monitoring data on perchloroethylene concentrations and exhaust stream temperatures.
- (b) On the first business day of the month, the responsible official shall record the total amount of perchloroethylene purchased in the previous month and calculate the total amount purchased in the preceding twelve months, as a measure of perchloroethylene consumption.

(7) Leak Detection Requirements.

- (a) The responsible official or equipment operator of a large area source facility must conduct a weekly leak detection and repair inspection of the facility; however, small area sources may conduct the inspection on a biweekly basis. The responsible official or equipment operator shall enter the results of the inspection into the inspection and repair log kept on-site.
- (b) The responsible official or equipment operator shall use one of the following methods to detect leaks:
 - 1. Visual examination of condensed solvent on exterior surfaces.
 - 2. Detection of air flow through improperly seated gaskets.
 - 3. Detection of perchloroethylene odors.
- (c) The following items shall be inspected for leaks:
 - 1. Hose and pipe connections, fittings, couplings, and valves.
 - 2. Door gasket seating.
 - 3. Filter gaskets and seating.
 - 4. Pumps.
 - 5. Solvent tanks and containers.
 - 6. Water separators.
 - Muck cookers.

- 8. Stills.
- 9. Exhaust dampers.
- 10. Diverter valves.
- 11. Cartridge filter housings.
- (d) Leaks shall be repaired within twenty-four hours of detection, unless repair equipment must be ordered.
 - 1. Equipment parts needed to repair the machine shall be ordered within two working days of leak detection.
 - 2. Repair parts shall be installed within five working days of receipt.
- (e) Colorimetric tubes and bellows or piston-driven pumps shall be operated according to the manufacturer's specifications and shall be verified for accuracy by the use of duplicate samples. The tube should be designed to measure a concentration of 100 parts per million by volume of perchloroethylene in air to an accuracy of +/- 25 parts per million by volume.
- (f) The integrity of all rubber seals on the pump shall be inspected on a weekly basis for large area sources (biweekly for small area sources) and all equipment shall be kept in a clean and secure area when not in use.
- (8) Local Program Requirements. All facilities located within the borders of Duval County shall comply with the following additional requirements:
 - (a) Pursuant to Jacksonville Environmental Board Rule 2.901, no person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor, and
 - (b) Pursuant to Jacksonville Ordinance Code Chapter 376, any facility that causes or contributes to the emission of objectionable odors which results in the Air Quality Division (AQD) receiving and validating complaints from five or more different households within a 90-day period may be cited for objectionable odors.

DEP Form No. 62-213.900(2)

DEP Form No. 62-213.900(2)

PERCHLOROETHYLENE DRY CLEANER AIR GENERAL PERMIT NOTIFICATION FORM

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

<u>Fa</u>	cility Name and Location				
1.	Facility Owner/Company N	ame (Name of corporatio	n, agency, or indiv	idual owner):	
2.	Site Name (For example, pl	lant name or number):			
- ,	Site ivalie (1 or example, pr	ant name of number).			
3.	Hazardous Waste Generator	r Identification Number:			
4.	Facility Location:	<u> </u>	·		
	Street Address: City:	County:		Zip Code:	
15:	Facility Identification Num	ber (DEP Use ONLY 5 do	not fill in):		57. 00/310471
Re	sponsible Official				
6.	Name and Title of Responsi	ible Official:			
Na	me:		Title:		
7.	Responsible Official Mailin	g Address:			
	Organization/Firm:				
	Street Address:				
	City:	County:		Zip Code:	
8.	Responsible Official Teleph	ione Number:			
	Telephone: ()	-	Fax: () -	
Fa	cility Contact (If different fi	rom Responsible Official)		
	Name and Title of Facility				
	·		•		
10.	. Facility Contact Address:				-
•	Street Address:				
	City:	County:		Zip Code:	
11.	Facility Contact Telephone	Number:			
	Telephone: ()	-	Fax: () -	

DEP Form No. 62-213.900(2)

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY How many dry-to-dry machines do you have on-site? For each dry-to-dry machine on-site, please provide the following information: Date Initially Purchased Control Device Required* Date Control Device Installed Status From Manufacturer (circle one) (circle one) (if already included at time of purchase, write "SAME") Existing/New RC/CA/None required Existing/New RC/CA/None required Existing/New RC/CA/None required *CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber 1.(b) TRANSFER MACHINES ONLY How many washers do you have on-site? How many dryers/reclaimers do you have on-site? If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an EXISTING unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a NEW unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information: Date Initially Purchased Control Device Required* Date Control Device Installed Status From Manufacturer (if already included at time of (circle one) (circle one) purchase, write "SAME") Existing/New RC/CA/None required Existing/New RC/CA/None required Existing/New RC/CA/None required *CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber 2.(a) How much perchloroethylene (perc) have you used within the last 12 months? gallons (You must fill this in) (b) If less than 12 months, how many? [] months Check why it is less than 12 months: New owner: Did not keep records: New store: New machine . Unopened store [] (date of expected opening _

DEP Form No. 62-213.900(2)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)					
Small Area Source []					
Dry-to-dry machines only on-site (used less than 140 gallons of perc per year) Transfer only on-site (used less than 200 gallons of perc per year) Both machine types on-site (used less than 140 gallons of perc per year)					
Large Area Source []					
Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year) Transfer only on-site (used 200 - 1,800 gallons of perc per year) Both machine types on-site (used 140 - 1,800 gallons of perc per year)					
4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)					
Existing machines at small area source (NONE REQUIRED) New machines at small area source Refrigerated condenser []					
Existing machines at large area source Carbon adsorber Refrigerated condenser Refrigerated Re					
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).					
All steam and hot water generating units exempt No such units on-site OR					
How many boilers do you have on-site?					
For each boiler, indicate its horsepower (HP) rating: [] []					
What type of fuel do you use? [] propane [] No. 2 fuel oil [] No. 4 fuel oil [] No. 6 fuel oil [] Other (please list)					
6. Equipment Monitoring and Recordkeeping Information					
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:					
(a) Purchase receipts and solvent purchases/solvent addition log					
(b) Leak detection inspection and repair					
(c) Refrigerated condenser temperature monitoring					
(d) Carbon adsorber exhaust perc concentration monitoring					
(e) Startup, shutdown, malfunction plan					

DEP Form No. 62-213.900(2) Effective: 2/24/99

7. Surrender o	of Existing DEP Air Permit(s)					
Please indicat	Please indicate with an "X" the appropriate selection:					
	I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are					
	No DEP air permits currently exist for the operation of the facility indicated in this notification form.					
Responsible Official Certification						
I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.						
I will promptly notify the Department of any changes to the information contained in this notification.						
Print nam	ne of responsible official					
Signature	Date					

DEP Form No. 62-213.900(2)

Instructions for Completing Part III of Notification Form

The Perchloroethylene Dry Cleaning Facility Notification of Intent to Use General Permit, Part III of this form, shall be completed and submitted to the Division of Air Resources Management at least 30 days prior to beginning operations under the general permit. Please type or print clearly all information. A copy of this notification form shall be kept on-site and made available for review by Department personnel.

The responsible official of the facility, as defined in Part II of this notification form, is responsible for ensuring that the facility complies with all applicable terms and conditions of this general permit, as set forth in Part II of this form.

Mail the signed and completed Part III of this form to:

General Permits Section
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Facility Name and Location

- 1. Facility Owner/Company Name Enter the name of the corporation, agency, or individual that has ownership or control of the dry cleaning facility for which this notification is submitted.
- 2. Site Name Enter the common name, if any, of the facility site; for example, Plant A, Metropolis plant, etc. If more than one facility is owned, a notification form must be completed for each.
- 3. Hazardous Waste Generator Identification Number Enter the hazardous waste generator identification number, if known, assigned by the Department to the facility.
- 4. Facility Location Enter the street address and zip code of the facility and the city and county in which it is located.
- 5. Facility Identification Number (DEP Use ONLY) Please leave this space blank. DEP will enter the facility identification number assigned to you by ARMS.

Responsible Official

- 6. Name and Title of Responsible Official Enter the name and title of the designated responsible official for the facility who, by signing this form, is certifying that the facility is eligible for a general permit pursuant to the requirements of Part II of this notification form and Rule 62-213.300, F.A.C.
- 7. Responsible Official Mailing Address Enter the mailing address for the responsible official if different than the address entered in No. 4 above.
- 8. Responsible Official Telephone Number Enter the telephone number and facsimile number, if available, at which the responsible official can be contacted.

Facility Contact

Name and Title of Facility Contact - Enter the name of the facility contact, if other than the
responsible official. For example, a plant manager could be designated as the facility contact for
Department inspections.

DEP Form No. 62-213.900(2)

- 10. Facility Contact Address Enter the mailing address for the facility contact, if different than the address entered in No. 4 above.
- 11. Facility Contact Telephone Number Enter the telephone number and facsimile number, if available, at which this person can be contacted.

Facility Information

- 1. For each machine located at the facility, select the appropriate machine type and type of air pollution control device installed on the machine (for example, dry-to-dry unit w/ ref. condenser). If the dry-to-dry machine was purchased from the manufacturer prior to or on December 9, 1991, it is an EXISTING unit. If the dry-to-dry machine was purchased from the manufacturer after December 9, 1991, it is a NEW unit. Beginning with dry-to-dry machines, enter the date the machine was initially purchased from the manufacturer in the ddmth-yy format. If you do not know the exact date of purchase, but can confirm it was prior to December 9, 1991, enter 08-DEC-91. Indicate the status of the machine as either new or existing. Circle the required control equipment for that machine (if required) and enter the date of its installation (in the dd-mth-yy format). If control equipment is required, but has not yet been installed, indicate this with an "X". If the control device was already included at the time of purchase, enter "SAME". Up to three dry-to-dry machines may be entered across this table. Complete the other table for transfer machines located at the facility, as applicable. Submit additional copies of these tables if more than three machines per type are located at the facility.
- 2. Enter the total amount, in gallons, of perchloroethylene consumed during the preceding twelve months. If this amount represents a period of less than twelve months, indicate the actual time period used to determine solvent consumption and the reason for this discrepancy (for example, new store). New owners should attempt to obtain solvent purchase records from the previous owner.
- 3. Using the amount of perc entered in No. 2 above, select the facility's classification. The classification is based on the definitions found in paragraph (3) of Part II.
- 4. Indicate which control technology is required on machines pursuant to paragraph (5) of Part II, based upon the selection in No. 3 above. Existing small area sources are not required to install any additional control equipment.
- 5. Indicate with an "X" that all steam and hot water generating units on-site are exempt from permitting pursuant to Rule 62-210.300(3), F.A.C., or that the facility has no such units on-site. Provide information on the quantities of boilers, their horsepower rating(s), and fuel used.

Equipment Monitoring and Recordkeeping Information

6. Indicate all logs which are required to be kept on-site in accordance with the requirements of this notification form with an "X".

Surrender of Existing DEP Air Permit(s)

Rule 62-213.300(2)(a)2., F.A.C., makes the surrender of all existing DEP air permits authorizing the operation of a facility a condition precedent for the entitlement to a DEP air general permit. Indicate whether the responsible official surrenders such permit(s) or whether no such permit(s) exist with an "X" and list all existing DEP air permit numbers.

Responsible Official Certification

This statement must be both printed and signed by the person named on page 13, Field 6, of this form.

IMPORTANT

A facility is eligible to operate under a Title V air general permit for no more than five (5) years. Your facility is approaching the end of the five (5) year period for which it was entitled to operate with an air Title V general permit

enclosed not Protection a	to the continue your entitlement, please complete the cification form and return it to the Department of Environmenta to the address included with the notification form. A fee is not this notification submittal
	☐ If you are a new owner, please check this and return this form with your completed notification form.
	☐ If you are a new RO (Responsible Official), and/or your existing business has moved to a new location, please check this box and return this form with your completed notification form.

• If you do not wish to continue your eligibility, please disregard this notice.