



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

February 24, 2006

Mr. Ashok P. Thankey
Condor Cleaners
970-972 South State Road 7
Margate, Florida 33068

Re: Facility No.: 0112659-001

Dear Mr: Thankey:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 3, 2006.

Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office
Bureau of Air Monitoring and Mobile Sources MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the district or local air program compliance inspector in your area.

Sincerely,

Joseph Kahn, Chief
Bureau of Air Monitoring
and Mobile Sources

JK/jw

cc: Mr. Clifton Bittle, Broward County

"More Protection, Less Process"

Printed on recycled paper.

NO ACTIVITY FOR FACILITY ✓.....
EMISSION FEE DATES
SOC REPORTS
COMPLIANCE STATUS

CB

SE Brouard

Grant, Patricia

From: Bittle, Clifton [CBITTLE@broward.org]
Sent: Tuesday, January 30, 2007 9:00 AM
To: Bowman, Sandy
Cc: Grant, Patricia; Susky, Elizabeth
Subject: RE:

Sandy....This facility address was inspected by Elizabeth Susky in December 2006 and there was not a drycleaner operating at the location. When a situation like this occurs in the future, would you like us to provide email notification?

Clifton R. Bittle
Environmental Licensing Manager
Air Quality Division
Environmental Protection Department
115 S. Andrews Avenue, Room A-240
Ft. Lauderdale, FL 33301
Phone: (954) 519-1208
Fax: (954) 519-1495

From: Bowman, Sandy [mailto:Sandy.Bowman@dep.state.fl.us]
Sent: Friday, January 26, 2007 3:39 PM
To: Bittle, Clifton
Cc: Grant, Patricia
Subject:

Hi Cliff,

Facility #0112659 has been inactivated. We have nothing in our files to support this. If you have documentation, would you please forward it to us? Also, I noticed that the facility was inactivated by E. Susky. Facilities need to be inactivated by the permitting office and we would appreciate it if you would forward the request to us. Thank you.

Sandy Bowman
Environmental Administrator
Division of Air Resource Management
850/921-9583 or sandy.bowman@dep.state.fl.us

Grant, Patricia

From: Bowman, Sandy

Sent: Friday, January 26, 2007 3:39 PM

To: 'Bittle, Clifton'

Cc: Grant, Patricia

Hi Cliff,

Facility #0112659 has been inactivated. We have nothing in our files to support this. If you have documentation, would you please forward it to us? Also, I noticed that the facility was inactivated by E. Susky. Facilities need to be inactivated by the permitting office and we would appreciate it if you would forward the request to us. Thank you.

Sandy Bowman

Environmental Administrator

Division of Air Resource Management

850/921-9583 or sandy.bowman@dep.state.fl.us

RECEIVED
 JAN 3 2006
 Bureau of Air Monitoring
 & Mobile Sources

**PERCHLOROETHYLENE DRY CLEANER
 AIR GENERAL PERMIT NOTIFICATION FORM**

Part III. Notification of Intent to Use General Permit

Prior to filling out this form, please read the instructions provided at the end of the form. Send completed form to the address listed in the instructions and keep a copy of the form for your files.

Facility Name and Location

| |
|---|
| 1. Facility Owner/Company Name (Name of corporation, agency, or individual owner): <p align="center" style="font-size: 1.2em;">CONDOR CLEANERS LLC</p> |
| 2. Site Name (For example, plant name or number): |
| 3. Hazardous Waste Generator Identification Number: |
| 4. Facility Location: 970-972 S. STATE ROAD 7 Street Address: City: MARGATE County: BROWARD Zip Code: 33068 |
| 5. Facility Identification Number (DEP Use ONLY - do not fill in) <p align="center" style="font-size: 1.5em;">0112659-001</p> |

Responsible Official

| |
|--|
| 6. Name and Title of Responsible Official: Name: ASHOK P. THAKREY Title: PRESIDENT |
| 7. Responsible Official Mailing Address: Organization/Firm: 970-972 S. STATE ROAD 7 Street Address: City: MARGATE County: BROWARD Zip Code: 33068 |
| 8. Responsible Official Telephone Number: Telephone: (954) 340 7500 Fax: (954) 827 0751 |

Facility Contact (If different from Responsible Official)

| |
|---|
| 9. Name and Title of Facility Contact (For example, plant manager): |
| 10. Facility Contact Address: Street Address: City: County: Zip Code: |
| 11. Facility Contact Telephone Number: Telephone: () - Fax: () - |

Facility Information

1.(a) DRY-TO-DRY MACHINES ONLY

How many dry-to-dry machines do you have on-site? 1

For each dry-to-dry machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|-------------------------|---|---|
| <u>10/95</u> | Existing New | RC CA None required | <u>SAME</u> |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

1.(b) TRANSFER MACHINES ONLY

How many washers do you have on-site? 0

How many dryers/reclaimers do you have on-site? 0

If the transfer machine was purchased from the manufacturer prior to or on December 9, 1991, it is an **EXISTING** unit. If the transfer machine was purchased from the manufacturer between December 9, 1991 and September 22, 1993, it is a **NEW** unit (no units purchased after September 22, 1993 are allowed to operate under this general permit). For each transfer machine on-site, please provide the following information:

| Date Initially Purchased From Manufacturer | Status (circle one) | Control Device Required* (circle one) | Date Control Device Installed (if already included at time of purchase, write "SAME") |
|--|---------------------|---------------------------------------|---|
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |
| _____ | Existing/New | RC/CA/None required | _____ |

*CONTROL DEVICE KEY: RC = refrigerated condenser CA = carbon adsorber

2.(a) How much perchloroethylene (perc) have you used within the last 12 months?

 0 gallons (You must fill this in)

*NEW COMPANY
01/06*

(b) If less than 12 months, how many? 0 months

Check why it is less than 12 months: New owner: Did not keep records:

New store: New machine

Unopened store (date of expected opening 01/06)

3. What is the facility's source classification based on the definitions found in section (3) of Part II? Indicate with an "X". Select one classification only.)

- Small Area Source
- Dry-to-dry machines only on-site (used less than 140 gallons of perc per year)
 - Transfer only on-site (used less than 200 gallons of perc per year)
 - Both machine types on-site (used less than 140 gallons of perc per year)
- Large Area Source
- Dry-to-dry machines only on-site (used 140 - 2,100 gallons of perc per year)
 - Transfer only on-site (used 200 - 1,800 gallons of perc per year)
 - Both machine types on-site (used 140 - 1,800 gallons of perc per year)

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form? (Indicate with an "X".)

- | | |
|--|---|
| <u>Existing machines at small area source</u> (NONE REQUIRED) <input checked="" type="checkbox"/> | <u>New machines at small area source</u> Refrigerated condenser <input type="checkbox"/> |
| <u>Existing machines at large area source</u> Carbon adsorber <input type="checkbox"/> Refrigerated condenser <input type="checkbox"/> | <u>New machines at large area source</u> Refrigerated condenser <input type="checkbox"/> |

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site (see attached memo for the criteria).

All steam and hot water generating units exempt OR
No such units on-site

How many boilers do you have on-site?

For each boiler, indicate its horsepower (HP) rating:

What type of fuel do you use? propane natural gas
 No. 2 fuel oil No. 4 fuel oil
 No. 6 fuel oil Other (please list) ELECTRIC

6. Equipment Monitoring and Recordkeeping Information

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases/solvent addition log
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Startup, shutdown, malfunction plan

7. Surrender of Existing DEP Air Permit(s)

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing DEP air permits authorizing operation of the facility indicated in this notification form; the permit number(s) are


No DEP air permits currently exist for the operation of the facility indicated in this notification form.

Responsible Official Certification

I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.

I will promptly notify the Department of any changes to the information contained in this notification.


MR A.P. THANEY
Print name of responsible official


Signature

12/20/05
Date

MS# 5510 MC Acct # 5521

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400



Master

016H16501646

\$00.390

04/26/2007

Mailed From 32399
US POSTAGE

RECEIVED
MAY 07 2007


Bureau of Air, Mail, and
& Mobile Services

NIXIE 330 1 07 05/02/07

RETURN TO SENDER
ATTEMPTED - NOT KNOWN
UNABLE TO FORWARD

BC: 32399240099 *0938-07402-26-42

33068+2808-70 323992400





Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

March 7, 2007

NOTICE OF PAST DUE

2006 ANNUAL EMISSIONS FEE

To: Users of the Title V Air General Permit

Previously, two notices of your obligation to pay the annual emissions fee have been sent to you by first class U.S. mail, including an invoice form with payment instructions. Your annual emissions fee of \$50 for the calendar year **2006** was due and payable on, or postmarked no later than, **March 1, 2007**. **If you have already submitted payment, please disregard this notice.**

This notice (with the enclosed replacement invoice) is being sent in accordance with Rule 62-213.205(1)(g), Florida Administrative Code (F.A.C.), as a reminder that any annual emissions fee not paid may be subject to a 50 percent penalty, plus interest computed in accordance with Section 220.807, Florida Statutes (F.S.). In addition, under Rule 62-213(1)(g), F.A.C., failure to timely pay any required annual emissions fee, penalty, or interest constitutes grounds for revocation of the Title V Air General Permit. According to our records, we have not received your air emissions fee payment. Therefore, you are being assessed a 50 percent penalty plus the invoice amount of \$50.00, for a **total amount of \$75.00**.

Records in the Division of Air Resource Management indicate that during calendar year **2006** you operated a facility which is a source of air pollution. You have also claimed eligibility for this facility to operate under a Title V Air General Permit pursuant to Rule 62-213, F.A.C.

As a source of air pollution subject to Title V of the federal Clean Air Act, your facility under Section 403.0872, F.S., is required to pay an annual emissions fee, as established by the Department in Rule 62-213.205, F.A.C. You are also required, under Rule 62-213.300(2)(c)2, F.A.C., to notify the Department in writing of any change(s) in facility status.

To submit your **\$75.00 fee payment**, please follow the directions on the enclosed invoice form. If you have any questions, you may call Dick Dibble at 850/921-9586 or Sandra Bowman at 850/921-9583. Thank you for your prompt attention to this matter.

Sincerely,

Sandra Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

/SV

Enclosure: Invoice Form



Department of Environmental Protection

Jeb Bush
Governor

Division of Air Resource Management
2600 Blair Stone Road, MS 5510
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213,300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

**Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070**

(CUT HERE)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$75.00

Do NOT Remove Label

AIRS ID#112659
CONDOR CLEANERS
970-972 S State Road 7
MARGATE, FLORIDA 33068

FLAIR ACCT. CODE 372020350013755010000
BENEFITTING OBJECT CODE 002000
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: AI
FUND: 20-2-035001
OBJECT: 002273



POSTAGE
REQUIRED

TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

MS 5510 MC Acct# 5521

BEST AVAILABLE COPY

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400


RECEIVED
DEC 21 2006
Bureau of Air Monitoring
& Mobile Sources

ATTENTION: NOT KNOWN

#0112659

AIRSID# 0112659
CONDOR CLEANERS
670-972 S State Road 7
MARGATE FLORIDA 32068

out of Business
INActive 12/28/2006



Department of Environmental Protection

Jeb Bush
Governor

Division of Air Resource Management
2600 Blair Stone Road, MS 5510
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213,300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

**Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070**

(CUT HERE)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID# 112659
CONDOR CLEANERS
970-972 S State Road 7
MARGATE, FLORIDA 33068

FLAIR ACCT. CODE 372020350013755010000
BENEFITTING OBJECT CODE 002000
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273

REPORT SPILLS OF DRYCLEANING SOLVENTS

STATE LAW REQUIRES
IMMEDIATE NOTIFICATION
OF SPILLS OF MORE THAN 1 QUART TO THE
STATE WARNING POINT



1-800-320-0519

Florida Drycleaning Coalition



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

December 6, 2006

NOTICE OF ANNUAL OPERATION FEE

To: Users of Title V Air General Permits

Records in the Division of Air Resource Management indicate that you operate a source of air pollution and that you have claimed eligibility for your facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution, your facility is required under Section 403.0872, Florida Statutes (F.S.), to pay an annual operation fee as established by the Department in Rule 62-213.205, F.A.C.

Your annual operation fee is \$50 for calendar year **2006**. For your facility to maintain its eligibility for the Title V Air General permit, Rule 62-213.300(3)(b), F.A.C., states "...the owner or operator of the facility must upon written notice from the Department submit payment of an annual operation fee in the amount of \$50.00. This invoice constitutes the Department's written notice as required under the general permit rule.

Any annual operation fee not postmarked by **March 1, 2007**, may be subject to a 50% penalty, plus interest computed in accordance with Section 220.807, F.S. In addition, please be aware that under Rule 62-213.205(1)(g), F.A.C., failure to timely pay any required annual operation fee, penalty, or interest constitutes grounds for revocation of the Title V Air General Permit.

To submit your fee payment, please follow the directions on the enclosed invoice form. If you have any questions, you may call Dickson Dibble at 850/921-9586 or Sandra Bowman at 850/921-9583. Thank you for your prompt attention to this matter.

Sincerely,

A handwritten signature in cursive script that reads "Sandra Veazey".



Sandra Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SV/sb

Enclosure: Invoice Form

"More Protection, Less Process"

Printed on recycled paper.



DEPARTMENT OF ENVIRONMENTAL PROTECTION

PERCHLOROETHYLENE

DRY CLEANER

COMPLIANCE CALENDAR

2007

DEP's DRY CLEANER COMPLIANCE – Air, Waste, and Wastewater Contacts
The Department of Environmental Protection's (DEP's) Air Divisions compliance requirements:

DEP Division of Air Resources Management:

Dry Cleaners that use PERC Contact: Dickson Dibble at 850/921-9586.

Obtain notification information for the 5 year Title V general permit. A retroactive operation fee of \$50 is invoiced annually by the Air Division (i.e.) your 2007 invoice is for the 2006 operating year.

DEP Division of Waste Management:

Federal E. P.A. I. D. #: Michael Redig Hazardous Waste Section at 850/245-8707

As a dry cleaner, it is likely that you are a small quantity generator of hazardous waste. Call to obtain your required federal I.D. number.

Dry cleaning Facility Registration: Rick Vail at 850/245-8839, or Lida Schwetz at 850-245-8836

Dry cleaning facilities and wholesale supply facilities that use dry cleaning solvents are required to be registered with the Division of Waste Management. Regulated solvents include: perchloroethylene ("perc"), tetrachloroethylene, valcene, carbon tetrachloride, and other petroleum-based solvents. The Division issues invoices each November for an \$100 annual registration fee due from every facility that operated in the calendar year.

Dry cleaning Solvent Cleanup Program: Bill Burns at 850/245-8972

Dry cleaning facilities and wholesale supply facilities that reported dry cleaning solvent contamination to DEP no later than December 31, 1998, may be eligible for site rehabilitation assistance. Call for more information on this program and to see if your facility is eligible.

Wastewater:

Septic tank recommendations: Local County Health Department

Separator water shall not be discharged into a septic system or onto the ground unless it is determined that the groundwater protection guidance concentration (maximum contaminant level) for perc of 0.003 (ppm) parts per million (3 micrograms/liter) is met. Most of the units currently available are not designed to meet this standard.

Sewer recommendations: Local public/private utility

Separator water with concentrations of perc greater than 0.53 ppm (530 micrograms/liter) should not be discharged to sewer systems. All sewer discharges shall comply with the list of prohibited discharges found in Rule 62-625.400(2) (g), Florida Administrative Code. Most utilities have local discharge standards that regulate what can be discharged to collection systems. The utilities shall be notified and/or a permit must be obtained, prior to discharge, to ensure the wastewater will comply with any local requirements in lieu of meeting the discharge screening criteria of 0.53 ppm.



INSTRUCTIONS FOR USE -You may use this calendar to keep records for air program compliance. Keep these records at your facility for 5 years.

JULY 2007 (e.g.)

PERC PURCHASES RUNNING TOTAL

| Total from last month | | 55 |
|-------------------------|-----------------|------------------------|
| Subtract PERC purchased | | - 10 |
| JULY 2006 | | |
| SUBTOTAL | | 45 |
| Purchase Date | Purchase Amount | 12 Month Running Total |
| 7/11/2007 | + 15 | 60 |
| | + | |

Enter running total from last month.

Enter the amount of PERC you bought during this same month last year, from last year's records or calendar.

This is your 12 month running total if you do not buy PERC this month.

This is your 12 month running total if you bought PERC this month. Record the bottom number in this column on next month's form in line **TOTAL FROM LAST MONTH**.

Record the date you bought PERC this month, if any.

If you bought PERC this month, record the amount and add it to the subtotal. This amount will also go on next year's calendar for this same month under **SUBTRACT PERC PURCHASED**.

DISCLAIMER: *This calendar is for compliance assistance purposes only. It is not official rule language. Please refer to Chapter 62-213, of the Florida Administrative Code for complete and up-to-date rule language.*

REMEMBER: *New rule for perc dry cleaners requiring the use of a leak detector. For more information please refer to the code of Federal Regulations 40 CFR Part 63 Air Emissions Standards for Dry Cleaning Facilities. (7/27/2006)*

CONDENSER TEMP. LOG :

Check the outlet temperature of the refrigerated condenser every week. Record the temperature and date in the space provided. In the block marked "Is temp less than or equal to 45° F (7.2° C)?" Check "Y" or "N" for "yes" or "no". If you checked "N", the machine must be repaired.

INSPECTIONS :

If you buy **140 gallons or more** of PERC per year, you must check your machine weekly for leaks and record the results.

If you buy **less than 140 gallons** of PERC per year, you must conduct and record leak inspections at least every other week.

Record the results of the inspections on the calendar. If leaks are found, they must be repaired within 24 hours. Indicate in the "DATE REPAIRED" block when repairs are completed. If parts must be purchased, indicate the dates they are ordered and the date installed. Parts must be ordered within **2** working days of leak detection and installed within **5** working days of receipt.



JANUARY 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45°F (7.2°C)? |
|------|-------------|---|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | |
|-------------------------|-----------------|------------------------|
| Subtract PERC purchased | | |
| JANUARY 2006 | | |
| SUBTOTAL | | |
| Purchase Date | Purchase Amount | 12 Month Running Total |
| | JANUARY 2007 | |
| | + | |
| | + | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS | | DATE PARTS | | DATE |
|------------------|----------|---|---|---|---|------------|-------------|------------|--|------|
| | | | | | | ORDERED | RECEIVED | REPAIRED | | |
| HOSES | N | Y | N | Y | N | Y | | | | |
| DOOR | N | Y | N | Y | N | Y | | | | |
| PUMP | N | Y | N | Y | N | Y | | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | | |
| STILL | N | Y | N | Y | N | Y | | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N | | |

January 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | 1 | 2 | 3 | 4 | 5 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 6 |
| 7 | 8 | 9 | 10 | 11 | 12 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 13 |
| 14 | 15 | 16 | 17 | 18 | 19 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 20 |
| 21 | 22 | 23 | 24 | 25 | 26 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 27 |
| 28 | 29 | 30 | 31 | | | |

Tip of the Month:

To reduce solid waste, consider providing hanger caddies for collection, return and reuse.



Have you changed your mister / separator filter according to the manufacturer's specifications?

Change of ownership? (please see details on the last page)



CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2° C) ? |
|------|-------------|--|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | | |
|-------------------------|-----------------|------------------------|---|
| Subtract PERC purchased | | | - |
| FEBRUARY 2006 | | | |
| SUBTOTAL | | | |
| Purchase Date | Purchase Amount | 12 Month Running Total | |
| | FEBRUARY 2007 | | |
| | + | | |
| | + | | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS | | DATE PARTS | | DATE |
|------------------|----------|---|---|---|---|------------|-------------|------------|--|------|
| | | | | | | ORDERED | RECEIVED | REPAIRED | | |
| HOSES | N | Y | N | Y | N | Y | | | | |
| DOOR | N | Y | N | Y | N | Y | | | | |
| PUMP | N | Y | N | Y | N | Y | | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | | |
| STILL | N | Y | N | Y | N | Y | | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N | | |

February 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|---|---|-----|
| | | | | 1 | 2 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 17 |
| 18 | 19 | 20 | 21 | 22 Annual Operating Fee (\$50) for 2006 is due March 1st, 2007 | 23 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 24 |
| 25 | 26 | 27 | 28 | | | |

Tip of the Month:

Reduce paperwork and paper waste by using electronic bookkeeping.



Have you changed your mister / separator filter according to the manufacturer's specifications?

MARCH 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2° C) ? |
|------|-------------|--|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | |
|-------------------------|-----------------|------------------------|
| Subtract PERC purchased | | |
| MARCH 2006 | | |
| SUBTOTAL | | |
| Purchase Date | Purchase Amount | 12 Month Running Total |
| | MARCH 2007 | |
| | + | |
| | + | |

REMINDER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS | | DATE PARTS | | DATE |
|------------------|----------|---|---|---|---|------------|-------------|------------|--|------|
| | | | | | | ORDERED | RECEIVED | REPAIRED | | |
| HOSES | N | Y | N | Y | N | Y | | | | |
| DOOR | N | Y | N | Y | N | Y | | | | |
| PUMP | N | Y | N | Y | N | Y | | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | | |
| STILL | N | Y | N | Y | N | Y | | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N | | |

March 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|--|---|-----|
| | | | | 1 Annual \$50 Operating Fee Due | 2 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 31 |

Tip of the Month:

Collect and recycle polyethylene bags.



Have you changed your mister / separator filter according to the manufacturer's specifications?

APRIL 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2°C) ? |
|------|-------------|---|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | | |
|-------------------------|-----------------|------------------------|---|
| Subtract PERC purchased | | | - |
| APRIL 2006 | | | |
| SUBTOTAL | | | |
| Purchase Date | Purchase Amount | 12-Month Running Total | |
| | APRIL 2007 | | |
| | + | | |
| | + | | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS ORDERED | DATE PARTS RECEIVED | DATE REPAIRED |
|------------------|----------|---|------|---|---|--------------------|---------------------|---------------|
| | | | DATE | | | | | |
| HOSES | N | Y | N | Y | N | Y | | |
| DOOR | N | Y | N | Y | N | Y | | |
| PUMP | N | Y | N | Y | N | Y | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | |
| STILL | N | Y | N | Y | N | Y | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | |
| DIVERTE VALVE | N | Y | N | Y | N | Y | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N |

April 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| 1 | 2 | 3 | 4 | 5 | 6 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 7 |
| 8 | 9 | 10 | 11 | 12 | 13 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 14 |
| 15 | 16 | 17 | 18 | 19 | 20 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 21 |
| 22 | 23 | 24 | 25 | 26 | 27 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 28 |
| 29 | 30 | | | | | |

Tip of the Month:

Collect cardboard, cans and other recyclables at your facility.



Have you changed your mister / separator filter according to the manufacturer's specifications?



MAY 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45°F (7.2°C)? |
|------|-------------|---|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | | |
|-------------------------|-----------------|------------------------|---|
| Subtract PERC purchased | | | - |
| MAY 2006 | | | |
| SUBTOTAL | | | |
| Purchase Date | Purchase Amount | 12 Month Running Total | |
| | MAY 2007 | | |
| | + | | |
| | + | | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS | | DATE PARTS | | DATE |
|------------------|----------|---|---|---|---|------------|--------------|------------|--|------|
| | | | | | | ORDERED | RECEIVED | REPAIRED | | |
| HOSES | N | Y | N | Y | N | Y | | | | |
| DOOR | N | Y | N | Y | N | Y | | | | |
| PUMP | N | Y | N | Y | N | Y | | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | | |
| STILL | N | Y | N | Y | N | Y | | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELLED Y N | DATED Y N | | |

May 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | | 1 | 2 | 3 | 4 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 5 |
| 6 | 7 | 8 | 9 | 10 | 11 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 19 |
| 20 | 21 | 22 | 23 | 24 | 25 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 26 |
| 27 | 28 | 29 | 30 | 31 | | |

Tip of the Month:

Regularly replace gaskets/seals on dryer dampers, deodorizers and aeration valves.



Have you changed your mister / separator filter according to the manufacturer's specifications?

JUNE 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2° C)? |
|------|-------------|---|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | | |
|-------------------------|-----------------|------------------------|---|
| Subtract PERC purchased | | | - |
| JUNE 2006 | | | |
| SUBTOTAL | | | |
| Purchase Date | Purchase Amount | 12-Month Running Total | |
| | JUNE 2007 | | |
| | + | | |
| | + | | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS ORDERED | | DATE PARTS RECEIVED | DATE REPAIRED |
|------------------|----------|---|------|---|---|--------------------|-------------|---------------------|---------------|
| | | | DATE | | | | | | |
| HOSES | N | Y | N | Y | N | Y | | | |
| DOOR | N | Y | N | Y | N | Y | | | |
| PUMP | N | Y | N | Y | N | Y | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | |
| STILL | N | Y | N | Y | N | Y | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N | |

June 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | | | | | 1 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 2 |
| 3 | 4 | 5 | 6 | 7 | 8 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 9 |
| 10 | 11 | 12 | 13 | 14 | 15 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 23 |
| 24 | 25 | 26 | 27 | 28 | 29 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 30 |

Tip of the Month:

Replace faulty or worn gaskets on button trap and around cleaning machine door.



Have you changed your mister / separator filter according to the manufacturer's specifications?



JULY 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2° C) ? |
|------|-------------|--|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | |
|-------------------------|-----------------|------------------------|
| Subtract PERC purchased | | |
| JULY 2006 | | |
| SUBTOTAL | | |
| Purchase Date | Purchase Amount | 12 Month Running Total |
| | JULY 2007 | |
| | + | |
| | + | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS | | DATE PARTS | | DATE |
|------------------|----------|---|---|---|---|------------|-------------|------------|--|------|
| | | | | | | ORDERED | RECEIVED | REPAIRED | | |
| HOSES | N | Y | N | Y | N | Y | | | | |
| DOOR | N | Y | N | Y | N | Y | | | | |
| PUMP | N | Y | N | Y | N | Y | | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | | |
| STILL | N | Y | N | Y | N | Y | | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N | | |

July 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| 1 | 2 | 3 | 4 | 5 | 6 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 7 |
| 8 | 9 | 10 | 11 | 12 | 13 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 14 |
| 15 | 16 | 17 | 18 | 19 | 20 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 21 |
| 22 | 23 | 24 | 25 | 26 | 27 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 28 |
| 29 | 30 | 31 | | | | |

Tip of the Month:

After a filter change, check gaskets and sealing of new filter.



Have you changed your mister / separator filter according to the manufacturer's specifications?



AUGUST 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2°C) ? |
|------|-------------|---|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | |
|-------------------------|-----------------|------------------------|
| Subtract PERC purchased | | |
| AUGUST 2006 | | |
| SUBTOTAL | | |
| Purchase Date | Purchase Amount | 12 Month Running Total |
| | AUGUST 2007 | |
| | + | |
| | + | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS | | DATE PARTS | |
|------------------|----------|------|------|------|------|-------------|-----------|------------|--|
| | DATE | DATE | DATE | DATE | DATE | ORDERED | RECEIVED | REPAIRED | |
| HOSES | N Y | N Y | N Y | N Y | N Y | | | | |
| DOOR | N Y | N Y | N Y | N Y | N Y | | | | |
| PUMP | N Y | N Y | N Y | N Y | N Y | | | | |
| SOLVENT TANK | N Y | N Y | N Y | N Y | N Y | | | | |
| WATER SEPARATOR | N Y | N Y | N Y | N Y | N Y | | | | |
| MUCK COOKER | N Y | N Y | N Y | N Y | N Y | | | | |
| STILL | N Y | N Y | N Y | N Y | N Y | | | | |
| EXHAUST DAMPER | N Y | N Y | N Y | N Y | N Y | | | | |
| DIVERTER VALVE | N Y | N Y | N Y | N Y | N Y | | | | |
| FILTER GASKET | N Y | N Y | N Y | N Y | N Y | | | | |
| CARTRIDGE FILTER | N Y | N Y | N Y | N Y | N Y | | | | |
| WASTE CONTAINERS | N Y | N Y | N Y | N Y | N Y | LABELED Y N | DATED Y N | | |

August 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | | | 1 | 2 | 3 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 4 |
| 5 | 6 | 7 | 8 | 9 | 10 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 11 |
| 12 | 13 | 14 | 15 | 16 | 17 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 18 |
| 19 | 20 | 21 | 22 | 23 | 24 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 25 |
| 26 | 27 | 28 | 29 | 30 | 31 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | |

Tip of the Month:

Monitor equipment efficiency

(e.g., pounds of clothes cleaned per drum of solvent).



Have you changed your mister / separator filter according to the manufacturer's specifications?

SEPTEMBER 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2° C) ? |
|------|-------------|--|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | | |
|-------------------------|-----------------|------------------------|---|
| Subtract PERC purchased | | | - |
| SEPTEMBER 2006 | | | |
| SUBTOTAL | | | |
| Purchase Date | Purchase Amount | 12 Month Running Total | |
| | SEPTEMBER 2007 | | |
| | + | | |
| | + | | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER-ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS ORDERED | | DATE PARTS RECEIVED | | DATE REPAIRED |
|------------------|----------|---|---|---|---|--------------------|-------------|---------------------|--|---------------|
| | | | | | | | | | | |
| HOSES | N | Y | N | Y | N | Y | | | | |
| DOOR | N | Y | N | Y | N | Y | | | | |
| PUMP | N | Y | N | Y | N | Y | | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | | |
| STILL | N | Y | N | Y | N | Y | | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N | | |

September 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 22 |
| 23 | 24 | 25 | 26 | 27 | 28 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 29 |
| 30 | | | | | | |

Tip of the Month:

Size loads

(neither over nor under-loading)

to maximize solvent efficiency.



Have you changed your mister / separator filter according to the manufacturer's specifications?



CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45° F (7.2° C) ? |
|------|-------------|--|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | | |
|-------------------------|-----------------|------------------------|---|
| Subtract PERC purchased | | | - |
| OCTOBER 2006 | | | |
| SUBTOTAL | | | |
| Purchase Date | Purchase Amount | 12 Month Running Total | |
| | OCTOBER 2007 | | |
| | + | | |
| | + | | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS ORDERED | DATE PARTS RECEIVED | DATE REPAIRED |
|------------------|----------|---|------|---|---|--------------------|---------------------|---------------|
| | | | DATE | | | | | |
| HOSES | N | Y | N | Y | N | Y | | |
| DOOR | N | Y | N | Y | N | Y | | |
| PUMP | N | Y | N | Y | N | Y | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | |
| STILL | N | Y | N | Y | N | Y | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N |

October 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | 1 | 2 | 3 | 4 | 5 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 6 |
| 7 | 8 | 9 | 10 | 11 | 12 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 13 |
| 14 | 15 | 16 | 17 | 18 | 19 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 20 |
| 21 | 22 | 23 | 24 | 25 | 26 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 27 |
| 28 | 29 | 30 | 31 | | | |

Tip of the Month:

Clean lint screens regularly to avoid clogging fans and condensers.



Have you changed your mister / separator filter according to the manufacturer's specifications?



NOVEMBER 2007

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45°F (7.2°C)? |
|------|-------------|---|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | | |
|-------------------------|-----------------|------------------------|---|
| Subtract PERC purchased | | | - |
| NOVEMBER 2006 | | | |
| SUBTOTAL | | | |
| Purchase Date | Purchase Amount | 12 Month Running Total | |
| | NOVEMBER 2007 | | |
| | + | | |
| | + | | |

REMINDER:
 IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS ORDERED | | DATE PARTS RECEIVED | DATE REPAIRED |
|------------------|----------|---|------|---|---|--------------------|-------------|---------------------|---------------|
| | | | DATE | | | | | | |
| HOSES | N | Y | N | Y | N | Y | | | |
| DOOR | N | Y | N | Y | N | Y | | | |
| PUMP | N | Y | N | Y | N | Y | | | |
| SOLVENT TANK | N | Y | N | Y | N | Y | | | |
| WATER SEPARATOR | N | Y | N | Y | N | Y | | | |
| MUCK COOKER | N | Y | N | Y | N | Y | | | |
| STILL | N | Y | N | Y | N | Y | | | |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | | | |
| DIVERTER VALVE | N | Y | N | Y | N | Y | | | |
| FILTER GASKET | N | Y | N | Y | N | Y | | | |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | | | |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | LABELED Y N | DATED Y N | |

November 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | | | | 1 | 2 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | |

Tip of the Month:

Open button traps and lint gaskets only long enough to clean.



Have you changed your mister / separator filter according to the manufacturer's specifications?



CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

| Date | Temperature | Is Temp less than or equal to 45°F (7.2°C)? |
|------|-------------|---|
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |
| | | Y/N |

| Total from last month | | |
|-------------------------|-----------------|------------------------|
| Subtract PERC purchased | | |
| DECEMBER 2006 | | |
| SUBTOTAL | | |
| Purchase Date | Purchase Amount | 12 Month Running Total |
| | DECEMBER 2007 | |
| | + | |
| | + | |

REMINDER:

IF 12-MONTH RUNNING TOTAL EXCEEDS 140 GALLONS FOR DRY-TO-DRY MACHINES, OR 200 GALLONS FOR TRANSFER ONLY MACHINES, AND RESULTS IN A CHANGE OF STATUS, YOU MUST NOTIFY THE DISTRICT OR LOCAL PROGRAM AND CONDUCT AND RECORD LEAK INSPECTIONS WEEKLY.

| INSPECTED | LEAKING? | | | | | DATE PARTS ORDERED | | DATE PARTS RECEIVED | | DATE REPAIRED |
|------------------|----------|---|------|---|---|--------------------|---|---------------------|---|---------------|
| | | | DATE | | | | | | | |
| HOSES | N | Y | N | Y | N | Y | N | Y | N | Y |
| DOOR | N | Y | N | Y | N | Y | N | Y | N | Y |
| PUMP | N | Y | N | Y | N | Y | N | Y | N | Y |
| SOLVENT TANK | N | Y | N | Y | N | Y | N | Y | N | Y |
| WATER SEPARATOR | N | Y | N | Y | N | Y | N | Y | N | Y |
| MUCK COOKER | N | Y | N | Y | N | Y | N | Y | N | Y |
| STILL | N | Y | N | Y | N | Y | N | Y | N | Y |
| EXHAUST DAMPER | N | Y | N | Y | N | Y | N | Y | N | Y |
| DIVERTER VALVE | N | Y | N | Y | N | Y | N | Y | N | Y |
| FILTER GASKET | N | Y | N | Y | N | Y | N | Y | N | Y |
| CARTRIDGE FILTER | N | Y | N | Y | N | Y | N | Y | N | Y |
| WASTE CONTAINERS | N | Y | N | Y | N | Y | N | Y | N | Y |

LABELED Y N DATED Y N

December 2007

Use your halogen leak detector monthly to detect Perchloroethylene (PERC) leaks and maintain records.



| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|---|-----|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 22 |
| 23 | 24 | 25 | 26 | 27 | 28 Temp Logged <input type="checkbox"/> Inspect Logged <input type="checkbox"/> | 29 |
| 30 | 31 | | | | | |

Tip of the Month:

Install energy efficient fluorescent lighting such as T8, T10 fixtures and bulbs, and electronic ballasts or metal halide and/or sodium vapor lamps. Recycle old lamps containing mercury.



Have you changed your mister / separator filter according to the manufacturer's specifications?

Dry Cleaner: District and County (Local) Program Air Contacts

| Contact Person | Office | Location | Telephone # |
|---|---|------------------------|--|
| Charles Norman | Northwest District | Pensacola | 850/595-8364 |
| Tracy White | Northwest District Branch | Tallahassee | 850/488-3704 |
| Yasmin Enriquez Rick Banks | Northeast District | Jacksonville | 904/807-3300 |
| Neal Janis | Southwest District | Tampa | 813/632-7600 |
| Michael Young Caroline Shine | Central District | Orlando | 407/893-3333 407/893-3336 |
| Darrel Graziani | Southeast District | West Palm Beach | 561/681-6659 |
| Robert Stewart Wayne Lewis Edward Russell | South District South District Branch | Fort Myers Marathon | 239/332-6975x160 305/289-2310x129 |
| Ray Gordon | Miami-Dade County | Miami | 305/372-6925x6944 |
| Clifton Bittle Elizabeth Susky Art Pennetta | Broward County | Fort Lauderdale | 954/519-1208 954/519-1430 954/519-1428 |
| Wayne Tutt | Duval County | Jacksonville | 904/630-1212x3163 |
| Lynn Robinson Mohammed Nozari | Hillsborough County | Tampa | 813/627-2600x1281 813/627-2600x1265 |
| A.J. Satyal Jeff Dizek | Palm Beach County | West Palm Beach | 561/355-3070x1144 561/355-3070x1145 |
| Gary Robbins Jeff Morris, Margaret Hennis | Pinellas County | Clearwater | 727/464-4422 |
| Ilka Bundy John Parker, Tom Bessa | Orange County | Orlando | 407/836-1476 407/836-1445 |
| Susan Cameron | Sarasota County | Sarasota | 941/861-6237 |

Please request additional calendars by contacting the Florida Small Business Environmental Assistance Program (SBEAP) toll free at:

1-800-722-7457

Or by email @

stephen.mckeough@dep.state.fl.us



I have two dry cleaning machines but only one compliance calendar. I know, I'll call SBEAP!



We provide calendars in both English and Spanish free of charge.

ATTENTION:

The Title V Air General Permit is **NOT** transferable and does not follow a change in ownership of the facility. If you are a new owner and have not submitted a registration form and/or have any questions, please contact **Dickson Dibble at 850/921-9586**.

It is the **seller's responsibility** to notify the Florida DEP, Division of Air Resource Management of the pending change in ownership. Likewise, it is the **responsibility of the new owner/company** to submit a new PERC dry cleaner registration form no later than 30 days prior to the sale. All Title V correspondence and Registration forms should be mailed to the following address:

General Permits Section
Bureau of Air Monitoring and Mobile Sources, MS 5510
Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blairstone Road
Tallahassee, Florida 32399-2400

February 1, 2007

SECOND NOTICE OF ANNUAL OPERATION FEE

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary - Designee

RECEIVED
FEB 20 2007
Mobile Sources

TO: Users of Title V Air General Permits

Records in the Division of Air Resource Management indicate that you operate a source of air pollution and that you have claimed eligibility for your facility to operate under a Title V Air General Permit pursuant to Chapter 62-213, Florida Administrative Code (F.A.C.).

As a source of air pollution, your facility is required under Section 403.0872, Florida Statutes (F.S.), to pay an annual operation fee as established by the Department in Rule 62-213.205, F.A.C.

Your annual operation fee is \$50 for the calendar year **2006**. A notice of your obligation to pay the annual operation fee was sent to you by first class U.S. mail, along with an invoice form and instructions. If you have already submitted the annual operation fee in response to that request, please disregard this letter.

If you have not yet submitted the annual operation fee, this notice (with the enclosed replacement invoice) is being sent in accordance with Rule 62-213.205(1)(g), F.A.C., as a reminder that any annual operation fee not postmarked by **March 1, 2007**, may be subject to a 50 percent penalty, plus interest computed in accordance with Section 220.807, F.S. In addition, please be aware that under Rule 62-213.205(1)(g), F.A.C., failure to timely pay any required annual operation fee, penalty, or interest constitutes grounds for revocation of the Title V Air General Permit.

To submit your fee payment, please follow the directions on the enclosed invoice form. If you have any questions, you may call Dick Dibble at 850/921-9586 or Sandra Bowman at 850/921-9583. Thank you for your prompt attention to this matter.

Sincerely,

Sandra Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

/SV

Enclosure: Invoice Form



Department of Environmental Protection

Charlie Crist
Governor

Division of Air Resource Management
2600 Blair Stone Road, MS 5510
Tallahassee, Florida 32399-2400

RECEIVED
FEB 21 2007

Michael W. Sole
Secretary - Designee

TO: Holder of Title V Air General Permit

Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).

For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213,300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.

Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:

**Title V Air General Permits
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070**

(CUT HERE)

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

Please include your AIRS ID# on your check or money order. This number is located on the mailing label.

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID#112659
CONDOR CLEANERS
970-972 S State Road 7
MARGATE, FLORIDA 33068

FLAIR ACCT. CODE 372020350013755010000
BENEFITTING OBJECT CODE 002000
BENEFITTING CATEGORY 000200

FOR GOVERNMENT USE ONLY
ORG.: 37550101000 EO: A1
FUND: 20-2-035001
OBJECT: 002273




POSTAGE
REQUIRED

TITLE V - General Permit
Receipts
Post Office Box 3070
Tallahassee, FL 32315-3070

MS# 5510 MC Acct# 5527

Department of Environmental Protection
2600 Blair Stone Rd
Tallahassee FL 32399-2400



Hester

016H16501646

\$00.390

02/02/2007

Mailed From 32399

US POSTAGE

INACTIVE 1/20/2007

AIRS ID#112659
CONDOR CLEANERS
970-972 S State Road 7
MARGATE, FLORIDA 33068

NIXIE 330 1 07 02/18/07

RETURN TO SENDER
ATTEMPTED - NOT KNOWN
UNABLE TO FORWARD

BC: 32399240099 *0838-08156-02-40

33068+2808-70 323992400

