



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

November 5, 2007

Mr. John Ficarra
J. S. Paluch Company, Incorporated
4300 Northwest 124th Avenue
Coral Springs, Florida 33065

Dear Mr. Ficarra:


This is to acknowledge that your notification of intent to use the authority of Rule 62-210.310 to operate your facility was received on October 1, 2007. We have assigned ARMS Number 0112680-002 to this facility.

As you know, pursuant to Florida Statutes section 403.814, authority to operate under general permits commences thirty days after receipt of the registration form unless you have been notified by this office that your facility has not shown entitlement to operate pursuant to the rule provisions.

For your information, authority to operate pursuant to Rule 62-210.310 expires after 5 years. Therefore, a new registration form must be received no later than 5 years after the date your notice was received as indicated above. If your general permit rule conditions require testing, such testing must be completed within the time frame specified in the rule.

If you have any additional questions, please contact Dickson Dibble at 850/921-9586.

Sincerely,



Sandra F. Veazey, Chief
Bureau of Air Monitoring
and Mobile Sources

SFV/pg

cc: Mr. Clifton Bittle, Broward County

**PRINTING OPERATIONS
AIR GENERAL PERMIT REGISTRATION FORM**

Part II. Notification to Permitting Office
(Detach and submit to appropriate permitting office; keep copy onsite)

Instructions: To give notice to the Department of an eligible facility's intent to use this air general permit, the owner or operator of the facility must detach and complete this part of the Air General Permit Registration Form and submit it to the appropriate Department of Environmental Protection or local air pollution control program office which has permitting authority. Please type or print clearly all information, and enclose the appropriate air general permit registration processing fee pursuant to Rule 62-4.050, F.A.C. (\$100 as of the effective date of this form)

Office of Air Management & Mobile Sources

OCT 03 2007

R F C E I V E D

0112680-002

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
 Operate an existing facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit).

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
 Continue operating the facility after a change of ownership.
 Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C., or any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only

If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. In such case, check the first box, and indicate the operation permits being surrendered. If no air operation permits are held by the facility, check the second box.

- All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):
0112680-001-AC
 No air operation permits currently exist for this facility.

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)
J.S. Paluch Company, Inc.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a registration form must be completed for each.)
J.S. Paluch Company, Inc.

Facility Location (Provide the physical location of the facility, not necessarily the mailing address.)
Street Address: 4300 NW 124th Avenue
City: Coral Springs County: Broward Zip Code: 33065

Facility Start-Up Date (Estimated start-up date of proposed new facility.) (N/A for existing facility)
N/A

Owner/Authorized Representative

Name and Position Title (Person who, by signing this form below, certifies that the facility is eligible to use this air general permit.)

Print Name and Title: Daniel Shrader, National Operations Manager

Owner/Authorized Representative Mailing Address

Organization/Firm: J.S. Paluch Company, Inc.
Street Address: 3708 North River Road
City: Franklin Park County: Cook Zip Code: 60131

Owner/Authorized Representative Telephone Numbers

Telephone: 847-233-2778 Fax: 847-671-4911
Cell phone (optional):

Facility Contact (If different from Owner/Authorized Representative)

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: John Ficarra, Plant Manager

Facility Contact Mailing Address

Organization/Firm: J.S. Paluch Company, Inc.
Street Address: 4300 NW 124th Avenue
City: Coral Springs County: Broward Zip Code: 33065

Facility Contact Telephone Numbers

Telephone: 800-432-3240 Fax: 954-3454931
Cell phone (optional):

Owner/Authorized Representative Statement

This statement must be signed and dated by the person named above as owner or authorized representative

I, the undersigned, am the owner or authorized representative of the owner or operator of the facility addressed in this Air General Permit Registration Form. I hereby certify, based on information and belief formed after reasonable inquiry, that the facility addressed in this registration form is eligible for use of this air general permit and that the statements made in this registration form are true, accurate and complete. Further, I agree to operate and maintain the facility described in this registration form so as to comply with all applicable standards for control of air pollutant emissions found in the statutes of the State of Florida and rules of the Department of Environmental Protection and revisions thereof.

I will promptly notify the Department of any changes to the information contained in this registration form.


Signature

9/24/07
Date

Printing Process/InkType(s)

Check all that apply:

- Heatset Offset Lithographic
- Screen or Letterpress
- Flexographic

- Non-Heatset Offset Lithographic
- Water Based
- Rotogravure

- Digital
- Ultraviolet Cured

Compliance Assurance - Initial Registration (Not Required for Re-Registration)

Below, or as an attachment to this form, provide the method (mass balance or material usage rates) expected to be used to demonstrate compliance with Rule 62-210.310(4)(f)2., F.A.C. Provide the estimated amount of materials containing hazardous air pollutants and solvent-containing materials expected to be used over a 12-month period. Method used to demonstrate compliance with Rule - Mass Balance. The estimate amount of material containing HAPs and solvent-containing materials expected to be used over a 12-month period provided in construction permit application. Air emission source construction permit (Permit File No. Q112680-001-AC) was issued by Broward County on October 12,2006. Initial registration provided with construction permit.

Compliance Determination - Re-Registration (Not Required for Initial Registration)

Below, or as an attachment to this form, provide the highest 12-month total quantity of materials containing hazardous air pollutants and the highest 12-month total quantity of solvent-containing materials used in the last five years to show compliance with sub-subparagraph 62-210.310(4)(f)2.b., F.A.C. (material usage rates) or provide all calculations to show compliance with sub-subparagraph 62-210.310(4)(f)2.a., F.A.C. (mass balance). See Attachment A - Raw Material Usage and Emission Summary Table

Description of Facility

Below, or as an attachment to this form, provide a description of the printing operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Information should include a description of the number and types of printing processes, presses and ink systems being used at the facility. Describe all air pollutant-emitting processes and equipment at the facility, and identify any air pollution control measures or equipment used.

See Attachment B - Process Description

**Attachment A – 2006 and 2007 Material Usage and VOC and HAP Emission
Summary**

J.B. Pritch Company
2006 Raw Material Usage (VOM) and (VAP) Emission Summary Table

2006	Product Wt (lbs/gal)*	VOM (lbs/gal)*	JAN (gal)	JAN VOM Emissions (lbs)	FEB (gal)	FEB VOM Emissions (lbs)	MAR (gal)	MAR VOM Emissions (lbs)	APRIL (gal)	MAR VOM Emissions (lbs)	MAY (gal)	MAY VOM Emissions (lbs)	JUNE (gal)	JUNE VOM Emissions (lbs)	JULY (gal)	JULY VOM Emissions (lbs)	AUG (gal)	JULY VOM Emissions (lbs)	SEPT (gal)	SEPT VOM Emissions (lbs)	OCT (gal)	OCT VOM Emissions (lbs)	NOV (gal)	NOV VOM Emissions (lbs)	DEC (gal)	DEC VOM Emissions (lbs)	TOTAL USAGE (LBS)	TOTAL EMISSIONS (LBS)	
FC3 Fountain Solution (FS)	7.84	6.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Allied Ultra Fountain Solution	8.08	4.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.13	12.52	3.13	12.52	3.13	12.52	115.91	93.59	
Allied Photo Offset Hydro Plus Alcohol Substitute (FS)	8.58	6.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.34	14.98	2.86	17.02	2.19	14.02	58.10	46.02	
Allied Photo Offset Fountain Dryer (FS)	8.58	8.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	1.56	0.00	1.56	0.00	38.78	0.50	
A-48 Chlorox (CS)	6.90	6.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.41	51.13	7.42	53.96	8.64	47.20	152.28	152.28	
Allied MRC 88 (CS)	6.67	6.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	0.14	2.00	0.14	2.00	0.14	40.82	0.42	
Allied UV Plus 8 Wash (CS)	7.78	7.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.13	24.07	4.00	30.80	4.30	33.11	87.96	87.96	
Von Son Rapid 1 Step	9.06	0.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Allied Photo Offset Gum Arabic 14% (CS)	8.82	0.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	0.00	2.00	0.00	2.00	0.00	54.36	0.01	
Allied Photo Offset Fresh Start Ink Spray (CS)	7.68	4.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Allied EC Plate Cleaner (CS)	8.34	3.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.45	0.10	0.45	0.10	0.45	2.12	1.25	
Totals			8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	26.92	138.01	28.27	148.63	27.29	139.65	531.78	421.69	
Homemans UV Black Ink (lbs)	8.48	1.34	0.00	0.00	8.00	0.00	8.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	80.00	80.40	80.80	107.20	106.00	134.00	2016.00	321.60	
Homemans UV Color Ink (lbs)	8.40	1.43	0.00	0.00	8.00	0.00	8.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	55.00	78.65	75.00	107.25	112.00	160.16	2932.80	348.06	
Homemans Offset Black Ink (lbs)	8.40	1.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	308.00	388.00	363.00	459.90	375.00	472.50	8803.20	1320.48	
Homemans Offset Color Ink (lbs)	8.40	1.28	0.00	0.00	8.00	0.00	8.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	200.00	252.00	214.00	269.64	248.00	302.40	5493.60	824.04	
Totals			8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	621.00	798.13	734.00	843.99	827.00	1069.06	18345.60	2812.18	
Total Inks/Offset VOM Emissions (lbs)			8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	849.82	835.14	762.21	1090.02	854.29	1208.71	18977.38	3233.87	

J.S. Plauch Company, Inc.
2008 HAP Emission Summary

2006	Density (lbs/gal)	HAP Content (lbs/gal)**	Annual Usage (lbs)*	Total HAP Emissions (lbs)	Glycol Ether Content (lbs/gal)	Glycol Emissions (lbs)	Xylene (lbs/gal)	-Xylene Emissions (lbs)	Cumene (lbs/gal)	Cumene Emissions (lbs)	Ethylbenzene (lbs/gal)	Ethylbenzene Emissions (lbs)
FC3 Fountain	7.84	0	115.01	0.00	0	0.00	0	0	0	0.00	0	0.00
AllStar Ultra Fountain Solution	8.08	2.42	75.87	22.72	2.42	22.72	0	0	0	0.00	0	0.00
Allied Photo Offset Hydro Plus Alcohol	8.08	1.94	58.10	13.95	1.94	13.95	0	0	0	0.00	0	0.00
Allied Photo Offset Fountain	8.50	0	39.78	0.00	0	0.00	0	0	0	0.00	0	0.00
A-60 Odorless	6.90	0	152.28	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied MRC 88 (CS)	6.67	0	40.02	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied UV Plus Wash	7.70	2.31	87.98	26.39	2.31	26.39	0	0	0	0.00	0	0.00
Von Son Rapid 1	9.06	0	54.36	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied Photo Offset Gum Arabic 14%	8.92	0	0.00	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied Photo Offset Fresh Start Ink Spray (CS)	7.08	0	2.12	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied EC Plate	8.34	0.75	6.26	0.56	0	0.00	0	0	0	0.00	0	0.00
Hostmann UV Black Ink	8.4	0	2016.00	0.00	0	0.00	0.42	100.8	0.33	79.20	0.02	4.80
Hostmann UV Color Ink	8.4	0	2032.80	0.00	0	0.00	0	0	0	0.00	0	0.00
Hostmann UV Color Ink	8.4	0	8803.20	0.00	0	0.00	0	0	0	0.00	0	0.00
Hostmann UV Color Ink	8.4	0	5493.60	0.00	0	0.00	0	0	0	0.00	0	0.00
Totals			18977.38	63.63		63.07		100.8		79.20		4.80

*Based upon usage data provided by J.S. Plauch.
**Based upon MSDS.

J.S. Paluch Annual 2006 Permit Limitation Summary Table

2006	Gallons of Non-Heatset Inks Used	Gallons of Fountain Solution / Clean-Up Solvent Used	Tons of Ink, Fountain Solution and Clean-Up Solvent VOC Emissions	Gallons of Fountain Solution / Clean-Up Solvent Used - 12-Month Running Total	Tons of Ink, Fountain Solution and Clean-Up Solvent VOC Emissions - 12-Month Running Total
Permit Limits	N/A - No Usage Limit	3,859 gallons per year	100 tons VOC/yr	3,859 gallons per year	100 tons VOC/yr
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	0.00	0.00	0.00	0.00
APRIL	0.00	0.00	0.00	0.00	0.00
MAY	0.00	0.00	0.00	0.00	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	623.00	26.92	0.47	26.92	0.47
NOVEMBER	734.00	28.27	0.55	56.54	1.01
DECEMBER	827.00	27.29	0.60	82.85	1.62
TOTALS	2184.00	82.48	1.62		

2007		Product Wt. (lb/gal)	VOM (lb/gal)	JAN (gal)	JAN VOM Emissions (lb)	FEB (gal)	FEB VOM Emissions (lb)	MAR (gal)	MAR VOM Emissions (lb)	APRIL (gal)	MAR VOM Emissions (lb)	MAY (gal)	MAY VOM Emissions (lb)	JUNE (gal)	JUNE VOM Emissions (lb)	JULY (gal)	JULY VOM Emissions (lb)	AUG (gal)	JULY VOM Emissions (lb)	SEPT (gal)	SEPT VOM Emissions (lb)	OCT (gal)	OCT VOM Emissions (lb)	NOV (gal)	NOV VOM Emissions (lb)	DEC (gal)	DEC VOM Emissions (lb)	TOTAL USAGE (LBS)	TOTAL EMISSIONS (LBS)	
FC3 Fountain Solution (FS)		7.84	6.38	3.63	23.16	4.77	30.43	4.22	26.92	7.05	44.96	7.70	49.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	214.58	174.62
AllStar Ultra Fountain Solution		8.08	4.00	5.86	23.44	9.96	39.84	8.01	32.04	12.84	51.76	10.11	40.44	2.27	9.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	397.13	196.60
Performa Fountain Solution 200A		9.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Allied Photo Offset Hydro Plus Alcohol Substitute (FS)		8.08	6.40	2.43	15.55	3.17	20.29	2.81	17.98	4.92	31.49	6.01	36.46	5.38	34.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	199.74	158.21
Pittman Performa Sheeted Alcohol Substitute 201A		7.75	8.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Allied Photo Offset Fountain Dye (FS)		8.50	0.00	1.25	0.00	1.37	0.00	1.33	0.00	2.15	0.00	1.45	0.00	1.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.48	0.00
A-60 Odorless (CS)		6.90	6.90	4.50	31.05	4.75	32.78	5.00	34.50	4.75	32.78	3.00	20.70	3.50	24.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	175.95	175.95
Allied MRC 88 (CS)		6.67	0.07	1.00	0.07	1.75	0.12	1.75	0.12	2.25	0.16	1.88	0.13	1.90	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	64.23	0.67
Allied UV Plus D Wash		7.70	7.70	0.75	5.78	2.00	15.40	2.50	19.25	3.75	28.88	3.28	25.26	3.00	23.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	117.86	117.66
Allied A-Wash		6.67	6.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Von Son Rapid 1 Step		9.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.27	0.00
Allied Photo Offset Gum Arabic 14% (CS)		8.92	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.65	0.00
Allied Photo Offset Fresh Start Ink Spray		7.08	4.50	0.13	0.56	0.00	0.00	0.13	0.56	0.13	0.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.88	1.69
Allied E-C Plaza Cleaner (CS)		8.34	3.30	0.25	0.83	0.00	0.00	0.25	0.83	0.25	0.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.26	2.48
Totals				19.80	100.43	27.77	138.86	26.07	132.21	38.44	191.42	34.33	174.12	16.48	90.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1264.60	827.87	
Hostmann UV Black Ink (lb)		8.40	1.34	77.00	103.18	137.00	183.58	111.00	148.74	180.00	241.20	113.00	151.42	131.00	175.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4291.60	1003.66	
Hostmann UV Color Ink (lb)		8.40	1.43	85.00	121.55	118.00	168.74	125.00	178.75	189.00	270.27	146.00	206.76	149.00	212.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6820.80	1161.16	
Hostmann Offset Black Ink (lb)		8.40	1.26	288.00	362.88	318.00	430.58	360.00	453.60	522.00	657.72	373.00	469.68	345.00	434.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18530.40	2779.56	
Hostmann Offset Color Ink (lb)		8.40	1.26	147.00	185.22	127.00	160.02	145.00	182.70	231.00	291.06	151.00	190.26	142.00	178.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7921.20	1188.18	
Superior UV Inks		8.60	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Totals				587.00	772.83	700.00	913.02	741.00	963.79	1122.00	1460.25	783.00	1020.44	767.00	1002.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	39564.00	6132.56	
Total Ink/Solvent VOM Emissions (lb)				816.80	873.26	727.77	1051.88	787.07	1096.00	1160.44	1651.67	817.33	1194.56	783.48	1033.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	40829.60	6960.43	

J.S. Paluch 2007 HAP Emission Summary Table

2007	Density (lbs/gal)	HAP Content (lbs/gal)**	Annual Material Usage (lbs)*	Total HAP Emissions (lbs)	Glycol Ether Content (lbs/gal)	Glycol Emissions (lbs)	Xylene (lbs/gal)	Xylene Emissions (lbs)	Cumene (lbs/gal)	Cumene Emissions (lbs)	Ethylbenzene (lbs/gal)	Ethylbenzene Emissions (lbs)
FC3 Fountain Solution (FS)	7.84	0	214.58	0.00	0	0.00	0	0	0	0.00	0	0.00
AllStar Uita Fountain	8.08	2.42	397.13	118.94	2.42	118.94	0	0	0	0.00	0	0.00
Performa Fountain Solution 200A	9.00	0.9	0.00	0.00	0.9	0.00	0	0	0	0.00	0	0.00
Allied Photo Offset Hydro Plus Alcohol Substitute (FS)	8.08	1.94	199.74	47.96	1.94	47.96	0	0	0	0.00	0	0.00
Pitman Performa Alcohol Substitute 201A	7.75	6.2	0.00	0.00	6.2	0.00	0	0	0	0.00	0	0.00
Allied Photo Offset Fountain Dryer (FS)	8.50	0	75.48	0.00	0	0.00	0	0	0	0.00	0	0.00
A-60 Odorless (CS)	6.90	0	175.95	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied MRC 88 (CS)	6.67	0	64.23	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied UV Plus Wash (CS)	7.70	2.31	117.66	35.30	2.31	35.30	0	0	0	0.00	0	0.00
Allied A-Wash	6.67	0.62	0.00	0.00	0	0.00	0.33	0	0.26	0.00	0.02	0.00
Von Son Rapid 1 Step	9.06	0	2.27	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied Photo Offset Gum Arabic 14% (CS)	8.92	0	8.65	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied Photo Offset Fresh Start Ink Spray (CS)	7.08	0	2.66	0.00	0	0.00	0	0	0	0.00	0	0.00
Allied EC Plate Cleaner (CS)	8.34	0.75	6.26	0.56	0	0.00	0	0	0	0.00	0	0.00
Hostmann UV Black Ink	8.4	0	1264.60	0.00	0	0.00	0.42	63.23	0.33	49.68	0.02	3.01
Hostmann UV Color Ink	8.4	0	0.00	0.00	0	0.00	0	0	0	0.00	0	0.00
Hostmann UV Color Ink	8.4	0	6291.60	0.00	0	0.00	0	0	0	0.00	0	0.00
Hostmann UV Color Ink	8.4	0	6820.80	0.00	0	0.00	0	0	0	0.00	0	0.00
Superior UV Inks	8.6	0	0.00	0.00	0	0.00	0	0	0	0.00	0	0.00
Total (lbs)			15641.59	202.76		202.20		63.23		49.68		3.01
Total (tons)			7.82	0.10		0.10		0.03		0.02		0.00

J.S Paluch Permit Limitation Summary Table

2007	Gallons of Non-Heatset Inks Used	Gallons of Fountain Solution/Clean-Up Solvent Used	Tons of Ink, Fountain Solution and Clean-Up Solvent VOC Emissions	Pounds of Fountain Solution/Clean-Up Solvent Used - 12-Month Running Total	Tons of Ink, Fountain Solution and Clean-Up Solvent VOC Emissions - 12-Month Running Total
Permit Limits	N/A - No Usage Limit	3,859 gallons per year	100 tons VOC/yr	3,859 gallons per year	100 tons VOC/yr
JANUARY	597.00	19.80	0.44	102.27	2.05
FEBRUARY	700.00	27.77	0.53	130.04	2.58
MARCH	741.00	26.07	0.55	156.11	3.13
APRIL	1122.00	38.44	0.83	194.54	3.95
MAY	783.00	34.33	0.60	228.87	4.55
JUNE	767.00	16.48	0.55	245.35	5.10
JULY	0.00	0.00	0.00	245.35	5.10
AUGUST	0.00	0.00	0.00	245.35	5.10
SEPTEMBER	0.00	0.00	0.00	245.35	5.10
OCTOBER	0.00	0.00	0.00	218.44	4.63
NOVEMBER	0.00	0.00	0.00	190.17	4.08
DECEMBER	0.00	0.00	0.00	162.88	3.48
TOTALS	4710.00	162.88	3.48		

Attachment B - Process Description

Printing operations at the facility (ARMS I.D. No. 0112680) include the use of four (4) sheet-fed, coldset (e.g., non-heatset) offset lithographic printing presses. No emission control devices are used at the facility. Press Nos. 1, 2 and 3 are five-color presses and Press No. 4 is an eight-color press that will also process UV inks. The facility is currently operating under Air Construction Permit No. 0112680-001-AC that was issued on October 12, 2006 with an expiration date of October 12, 2007.

Lithography is an "offset" printing technique. Ink is not applied directly from the printing plate (or cylinder) to the substrate as it is in gravure, flexography and letterpress. Ink is applied to the printing plate to form the "image" (such as text or artwork to be printed) and then transferred or "offset" to a rubber "blanket". The image on the blanket is then transferred to the substrate (typically paper or paperboard) to produce the printed product. On sheet-fed presses, the substrate is fed into the press one sheet at a time at varying speeds.

All offset presses have three printing cylinders, as well as the inking and dampening systems. The plate cylinder, the blanket cylinder and the impression cylinder.

Lithography uses a planographic plate, a type of plate on which the image areas are neither raised nor indented (depressed) in relation to the non-image areas. Instead the image and non-image areas, both on essentially the same plane of the printing plate, are defined by differing physiochemical properties.

Lithography is based on the principle that oil and water do not mix (hydrophilic and hydrophobic process). Lithographic plates undergo chemical treatment that render the image area of the plate oleophilic (oil-loving) and therefore ink-receptive and the non-image area hydrophilic (water-loving). During printing, fountain (dampening) solution, which consists primarily of water with small quantities of isopropyl alcohol and other additives to lower surface tension and control pH, is first applied in a thin layer to the printing plate and migrates to the hydrophilic non-image areas of the printing plate. Ink is then applied to the plate and migrates to the oleophilic image areas. Since the ink and water essentially do not mix, the fountain solution prevents ink from migrating to the non-image areas of the plate.

As the plate cylinder rotates, the plate comes in contact with the dampening rollers first. The dampening rollers wet the plate so the non-printing areas repel ink. Then the inking rollers transfer ink to the dampened plate, where ink only adheres to the image areas. The inked image is transferred to the rubber blanket, and the substrate is printed as it passes between the blanket and impression cylinder.

The major unit operations in a lithographic printing operation include:

- Image preparation

- Processing printing plates
- Printing
- Finishing
- Image Preparation of Lithographic Printing Plates

Image preparation begins with camera-ready (mechanical) art/copy or electronically produced art supplied by the customer. Images are captured for printing by camera, scanner or computer. Components of the image are manually assembled and positioned in a printing flat when a camera is used. This process is called stripping. When art/copy is scanned or digitally captured the image is assembled by the computer with special software. A simple proof (brown print) is prepared to check for position and accuracy. When color is involved, a color proof is submitted to the customer for approval.

There are four common types of lithographic inks that are very viscous to the point they are paste-like. Litho inks are generally very strong in color value to compensate for the lesser amount applied. Sheetfed litho inks are similar to oxidizing types of letterpress inks. To accelerate drying and control ink flow characteristics, litho inks contain solvents (or drying oils) that result in some VOC emissions from the ink.

The printing presses are sheet fed presses with the following maximum paper feed rates for each of the presses:

- Press 1 - 800 feet per minute (fpm) with the maximum paper sheet size being 11" x 17"
- Press 2 - 700 fpm with the maximum paper sheet size being 17" x 22"
- Press 3 - 700 fpm with the maximum paper sheet size being 11" x 17"
- Press 4 - 1,000 fpm with the maximum paper sheet size being 17" x 22"

Maximum press operating hours are limited by the following process limitations and bottlenecks:

- Press preparation/cleaning = 1.5 hours per job or shift
- Catholic Church is the facility's only client that provides orders on a weekly basis for weekend delivery (for Sunday use)
- Weekly order shipments must be completed by 5 P.M. Fridays - Partial day Friday (17 hrs) and no weekend work due to client base

Job orders are received weekly on Mondays with jobs requiring completion by the following Friday for shipment to the client by 5 P.M. Therefore, printing operations are limited to Tuesday-Friday with Friday printing operations completed by 5 P.M. to allow for shipment to the customer. In addition, press preparation and cleanup activities also limit the press operating times. Typical press preparation and cleanup activities require 1.5 hours per press for each new printing job. With these process limitations/bottlenecks in place, annual maximum press operating hours are restricted to 4,316 hours per year as indicated in the following equation:

[(3 days Mon-Thurs x 24 hrs/day) - (1.5 hrs day prep/cleanup time x 3 days/wk)] + [17 hrs/day Fri (12AM-5PM) - 1.5 hrs/day prep/cleanup time] = 83 hrs/week

83 hrs/wk X 52 week/yr = 4,316 hrs/yr

The maximum VOC content of the inks used at the facility is 4.2 pounds of VOC per gallon of ink (lbs VOC/gal). Maximum VOC content for fountain solution used at the facility is 6.4 lbs VOC/gal and maximum VOC content for cleanup solvent used at the facility is 6.9 lbs VOC/gal.

2006 and 2007 raw material usage and VOC and hazardous air pollutant emission levels (see Attachment A) demonstrate that both actual VOC and HAP emissions at the facility are well below major source levels.

RULE APPLICABILITY

According to the FDEP Small Business assistance program, there are currently no specific rules associated with lithographic printing operations. With Actual and potential VOC and HAP emissions below major sources thresholds, NESHAP and NSPS will not apply.



J.S. PALUCH COMPANY, INC.

4300 N.W. 124th Avenue Coral Springs, Florida 33065
Regional Office
954-345-4900 • 800-432-3240 • Fax 954-345-4931
www.jspaluch.com

RECEIVED
OCT 03 2007
Bureau of Air Monitoring
& Mobile Sources

September 25, 2007

Florida Department of Environmental Protection
Receipts
P.O. Box 3070
Tallahassee, Florida 32315-3070

**RE: J.S. Paluch Company, Inc.
Air General Permit Registration Form**

To Whom It May Concern:

Enclosed please find three copies of the Printing Operations Air General Permit Registration Form and required fee payment for the J.S. Paluch Company, Inc. facility located at 4300 N.W. 124th Street in Coral Springs, Florida (the facility).

The facility is currently operating under Air Construction Permit No. 0112680-001-AC issued on October 12, 2006, by the Broward County Environmental Protection Department.

If you require additional information or have any questions, please contact Mr. Britt Wenzel of Mostardi Platt Environmental, our consultant, at (630) 993-2123.

Respectfully Submitted,

Daniel Shrader
National Operations Manager

2007	Product Wt. (lbs/gal)*	VOM (lbs/gal)*	JAN (gal)	JAN VOM Emissions (lbs)	FEB (gal)	FEB VOM Emissions (lbs)	MAR (gal)	MAR VOM Emissions (lbs)	APRIL (gal)	MAR VOM Emissions (lbs)	MAY (gal)	MAY VOM Emissions (lbs)	JUNE (gal)	JUNE VOM Emissions (lbs)	JULY (gal)	JULY VOM Emissions (lbs)	AUG (gal)	JULY VOM Emissions (lbs)	SEPT (gal)	SEPT VOM Emissions (lbs)	OCT (gal)	OCT VOM Emissions (lbs)	NOV (gal)	NOV VOM Emissions (lbs)	DEC (gal)	DEC VOM Emissions (lbs)	TOTAL USAGE (LBS)	TOTAL EMISSIONS (LBS)	
FC3 Fountain Solution (FS)	7.84	6.38	3.63	23.16	4.77	30.43	4.22	26.92	7.05	44.98	7.70	49.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	214.58	174.62
AllStar Ultra Fountain Solution	8.08	4.00	5.86	23.44	9.96	39.84	8.01	32.04	12.94	51.76	10.11	40.44	2.27	9.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	397.13	196.60
Performa Fountain Solution 200A	9.00	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Allied Photo Offset Hydro Plus Alcohol Substitute (FS)	8.08	6.40	2.43	15.55	3.17	20.29	2.81	17.98	4.92	31.49	6.01	38.46	5.38	34.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	199.74	158.21
Pitman Performa Sheeffed Alcohol Substitute 201A	7.75	6.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Allied Photo Offset Fountain Dryer (FS)	8.50	0.00	1.25	0.00	1.37	0.00	1.33	0.00	2.15	0.00	1.45	0.00	1.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.48	0.00
A-60 Odorless (CS)	6.90	6.90	4.50	31.05	4.75	32.78	5.00	34.50	4.75	32.78	3.00	20.70	3.50	24.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	175.95	175.95
Allied MRC 88 (CS)	6.67	0.07	1.00	0.07	1.75	0.12	1.75	0.12	2.25	0.16	1.88	0.13	1.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	64.23	0.67
Allied UV Plus II Wash (CS)	7.70	7.70	0.75	5.78	2.00	15.40	2.50	19.25	3.75	28.88	3.28	25.26	3.00	23.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	117.66	117.66
Allied A-Wash	6.67	6.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Von Son Rapid 1 Step	9.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.27	0.00
Allied Photo Offset Gum Arabic 14% (CS)	8.92	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.65	0.00
Allied Photo Offset Fresh Start Ink Spray	7.08	4.50	0.13	0.56	0.00	0.00	0.13	0.56	0.13	0.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.66	1.69
Allied EC Plate Cleaner (CS)	8.34	3.30	0.25	0.83	0.00	0.00	0.25	0.83	0.25	0.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.26	2.48
Totals			19.80	100.43	27.77	138.86	26.07	132.21	38.44	191.42	34.33	174.12	16.48	90.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1264.60	827.87	
Hostmann UV Black Ink (lbs)	8.40	1.34	77.00	103.18	137.00	183.58	111.00	148.74	180.00	241.20	113.00	151.42	131.00	175.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6291.60	1003.66
Hostmann UV Color Ink (lbs)	8.40	1.43	85.00	121.55	118.00	168.74	125.00	178.75	189.00	270.27	146.00	208.78	149.00	213.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6820.80	1161.16
Hostmann Offset Black Ink (lbs)	8.40	1.26	288.00	362.88	318.00	400.68	360.00	453.60	522.00	657.72	373.00	469.98	345.00	434.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18530.40	2779.56
Hostmann Offset Color Ink (lbs)	8.40	1.26	147.00	185.22	127.00	160.02	145.00	182.70	231.00	291.06	151.00	190.26	142.00	178.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7921.20	1188.18
Superior UV Inks	8.60	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Totals			597.00	772.83	700.00	913.02	741.00	963.79	1122.00	1460.25	783.00	1020.44	767.00	1002.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	39564.00	6132.56	
Total Ink/Solvent VOM Emissions (lbs)			616.80	873.26	727.77	1051.88	767.07	1096.00	1160.44	1651.67	817.33	1194.56	783.48	1093.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	40828.60	6960.43	

J.S. Paluch Company
2006 Raw Material Usage /VOM and HAP Emission Summary Table

2006	Product Wt. (lbs/gal)*	VOM (lbs/gal)*	JAN (gal)	JAN VOM Emissions (lbs)	FEB (gal)	FEB VOM Emissions (lbs)	MAR (gal)	MAR VOM Emissions (lbs)	APRIL (gal)	MAR VOM Emissions (lbs)	MAY (gal)	MAY VOM Emissions (lbs)	JUNE (gal)	JUNE VOM Emissions (lbs)	JULY (gal)	JULY VOM Emissions (lbs)	AUG (gal)	JULY VOM Emissions (lbs)	SEPT (gal)	SEPT VOM Emissions (lbs)	OCT (gal)	OCT VOM Emissions (lbs)	NOV (gal)	NOV VOM Emissions (lbs)	DEC (gal)	DEC VOM Emissions (lbs)	TOTAL USAGE (LBS)	TOTAL EMISSIONS (LBS)
FC3 Fountain Solution (FS)	7.84	6.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	31.90	4.75	30.31	4.92	31.39	115.01	93.59
AllStar Uita Fountain Solution	8.08	4.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.13	12.52	3.13	12.52	3.13	12.52	75.87	37.56
Allied Photo Offset Hydro Plus Alcohol Substitute (FS)	8.08	6.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.34	14.98	2.66	17.02	2.19	14.02	58.10	46.02
Allied Photo Offset Fountain Dryer (FS)	8.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	1.56	0.00	1.56	0.00	39.78	0.00
A-60 Odorless (CS)	6.90	6.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.41	51.13	7.82	53.96	6.84	47.20	152.28	152.28
Allied MRC 88 (CS)	6.67	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	0.14	2.00	0.14	2.00	0.14	40.02	0.42
Allied UV Plus II Wash (CS)	7.70	7.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.13	24.07	4.00	30.80	4.30	33.11	87.98	87.98
Von Son Rapid 1 Step	9.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	0.00	2.00	0.00	2.00	0.00	54.36	0.01
Allied Photo Offset Gum Arabic 14% (CS)	8.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Allied Photo Offset Fresh Start Ink Spray (CS)	7.08	4.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.45	0.10	0.45	0.10	0.45	2.12	1.35
Allied EC Plate Cleaner (CS)	8.34	3.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.83	0.25	0.83	0.25	0.83	6.26	2.48
Totals			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.92	136.01	28.27	146.03	27.29	139.65	631.78	421.69
Hostmann UV Black Ink (lbs)	8.40	1.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	60.00	80.40	80.00	107.20	100.00	134.00	2016.00	321.60
Hostmann UV Color Ink (lbs)	8.40	1.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	55.00	78.65	75.00	107.25	112.00	160.16	2032.80	346.06
Hostmann Offset Black Ink (lbs)	8.40	1.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	308.00	388.08	365.00	459.90	375.00	472.50	8803.20	1320.48
Hostmann Offset Color Ink (lbs)	8.40	1.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	200.00	252.00	214.00	269.64	240.00	302.40	5493.60	824.04
Totals			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	623.00	799.13	734.00	943.99	827.00	1069.06	18345.60	2812.18
Total Ink/Solvent VOM Emissions (lbs)			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	649.92	935.14	762.27	1090.02	854.29	1208.71	18977.38	3233.87

*Based upon MSDS.

Florida Department of Environmental Protection
Cash Receiving Application (CRA)
Cashlisting by Deposit #: 281188 thru 281188
Printed: 10/1/2007 4:14:14 PM - Page 16

Cashlisting: **64326** Cashlist Area: **3755** Description: **DIV OF AIR RESOURCES MGMT.**
 Deposit No: **281188** Date Deposited: **10/01/2007** Contact: **PATTY ADAMS**

Object	Transmittal	Dep.DDN	Receipt Number	Pre- Numbered Receipt	Name	Check Number	Payment Amount	Reference Account	Payment Number	Remittance Number	Fund
002272	45030	477036	601808		DOHERTY, WALLACE, PILLSBURY &	304612	\$100.00		841649	750096	PFTF
	45030	477044	601817		GLASSTREAM, INC.	5583	\$100.00		841666	750105	PFTF
	45030	477051	601824		J. S. PALUCH CO, INC.	517566	\$100.00		841677	750112	PFTF
Object Code 002272 Subtotal:							\$300.00				
002278	45025	477017	601773		CROSS CONSTRUCTION SERVICES, I	5729	\$200.00	45884	841604	750061	APCTF
Object Code 002278 Subtotal:							\$200.00				
Cashlisting 64326 Total:							\$500.00				

J. S. PALUCH COMPANY, INC.

517566

Check

Check

Date:

9/21/2007

Num:

CK0517566

INVOICE NO.	DATE	DESCRIPTION	PAID AMOUNT	DISCOUNT	APPLIED AMOUNT
092107	9/21/2007	Vchr: VOU323348	\$100.00	\$0.00	\$100.00
		Void After 90 Days AIR EMISSION SOURCE OPERATING PERMIT 6160-10-41-10	100.00		

Dan Shradler

INTERNAL NO.

VENDOR

TOTALS

8426


FLOR15

FLORIDA DEPT. OF ENVIRONMENTAL PROTECTIO

\$100.00




7002 0510 0003 2291 6484



1940 U.S. POSTAGE PB5554625
0240 \$06.70 SEP 27 2007
8039 MAILED FROM ZIP CODE 6052

Mostardi Platt
Environmental

Florida Department of Environmental Protection
Receipts
P.O. Box 3070
Tallahassee., Florida 32315-3070



1520 Kensington Road, Suite 204, Oak Brook, Illinois 60523-2139 • Phone 630-993-2100