

AG12-0540

**CONCRETE BATCHING PLANTS
AIR GENERAL PERMIT EXAMPLE REGISTRATION WORKSHEET**

Facility Identification Number - If known (seven digit number)

0130009

0130009-003

Registration Type

Check one:

INITIAL REGISTRATION - Notification of intent to:

- Construct and operate a proposed new facility.
 Operate an existing permitted facility not currently using an air general permit (e.g., a facility proposing to go from an air operation permit to an air general permit). If the facility currently holds one or more air operation permits, such permit(s) must be surrendered by the owner or operator upon the effective date of this air general permit. (See "Surrender of Existing Air Operation Permit(s)" below.)
 Operates an existing facility not currently permitted or using an air general permit.

RE-REGISTRATION (for facilities currently using an air general permit) - Notification of intent to:

- Continue operating the facility after expiration of the current term of air general permit use.
 Continue operating the facility after a change of ownership.
 Make an equipment change requiring re-registration pursuant to Rule 62-210.310(2)(e), F.A.C.
 Any other change not considered an administrative correction under Rule 62-210.310(2)(d), F.A.C.

Surrender of Existing Air Operation Permit(s) - For Initial Registrations Only, if Applicable

All existing air operation permits for this facility are hereby surrendered upon the effective date of this air general permit; specifically permit number(s):

General Facility Information

Facility Owner/Company Name (Name of corporation, agency, or individual owner who or which owns, leases, operates, controls, or supervises the facility.)

Griffin Sand & Concrete Co. Inc.

Site Name (Name, if any, of the facility site; e.g., Plant A, Metropolis Plant, etc. If more than one facility is owned, a complete registration must be submitted for each.)

Blountstown Site

Facility Location (Physical location of the facility, not necessarily the mailing address.)

Street Address: 20301 Northwest Evans Avenue

City: Blountstown

County: Calhoun

Zip Code: 32424

Facility Start-Up Date (Estimated start-up date of proposed new facility.)(N/A for existing facility.)

N/A

RECEIVED

NOV 01 2012

Facility Contact

Name and Position Title (Plant manager or person to be contacted regarding day-to-day operations at the facility.)

Print Name and Title: Wayne Walden, Owner

Facility Contact Telephone Numbers

Telephone: ~~850-674-8888~~ 8664

Fax: 850-674-2209

Cell phone: _____

E-mail: grfsand@falpoint.net

Facility Contact Mailing Address

Organization/Firm: Griffin Sand & Concrete Co. Inc.

Mailing Address: 20301 Northwest Evans Avenue

City: Blountstown

County: Calhoun

Zip Code: 32424

Correspondence Contact/Representative (to serve as additional Department contact)

Name and Position Title

Print Name and Title: _____ LISA G. WALDEN, PRESIDENT

Correspondence Contact/Representative Telephone Numbers

Telephone: _____

Fax: _____

Cell phone: _____

E-mail: _____ SAME AS FACILITY CONTACT

Correspondence Contact/Representative Mailing Address

Organization/Firm: _____

Mailing Address: _____

City: _____ SAME AS FACILITY CONTACT

County: _____

Zip Code: _____

Government Facility Code (check only one)

- Facility not owned or operated by a federal, state, or local government.
- Facility owned or operated by the federal government.
- Facility owned or operated by the state.
- Facility owned or operated by the county.
- Facility owned or operated by the municipality.
- Facility owned or operated by a water management district.

Type of Facility

Check one:

Stationary Facility Relocatable Facility

Type(s) of Reasonable Precautions Used to Prevent Unconfined Emissions

Check all precautions to be used for the management of roads, parking areas, stock piles and yards:

Pave Roads Pave Parking Areas Pave Yards
 Maintain Roads/Parking/Yards Use Water Application Use Dust Suppressant
 Remove Particulate Matter Reduce Stock Pile Height Install Wind Breaks

Check all precautions to be used for the management of drop points to trucks:

Spray Bar Chute Enclosure
 Partial enclosure

Equipment Details Provide information for each silo, weigh hopper (batcher), and other enclosed storage and conveying equipment that are limited to a visible emissions of 5 percent opacity pursuant to Rule 62-296.414(1), F.A.C.

PROCESS EQUIPMENT TYPE (silo, weigh hopper, batcher, etc.)	PROCESS EQUIPMENT IDENTIFICATION*	CONTROL DEVICE (baghouse, vent filter, etc.)	CONTROL DEVICE MANUFACTURER	CONTROL DEVICE MODEL NUMBER
Silo	Cement	baghouse	Merts	
Silo	Flyash	baghouse	Merts	

* If there are multiple pieces of the same types of process equipment (more than one silo, etc), provide an identifier (location, numeric designation, capacity or product) specific to each piece of equipment.

Description of Facility

Below, or as an attachment to this form, provide a description of the concrete batching plant operations at the facility in sufficient detail to demonstrate the facility's eligibility for use of this air general permit and to provide a basis for tracking any future equipment or process changes at the facility. Describe type of concrete product(s) manufactured, all air pollutant-emitting processes, and identify any air pollution control measures used. Mobile source equipment information is not needed (eg.: trucks, bulldozers, front-end loaders, etc.)

Griffin Sand & Concrete Co., Inc.
Blountstown, FL

Introduction

This facility was originally permitted with only one cement silo and baghouse. A second silo and baghouse has been added. This silo can be used for flyash or cement.

Cement/flyash is trucked to facility in tanker trucks and pneumatically transferred into vertical silos. Typical tanker delivering cement/flyash to the site usually holds between 25-27 tons. During transfer compressed air pressure will be limited to 10 PSIG.

Each silo is equipped with a baghouse atop silo to control air emissions while it is being filled with cement/flyash. Both baghouses are manufactured by Merts, have 250 SF of cloth and contains 32 bags.

Cement/flyash from storage silos is delivered into batcher via fully enclosed chutes/screw conveyors.

Aggregates are brought in via trucks and stored on site until loaded into aggregate bins using front-end loader(s). Aggregate storage areas contain walls on three sides.

Estimated amount of materials to be used by this facility are listed below:

2,775 tons of cement in rolling 12-month period

750 tons of flyash in rolling 12 month period


10,800 tons of sand in rolling 12-month period

12,500 of gravel in rolling 12-month period

Normal operating hours are 6 am to ⁴~~2~~ pm, Monday through Friday, but facility wants unlimited operating hours (8,760 hr/yr).

GRIFFIN SAND & CONCRETE, INC.
20301 N W EVANS AVENUE
BLOUNTSTOWN, FLORIDA 32424-1399

POSTAGE WILL BE PAID BY ADDRESSEE
NO POSTAGE NEEDED IF MAILED IN THE UNITED STATES



Department of Environmental Protection
Receipts
P.O. Box 3070
Gallahassie, FL 32315-3070

32315307070

