

# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

February 10, 1999

Mr. Nicholas Shirghio  
Fashion Fresh Dry Cleaners  
1926 Trade Center Way, Unit 1  
Naples, Florida 34109

Re: Facility No.: 0210088

Dear Mr. Shirghio:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on January 15, 1999.


Please note that in January of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and is subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number, please notify the Department at the following address:

Title V General Permits Office  
Bureau of Air Monitoring and Mobile Sources MS 5510  
Department of Environmental Protection  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

  
Dotty Diltz, Chief  
Bureau of Air Monitoring  
and Mobile Sources

DD/jw

cc: Mr. Sherrill Culliver, South District

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

0210088

P13

6. Add title of responsible official
9. Add title of Facility contact

P16

Responsible official sign and date for changes made.

# Perchloroethylene Dry Cleaning Facility Notification

## Facility Name and Location

1. Facility Owner/Company Name (Name of corporation, agency, or individual owner):	FASHION FRESH, INC
2. Site Name (For example, plant name or number):	FASHION FRESH DRY CLEANERS
3. Hazardous Waste Generator Identification Number:	
4. Facility Location: Street Address: 1926 TRADE CENTER WAY City: NAPLES County: COLLIER Zip Code: 34109	
5. Facility Identification Number (DEP Use):	0210088

RECEIVED  
JAN 15 1999  
Bureau of Air Monitoring  
& Mobile Sources

## Responsible Official

6. Name and Title of Responsible Official:	NICHOLAS SHIRGITHO
7. Responsible Official Mailing Address: Organization/Firm: FASHION FRESH, INC. Street Address: 1926 TRADE CENTER WAY UNIT 1 City: NAPLES County: COLLIER Zip Code: 34109	
8. Responsible Official Telephone Number: Telephone: (941) 262-2520 Fax: (941) 263-2390	

## Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plant manager):	JEFF RHEA
10. Facility Contact Address: Street Address: 1926 TRADE CENTER WAY City: NAPLES County: COLLIER Zip Code: 34109	
11. Facility Contact Telephone Number: Telephone: (941) 596-3100 Fax: (941) 263-2390	

### Facility Information

1.(a) Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Type of Machine	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed	ID	Date Machine Initially Purchased	Date Control Device Installed
<i>Example</i>									
	#1	03-OCT-93	12-NOV-93	#2	08-DEC-91		#3	02-MAR-92	02-MAR-92
<b>Dry-to-Dry Unit</b>									
(1) w/ ref. condenser	1	11-NOV-93	11-NOV-93	2	1-JAN-91	1-JAN-91	3	15-DEC-98	15-DEC-98
(2) w/ carbon adsorber									
(3) w/ no controls									
<b>Washer Unit</b>									
(4) w/ ref. condenser									
(5) w/ carbon adsorber									
(6) w/ no controls									
<b>Dryer Unit</b>									
(7) w/ ref. condenser									
(8) w/ carbon adsorber									
(9) w/ no controls									
<b>Reclaimer Unit</b>									
(10) w/ ref. condenser									
(11) w/ carbon adsorber									
(12) w/ no controls									

✓(b) Control devices are required, but not yet installed

✓(c) No control devices are required to be installed

2.(a) What was the total quantity of perchloroethylene (perc) purchased in the latest 12 months?

385 gallons *Estimate from 2 previous sources*

(b) If less than 12 months, how many?  months

Check why it is less than 12 months: New owner:  New store:  Did not keep records:

3. What is the facility's source classification based on the definitions found in section (3) of Part II?

(Indicate with an "X". Select one classification only.)

Existing small area source

New small area source

Existing large area source

New large area source

4. What control technology is required on machines pursuant to section (5) of Part II of this notification form?  
(Indicate with an "X".)

Existing large area source

Carbon adsorber

Refrigerated condenser

New small area source

Refrigerated condenser

New large area source

Refrigerated condenser

5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:

*All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.*

All steam and hot water generating units exempt   
No such units on-site

**Equipment Monitoring and Recordkeeping Information**

Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:

- (a) Purchase receipts and solvent purchases
- (b) Leak detection inspection and repair
- (c) Refrigerated condenser temperature monitoring
- (d) Carbon adsorber exhaust perc concentration monitoring
- (e) Instrument calibration
- (f) Start-up, shutdown, malfunction plan

**Surrender of Existing Air Permit(s)**

Please indicate with an "X" the appropriate selection:

I hereby surrender all existing air permits authorizing operation of the facility indicated in this notification form; specifically, permit number(s) 0210065, 0210066, 0210067 -

No air permits currently exist for the operation of the facility indicated in this notification form.

**Responsible Official Certification**

*I, the undersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in this notification. I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, I agree to operate and maintain the air pollutant emissions units and air pollution control equipment described above so as to comply with all terms and conditions of this general permit as set forth in Part II of this notification form.*

*I will promptly notify the Department of any changes to the information contained in this notification.*

  
\_\_\_\_\_  
Signature

1/8/99  
\_\_\_\_\_  
Date

RECEIVED

JAN 13 1999

D.E.P. - South District

**PERCHLOROETHYLENE DRY CLEANERS**  
**TITLE V GENERAL PERMIT**  
**COMPLIANCE INSPECTION CHECKLIST**

**COPY**

TYPE OF INSPECTION: ANNUAL  COMPLAINT/DISCOVERY   
 RE-INSPECTION

AIRS ID#:	<u>0210098</u>	DATE:	<u>11-03-99</u>	TIME IN:	<u>10:00</u>	TIME OUT:	<u>11:52</u>
FACILITY NAME:	<u>FASHION FRESH</u>						
FACILITY LOCATION:	<u>1926 TRADE CENTER WAY</u> <u>NAPLES, FL 34109</u>						
RESPONSIBLE OFFICIAL:	<u>NICHOLAS SHIRCHIO</u>	PHONE:	<u>594-3100</u>				
CONTACT NAME:	<u>JEFF RHEA</u>	PHONE:	<u>949-596-3100</u>				

RECEIVED  
 NOV 22 1999  
 Bureau of Air Monitoring  
 & Mobile Sources

**PART I: NOTIFICATION**

(check appropriate box)

1. New facility notified DARM 30 days prior to startup	<input checked="" type="checkbox"/>
2. Facility failed to notify DARM to use general permit	<input type="checkbox"/>

**PART II: CLASSIFICATION**

Facility indicated on notification form that it is:  
 (check appropriate box)

<input type="checkbox"/> No notification form
<input checked="" type="checkbox"/> Drop store/out of business/petroleum

A.

1. Existing small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91)	<input type="checkbox"/>
3. Existing large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed before 12/9/91)	<input type="checkbox"/>	4. New large area source dry-to-dry only, $140 \leq x \leq 2,100$ gal/yr transfer only, $200 \leq x \leq 1,800$ gal/yr both types, $140 \leq x \leq 1,800$ gal/yr (constructed on or after 12/9/91)	<input checked="" type="checkbox"/>

This is a correct facility classification       Y     N     Can not determine

If no, please check the appropriate classification:

<input type="checkbox"/> facility qualified for a general permit as number _____ above
<input type="checkbox"/> facility exceeds above limits and is not eligible for a general permit

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 501 gallons. ???

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

- |   |   |
|---|---|
| 1. Storing perchloroethylene in tightly sealed and impervious containers?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 2. Examining the containers for leakage?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Closing and securing machine doors except during loading/unloading?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Equipped all machines with the appropriate vent controls?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Equipped dry-to-dry machines with a closed-loop vapor venting system?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| 3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?                     | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?                 | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?                              | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged? | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |



**B. Has the responsible official of an existing large or new large area source also:**

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?  Y  N
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  Y  N  N/A  
Is the temperature differential equal to or greater than 20° F?  Y  N  N/A
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?  Y  N  N/A  
Is the perc concentration equal to or less than 100 ppm?  Y  N  N/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?  Y  N  N/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?  Y  N  N/A
6. Routed airflow to the carbon adsorber (if used) at all times?  Y  N  N/A

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

1. Maintained receipts for perc purchased?  Y  N
2. Maintained rolling monthly total of perc consumption?  Y  N
3. Maintained leak detection inspection and repair reports for the following:
- a. documentation of leaks repaired w/in 24 hrs? or;  Y  N  N/A
  - b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt?  Y  N  N/A
4. Maintained calibration data? (for applicable direct reading instruments)  Y  N  N/A
5. Maintained exhaust duct monitoring data on perc concentrations?  Y  N  N/A
6. Maintained startup/shutdown/malfunction plan?  Y  N
7. Maintained deviation reports?  Y  N  N/A  
Problem corrected?  Y  N  N/A
8. Maintained compliance plan, if applicable?  Y  N  N/A

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stills                    | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

Wayne Lewis  
Inspector's Name (Please Print)

11-03-99  
Date of Inspection

Wayne Lewis  
Inspector's Signature

10-00  
Approximate Date of Next Inspection

ACC

PERCHLOROETHYLENE DRY CLEANERS

COPY

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION: ANNUAL [checked] COMPLAINT/DISCOVERY [ ] RE-INSPECTION [ ]

Form with fields for AIRS ID#, DATE, TIME IN, TIME OUT, FACILITY NAME, FACILITY LOCATION, RESPONSIBLE OFFICIAL, and CONTACT NAME.

PART I: NOTIFICATION (check appropriate box) 1. New facility notified DARM 30 days prior to startup [checked] 2. Facility failed to notify DARM to use general permit [ ]

PART II: CLASSIFICATION Facility indicated on notification form that it is: (check appropriate box) [ ] No notification form [ ] Drop store/out of business/petroleum A. 1. Existing small area source [ ] 2. New small area source [ ] 3. Existing large area source [ ] 4. New large area source [checked] 5. This is a correct facility classification [checked] Y [ ] N [ ] Can not determine If no, please check the appropriate classification: [ ] facility qualified for a general permit as number \_\_\_\_\_ above [ ] facility exceeds above limits and is not eligible for a general permit B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning facility was 546 gallons.

**PART III: GENERAL CONTROL REQUIREMENTS**

Is the responsible official of the dry cleaning facility:  
(check appropriate boxes)

1. Storing perchloroethylene in tightly sealed and impervious containers?  Y  N  N/A
2. Examining the containers for leakage?  Y  N  N/A
3. Closing and securing machine doors except during loading/unloading?  Y  N
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?  Y  N  N/A <sup>SPIN</sup>
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?  Y  N  N/A

**PART IV: PROCESS VENT CONTROLS**

In Part II-A:

If classification 1 has been checked, no controls are required. Proceed to Part V.

If classification 2 has been checked, the machine should be equipped with a refrigerated condenser. (complete A below).

If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). *Carbon adsorber must have been installed prior to September 22, 1993*

If classification 4 has been checked, the machine should be equipped with a refrigerated condenser (complete A and B below).

A. Has the responsible official of all new sources and existing large area sources:  
(check appropriate boxes)

1. Equipped all machines with the appropriate vent controls?  Y  N
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?  Y  N  N/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?  Y  N  N/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?  Y  N
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?  Y  N  N/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?  Y  N

**B. Has the responsible official of an existing large or new large area source also:**

- |  |   |
|--|---|
| 1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Is the temperature differential equal to or greater than 20° F?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Is the perc concentration equal to or less than 100 ppm?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Routed airflow to the carbon adsorber (if used) at all times?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

**PART V: RECORDKEEPING REQUIREMENTS**

Has the responsible official:  
(check appropriate boxes)

- |  |   |
|--|---|
| 1. Maintained receipts for perc purchased?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 2. Maintained rolling monthly averages of perc consumption?  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 3. Maintained leak detection inspection and repair reports for the following:  |   |
| a. documentation of leaks repaired w/in 24 hrs? or;  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 4. Maintained calibration data? (for applicable direct reading instruments)  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 5. Maintained exhaust duct monitoring data on perc concentrations?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 6. Maintained startup/shutdown/malfunction plan?   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N                              |
| 7. Maintained deviation reports?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Problem corrected?   | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| 8. Maintained compliance plan, if applicable?  | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |

Large  
Discrep

**PART VI: LEAK DETECTION AND REPAIRS**

1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair inspection?  Y  N
2. Has the facility maintained a leak log?  Y  N
3. Does the responsible official check the following areas for leaks?
- |   |   |                           |   |
|---|---|---------------------------|---|
| Hose connections, fittings, couplings, and valves | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Muck cookers              | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Door gaskets and seating                          | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Stillls                   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Filter gaskets and seating                        | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Exhaust dampers           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Pumps   | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Diverter valves           | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |
| Solvent tanks and containers                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A | Cartridge filter housings | <input type="checkbox"/> Y <input type="checkbox"/> N <input checked="" type="checkbox"/> N/A |
| Water separators                                  | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> N/A |                           |   |
4. Which method of detection is used by the responsible official?
- Visual examination (condensed solvent on exterior surfaces)
- Physical detection (airflow felt through gaskets)
- Odor (noticeable perc odor)
- Use of direct-reading instrumentation (FID/PID/calorimetric tubes)
- Halogen leak detector
- If using direct-reading instrumentation, is the equipment:  N/A
- a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm?  Y  N
- b. Calibrated against a standard gas prior to and after each use (PID/FID only)?  Y  N
- c. Inspected for leaks and obvious signs of wear on a weekly basis?  Y  N
- d. Kept in a clean and secure area when not in use?  Y  N
- e. Verified for accuracy by use of duplicate samples (calorimetric only)?  Y  N

*Wayne Lewis*

Inspector's Name (Please Print)

9-25-00

Date of Inspection

*Wayne Lewis*

Inspector's Signature

9-01

Approximate Date of Next Inspection

7003 0500 0004 0144 3759	<b>U.S. Postal Service™</b>	
	<b>CERTIFIED MAIL™ RECEIPT</b>	
	(Domestic Mail Only; No Insurance Coverage Provided)	
	For delivery information visit our website at <a href="http://www.usps.com">www.usps.com</a> ®	
	<b>OFFICIAL USE</b>	
Postage	\$	<i>Received Oct 03 - Mar 04</i> <small>Postmark Here</small>
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Post	TO 0210088001AG	
Sent To	FASHION FRESH DRY CLEANERS	
Street, Apt. or PO Box	NICHOLAS SHIRGHIO	
City, State	1926 TRADE CENTER WAY UNIT 1	
	NAPLES, FL 34109	
PS Form 3800, June 2002		See Reverse for Instructions

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

TO 0210088001AG  
 FASHION FRESH DRY CLEANERS  
 NICHOLAS SHIRGHIO  
 1926 TRADE CENTER WAY UNIT 1  
 NAPLES, FL 34109

2.

7003 0500 0004 0144 3759

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

 X *Dina Bailey*  Agent  Addressee

B. Received by (Printed Name)

C. Date of Delivery

*9/9/00*

 D. Is delivery address different from item 1?  Yes

 If YES, enter delivery address below:  No


3. Service Type

- Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

UNITED STATES POSTAL SERVICE



First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10


• Sender: Please print your name, address, and ZIP+4 in this box •

DARW/MOBILE SOURCE CONTROL PROGRAM  
DEPT. OF ENVIRONMENTAL PROTECTION  
MAIL STATION 5510  
2600 BLAIR STONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400


Bureau of Air Monitoring  
& Mobile Sources

SEP 12 2003

RECEIVED







# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

**TO: Holder of Title V Air General Permit**

**Our records indicate that, as the owner or operator of an eligible facility, you have claimed entitlement to the use of a Title V Air General Permit under Rule 62-213.300, Florida Administrative Code (F.A.C.).**

**For your facility to maintain its eligibility for the Title V Air General Permit, Rule 62-213.300(3)(b), F.A.C. states "...the owner or operator of the facility must, upon written notice from the Department, submit payment of an annual operation fee in the amount of \$50.00. This fee is due and payable between January 15 and March 1 of each year for which the facility is in operation and subject to the requirements of this rule and the general permit." This invoice constitutes the Department's written notice, as required under the general permit rule.**

**Please make your check or money order payable to the Department of Environmental Protection and staple it to the detachable portion of this invoice below. To maintain your facility's eligibility for the general permit, the fee must be received by the Department not later than March 1. Your check and the detachable portion of this invoice below should be mailed to:**

**Title V Air General Permits  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070**



(cut here)

**THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING**

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

## TOTAL AMOUNT DUE: \$50.00

**Do NOT Remove Label**

AIRS ID#0210088  
FASHION FRESH DRY CLEANERS  
NICHOLAS SHIRGHIO  
1926 TRADE CENTER WAY UNIT 1  
NAPLES FL  
31409

**FOR GOVERNMENT USE ONLY**  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

FASHION FRESH, INC.

3151

Payee: n/a

AIRS ID # 0210088

FASHION FRESH DRY CLEANERS

Check #: 3151

RECEIVED  
JAN 02 2002  
Bureau of Air Monitoring  
& Mobile Sources



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

412184 DEC24 2001

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0210088  
FASHION FRESH DRY CLEANERS  
NICHOLAS SHIRGHIO  
1926 TRADE CENTER WAY UNIT 1  
NAPLES FL  
31409

FOR GOVERNMENT USE ONLY  
Org.: 37550101000 EO: A1  
Fund: 20-2-035001  
Obj.: 002273

FASHION FRESH, INC.


12851

Payee: n/a

AIR PERMIT FASHION FRESH DRY CLEANERS  
1926 TRADE CENTER WAY, NAPLES, FL 34105


Check #: **12851**

FASHION FRESH, INC.  
1926 TRADE CENTER WAY #1  
NAPLES, FL 34109



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070

32315+3070 99





THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING 400594

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00** ✓

Do **NOT** Remove Label

AIRS ID # 0210088

FASHION FRESH DRY CLEANERS  
 NICHOLAS SHIRGHIO  
 1926 TRADE CENTER WAY UNIT 1  
 NAPLES FL 31409

FOR GOVERNMENT USE ONLY  
 Org.: 3755010100 EG: A  
 Fund: 20-2-035001  
 Obj.: 002273


RECEIVED  
 MAIL ROOM  
 DEC 20 2000

FASHION FRESH, INC.

Payee: n/a  
AIRS ID # 0210088

Check #: 11685

FASHION FRESH, INC.  
1926 TRADE CENTER WAY #1  
NAPLES, FL 34109



HAPPY  
"WINGS"



TITLE V - General Permit  
Receipts  
Post Office Box 3070  
Tallahassee, FL 32315-3070



THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

✓ 0391062

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

**TOTAL AMOUNT DUE: \$50.00**

Do **NOT** Remove Label

AIRS ID # 0210088  
 FASHION FRESH DRY CLEANERS  
 NICHOLAS SHIRGHIO  
 1926 TRADE CENTER WAY UNIT 1  
 NAPLES FL 31409

FOR GOVERNMENT USE ONLY  
 Org.: 37550101000 EO: B1  
 Fund: 20-2-035001  
 Obj.: 002273

RECEIVED  
 MAIL ROOM  
 JAN 14 2001

**FASHION FRESH, INC.**

Payee: TITLE V AIR GEN. PERMIT

AIRS ID # 0210088

10513

10513