

Department of **Environmental Protection**

0250695

Lawton Chiles Governor

Twin Towers Office Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400

Virginia B. Wetherell Secretary

September 4, 1996

Mr. Antonio Martinez President Tony's Quality Cleaners 885 Northwest 27 Avenue Miami, Florida 33125

Dear Mr. Martinez:

The Department has received the Title V General Permit Notification Form for the dry cleaning facility that you submitted on August 9, 1996.

Please note that in November of each year the Department will be mailing fee notices to those facilities using the Title V general permit. This annual operation fee is \$50 and it is due and payable between January 15 and March 1 of each year the facility is in operation and subject to the requirements of the Title V general permit.

If you have or expect to have any changes in your mailing address, location address, responsible official, or phone number please notify the Department at the following address:

Title V General Permits Office Bureau of Air Monitoring and Mobile Sources MS 5510 Department of Environmental Protection 2600 Blair Stone Road Tallahassee, Fl 32399-2400

If there are any changes in the facility status, including change of operating parameters or equipment, or if you have any additional questions regarding the Title V General Permit Program, please contact the District or local air program compliance inspector in your area.

Sincerely,

Dotty Diltz, Chief

Bureau of Air Monitoring and Mobile Sources

sety Westz

/DD

Mr. Ewart Anderson, Dade County cc:

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

0250695

1	# 0250695
	Tony's Quality Cleaners
	-spoke with Antonio Martinez, Jr 8/22/96 - father speaks Spanish
	p. 14 1.(a) add ID#1 and date control device installed-refrig. con.
·	on line (1) (c) mark out "X" and initial 3. Should be new small area source
	D.15 4. Should be new small area source
,	w/refrig. con. 5.(c) required

.

Perchloroethylene Dry Cleaning Facility Notification

Facility Name and Location

1.	Facility Owner/Company Name (Name of corporation, agency, or individual owner):
	ESQUIRE CLEANERS INC.
2.	Site Name (For example, plant name or number):
	TONY'S QUALITY CLEANERS
3.	Hazardous Waste Generator Identification Number:
	FLD 981031594
4.	Facility Location: 885 NW. 27 OVE
•	Street Address: 885 NW. 27 OVE City: Miami County: Dade Zip Code: 33125
5.	Facility Identification Number (DEP Use); 0.250695
	Responsible Official

6.	Name and Title of Responsible Official: Antonio Martinez - President
7.	Responsible Official Mailing Address: Organization/Firm: Street Address: 885 NW · 27 au · City: Miami County: PADE Zip Code: 33125
8.	Responsible Official Telephone Number: Telephone: (305) 649 - 5041 Fax: (305) 644 - 3393

Facility Contact (If different from Responsible Official)

9. Name and Title of Facility Contact (For example, plan	nt manager):	
10. Facility Courts of Address		
10. Facility Contact Address:		
Street Address: City: \$ 85 N W 127 AV County:	(fl.C) Zip	Code: 33/25
11. Facility Contact Telephone Number: Telephone: 305 649504/	Fax: (315) 6	111 33 93

RECEIVED

'AUG 9 1996

DEP Form No. 62-213.900(2) Effective: 6-25-96

Page 13 of 16

Bureau of Air Monitoring & Mobile Sources

Facility Information

Provide the information below for each machine at the facility. Indicate the type of machine, the date of its purchase, and the date the control device was installed, if applicable.

Dry-to-Dry Unit (1) w/ ref. condenser (2) w/ carbon adsorber (3) w/ no controls Washer Unit (4) w/ ref. condenser (5) w/ carbon adsorber (6) w/ no controls	21-Jun					#3	02-MAR-92	
(1) w/ ref. condenser (2) w/ carbon adsorber (3) w/ no controls Washer Unit (4) w/ ref. condenser (5) w/ carbon adsorber (6) w/ no controls Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls								
(1) w/ ref. condenser (2) w/ carbon adsorber (3) w/ no controls Washer Unit (4) w/ ref. condenser (5) w/ carbon adsorber (6) w/ no controls Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls				Control (Section 1984)				
(3) w/ no controls Washer Unit (4) w/ ref. condenser (5) w/ carbon adsorber (6) w/ no controls Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls				Control (Section 1984)				
Washer Unit (4) w/ ref. condenser (5) w/ carbon adsorber (6) w/ no controls Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls				Control (Section 1984)				
(4) w/ ref. condenser (5) w/ carbon adsorber (6) w/ no controls Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls				Control (Section 1984)				
(5) w/ carbon adsorber (6) w/ no controls Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls								
(6) w/ no controls Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls (b) Control devices are required.								
Dryer Unit (7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls (b) Control devices are requine								
(7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls (b) Control devices are required.								
(7) w/ ref. condenser (8) w/ carbon adsorber (9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls (b) Control devices are required.								
(9) w/ no controls Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls (b) Control devices are required.							prima sustanti.	
Reclaimer Unit (10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls (b) Control devices are require								
(10) w/ ref. condenser (11) w/carbon adsorber (12) w/ no controls (b) Control devices are require			1 12				porturbation data.	
(11) w/carbon adsorber (12) w/ no controls (b) Control devices are require								
(12) w/ no controls (b) Control devices are required.								_
(b) Control devices are require								1
					1	- 1		
2.(a) What was the total quantity [gallon gallon gallon (b) If less than 12 months, how Check why it is less than 12 months.	equired to be ty of perchlons ow many? [_	installed [_oroethylene (X perc)	purchased i			nths?	

DEP Form No. 62-213.900(2)

Effective: 6-25-96

 $\sum_{i,j=1}^{N} \sum_{i=1}^{N} \sum_{j=1}^{N} \sum_$

(Indicate with an "X".)
Existing large area source Carbon adsorber
New small area source Refrigerated condenser []
New large area source Refrigerated condenser []
5. A facility which contains non-exempt emissions units shall not be eligible to use the general permit pursuant to Rule 62-213.300, F.A.C. Verify that all steam and hot water generating units on-site meet the following exemption criteria or that no such units exist on-site:
All steam and hot water generating units on-site (1) have a total heat input of 10 million BTU/hr or less (298 boiler HP or less), and (2) are fired exclusively by natural gas except for periods of natural gas curtailment during which propane or fuel oil containing no more than one percent sulfur is fired.
All steam and hot water generating units exempt No such units on-site [X]
Equipment Monitoring and Recordkeeping Information
Equipment Monitoring and Recordkeeping Information Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit:
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit: (a) Purchase receipts and solvent purchases
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit: (a) Purchase receipts and solvent purchases (b) Leak detection inspection and repair
Check all logs which are required to be kept on-site in accordance with the requirements of this general permit: (a) Purchase receipts and solvent purchases (b) Leak detection inspection and repair (c) Refrigerated condenser temperature monitoring

DEP Form No. 62-213.900(2)

Effective: 6-25-96

Surrender of Existing Air Permit(s)

Please indica	te with an "X" the appropriate selection: I hereby surrender all existing air permits authorizing operation of the					
	facility indicated in this notification form; specifically, permit number(s)					
ιX	No air permits currently exist for the operation of the facility indicated in this notification form.					
	Responsible Official Certification					
this notif statemen maintain	dersigned, am the responsible official, as defined in Part II of this form, of the facility addressed in fication. I hereby certify, based on information and belief formed after reasonable inquiry, that the its made in this notification are true, accurate and complete. Further, I agree to operate and the air pollutant emissions units and air pollution control equipment described above so as to with all terms and conditions of this general permit as set forth in Part II of this notification form.					
I will pro	omptly notify the Department of any changes to the information contained in this notification. When the Department of any changes to the information contained in this notification. B - 5 - 94 Date					

RECEIVED

BERCHL DIPOSETHYLENE DRY CLEANERS

Bureau of Air Title V GENERAL PERMIT

& Mobile Sources

TION: ANNUAL COMPLAINT/DISCO

TYPE OF INSPECTION:

COMPLAINT/DISCOVERY

RE-INSPECTION

	11-11-1			
FACILITY LOCATION: 385 N.	24,1999 TIME IN: 127 PM TIME OUT: 13	50 50		
FACILITY LOCATION: 880 N W 27 Ave				
M:AM: FC. 33125				
RESPONSIBLE OFFICIAL: Antonio Martinez PHONE: 649-5041				
CONTACT NAME:PHONE:				
PART I: NOTIFICATION				
(check appropriate box)				
1. New facility notified DARM 30 days prior to sta	artup			
2. Facility failed to notify DARM to use general pe				
2. Facility failed to flothly DARW to use general pe	Sinks			
PART II: CLASSIFICATION				
Facility indicated on notification form that it is:				
(check appropriate box)	□ No notification form □ Orop store/ent of business/petro	oleum		
(check appropriate box) A.		oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr	2. New small area source dry-to-dry only, x < 140 gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source.	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr	2. New small area source dry-to-dry only, $x < 140 \text{ gal/yr}$ transfer only, $x < 200 \text{ gal/yr}$ both types, $x < 140 \text{ gal/yr}$ (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after 12/9/91)	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr	2. New small area source dry-to-dry only, $x < 140$ gal/yr transfer only, $x < 200$ gal/yr both types, $x < 140$ gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, $140 \le x \le 2,100$ gal/yr transfer only, $200 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr both types, $140 \le x \le 1,800$ gal/yr	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification	2. New small area source dry-to-dry only, $x < 140 \text{ gal/yr}$ transfer only, $x < 200 \text{ gal/yr}$ both types, $x < 140 \text{ gal/yr}$ (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after 12/9/91) $\square Y \qquad \square N$ Can not determine	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification If no, please check the appropriate classification	2. New small area source dry-to-dry only, $x < 140 \text{ gal/yr}$ transfer only, $x < 200 \text{ gal/yr}$ both types, $x < 140 \text{ gal/yr}$ (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after 12/9/91) $\square Y \qquad \square N$ Can not determine	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification If no, please check the appropriate classification facility qualified for a general source.	2. New small area source dry-to-dry only, $x < 140 \text{ gal/yr}$ transfer only, $x < 200 \text{ gal/yr}$ both types, $x < 140 \text{ gal/yr}$ (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after 12/9/91) $\square Y \qquad \square N$ Can not determine	oleum		
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification If no, please check the appropriate classification facility qualified for a gallyr gallity exceeds above	2. New small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, 140 \le x \le 2,100 gal/yr transfer only, 200 \le x \le 1,800 gal/yr both types, 140 \le x \le 1,800 gal/yr (constructed on or after 12/9/91) \[\textstyle{\tex			
(check appropriate box) A. 1. Existing small area source dry-to-dry only, x < 140 gal/yr transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91) 3. Existing large area source dry-to-dry only, 140 ≤ x ≤ 2,100 gal/yr transfer only, 200 ≤ x ≤ 1,800 gal/yr both types, 140 ≤ x ≤ 1,800 gal/yr (constructed before 12/9/91) 5. This is a correct facility classification If no, please check the appropriate classification facility qualified for a gallyr gallity exceeds above	2. New small area source dry-to-dry only, $x < 140 \text{ gal/yr}$ transfer only, $x < 200 \text{ gal/yr}$ both types, $x < 140 \text{ gal/yr}$ (constructed on or after 12/9/91) 4. New large area source dry-to-dry only, $140 \le x \le 2,100 \text{ gal/yr}$ transfer only, $200 \le x \le 1,800 \text{ gal/yr}$ both types, $140 \le x \le 1,800 \text{ gal/yr}$ (constructed on or after 12/9/91) $\square Y \qquad \square N \qquad \square Q$ Can not determine			

* SEE 50 5

Lof 5

17]99Revised 9/13/97

BEST AVAILABLE COPY

PART III: GENERAL CONTROL REQUIREMENTS	
Is the responsible official of the dry cleaning facility: (check appropriate boxes)	
1. Spring perchloroethylene in tightly sealed and impervious containers?	DY DN DN/A
2. Examining the containers for leakage?	DY ON ON/A
3. Closing and securing machine doors except during loading/unloading?	DY DN
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	OY ON ON/A
Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON ON/A
PART IV: PROCESS VENT CONTROLS	
In Part II-A:	
If classification I has been checked, no controls are required. Proceed to Part V.	•
If classification 2 has been checked, the machine should be equipped with a refrige (complete A below).	
If classification 3 has been checked, the machine should be equipped with either a condenser or a carbon adsorber (complete A and B below). Carbon adsorber must prior to September 22, 1993 If classification 4 has been checked, the machine should be equipped with a refrige (complete A and B below).	have been installed
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)	
1. Equipped all machines with the appropriate vent controls?	DY ON
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	OY ON ON/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	OY ON ON/A
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	OY ON
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45° F?	DY ON ONIA
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	OY ON

B. Has the responsible official of an existing large or new large area source also:	
1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-tw-dry, reclaimer, and dryer machines on a weekly basis?	מם צם
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	OY ON ON/A
Is the temperature differential equal to or greater than 20° F?	OY ON ON/A
 Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, 	
if machines are equipped with a carbon adsorber?	OY ON ON/A
Is the perc concentration equal to or less than 100 ppm?	DY DN DN/A
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	OY ON ON/A
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	אואם אם צם
6. Routed airflow to the carbon adsorber (if used) at all times?	OY ON ONA
PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
Maintained receipts for perc purchased?	DY DN
2. Maintained rolling monthly total of perc consumption?	OY ON
3. Maintained leak detection inspection and repair reports for the following:	
a. documentation of leaks repaired w/in 24 hrs? or;	חארם אם ארע
b. documentation of parts ordered to repair leak and leak repaired win 2 days and parts installed win 5 days of receipt?	OY ON ON/A
4. Maintained calibration data? (for applicable direct reading instruments)	ANAD ACI YO
5. Maintained exhaust duct monitoring data on perc concentrations?	DY DN DN/A
6. Maintained startup/shutdown/malfunction plan?	□Y □N
7. Maintained deviation reports?	OY ON ON/A
Problem corrected?	OY ON ON/A
8. Maintained compliance plan, if applicable?	חאום אם אם

All and the substantial and the second of th

BEST AVAILABLE COPY

PART VI: LEAK DETECTION AND REPAIRS					
1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair					
inspection?					
2. Has the facility maintained a leak log?					
3. Does the responsible official check the following areas for leaks?					
Hose connections, fittings, couplings, and valves	OY ON ON/A				
Door gaskets and scating	DY ON ON/A	Stills	OY ON ON/A		
Filter gaskets and seating	OY ON ON/A	Exhaust dampers	OY ON ON/A		
Pumps	OY ON ON/A	Diverter valves	OY ON ON/A		
Solvent tanks and containers	OY ON ON/A	Cartridge filter housings	OY ON ONA		
Water separators					
4. Which method of detection is used by the responsible official?					
Visual examination (condensed s					
Physical detection (airflow felt the					
Odor (noticeable perc odor)	<u> </u>				
Use of direct-reading instrument	0				
Halogen leak detector					
If using direct-reading inst	□N/A				
a. Capable of detecting	OY ON				
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?					
c. Inspected for lenks a	and obvious signs of we	ar on a weekly basis?	STY ON		
d. Kept in a clean and	secure area when not in	use?	אט צם		
e. Verified for accurac	y by use of duplicate sa	mples (calorimetric only)?	DY ON		

Inspector's Name (Please Print)

LEO

Inspector's Name (Please Print)

Date of Inspection

Approximate Date of Next Inspection

SPOKE With R. O. A Horio HArtines
Over phone, an appointment for an inspection
was made. At the time of inspection mr.
Martines was not present and he did not make
the paperwork available for inspection.

TITLE V AIR QUALITY GENERAL PERMIT SPECTION SUMMARY REPORT

TYPE OF INSPECTION: ANNUAL COM	IPLAINT/DISCOVERY RE-INSPECTION
TIME IN: 12 9 TIME OUT: 12 50	28m AIRS ID#: 0250695
TYPE OF FACILITY: Perc Dry	Cleaner
FACILITY NAME: Tom'S Ou	ality Chans DATE: June 4, 1999
FACILITY LOCATION: 8-85 N	1
Miam: FC. 33125	
	DUONE NUMBER
RESPONSIBLE OFFICIAL: Antonio Montin	PHONE NUMBER: 649-5041
Based on the results of the compliance requirements evaluated compliance with DEP Rule 62-213.300, Florida Administration	ative Code (F.A.C.).
Based on the results of the compliance requirements evaluated discrepancies were noted:	ted during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
for on inspection	need have records
for on inspection	readly evailable
COMMENTS:	
	· · · · · · · · · · · · · · · · · · ·
The Annual Compliance Certification form has been properly certif	
	<i>D</i> ()
	proximate)
INSPECTION CONDUCTED BY:	ease Print)
INSPECTOR'S SIGNATURE:	PHONE NUMBER: Cシン372-Cラン
Page_	

AIRS ID#: <u>02506</u>95 Revised 10/10/96 DRY CLEANER AIR QUALITY GENERAL PERM ANNUAL COMPLIANCE CERTIFICATION FORM FACILITY LOCATION: 1999 Annual Reporting Period: Based on each term or condition of the Title V general air permit, my facility has remained in compliance with DEP Rule 62-213.300, Florida Administrative Code (F.A.C.), during the period covered by this statement. YES If NO, complete the following: #1. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above: vecords were provided Exact period of non-compliance: from Make records Action(s) taken to achieve compliance: Method used to demonstrate compliance: #2. Term or condition of the general permit that has not been in continuous compliance during the reporting period stated above: As the responsible official, I hereby certify, based on information and belief formed after reasonable inquiry, that the statements made in this notification are true, accurate and complete. Further, my annual consumption of perchloroethylene solvent, based upon rolling averages of purchase receipts, does not exceed 2,100 gallons per year for dry-to dry facilities or 1,800 gallons per year for transfer or combination facilities. RESPONSIBLE OFFICIAL:

Name (Please Print)

Signature

Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

Airs 2: #: 025 0695

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

FACILITY NAME: Y TONY'S QU	ALITY CLEANE	RS DATE: x 6/30/47
FACILITY NAME: Y TONY'S QU FACILITY LOCATION: X 885 1	JW. 27 av.	Miami, FL. 33125
,		,
Annual Reporting Period: 8/5	19 <i>96</i> 1	6/30 1997
Based on each term or condition of the Title V get 62-213.300, Florida Administrative Code (F.A.C.		
If NO, complete the following:		
#1. Term or condition of the general permit that	has not been in continuous complian	ce during the reporting period stated above:
	·	·
Exact period of non-compliance: from		to
Action(s) taken to achieve compliance:		
Method used to demonstrate compliance:		
•		·
#2. Term or condition of the general permit that	has not been in continuous complian	nce during the reporting period stated above:
· · · · · · · · · · · · · · · · · · ·	· 	RECEIVED
Exact period of non-compliance: from	t	
Action(s) taken to achieve compliance:		JUL 1 6 1997
Method used to demonstrate compliance:		Bureau of Air Monitoring
		& Mobile Sources
As the responsible official, I hereby certify, base made in this notification are true, accurate and upon rolling averages of purchase receipts, does year for transfer or combination facilities.	complete. Further, my annual consults not exceed 2,100 gallons per year fo	mption of perchloroethylene solvent, based
RESPONSIBLE OFFICIAL: & Andonio	Please Print)	Signature Date

DEPT. OF ENVIRONMENTAL 248955 RESOURCES MANAGEMENT (DERM) AIR QUALITY MANAGEMENT DIVISION 33 S.W. SECOND AVENUE, SUITE 900 MIAMI, FLORIDA 33130-1540

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

TITLE V AIR QUALITY GENERAL PERMIT IMPECTION SUMMARY REPORT

COMPLAINT/DISCOVERY

RE-INSPECTION

ANNUAL

TYPE OF INSPECTION:

TIME IN: 1230 TIME OUT: 1230	AIRS ID#: 025 0695
TYPE OF FACILITY: DIERC. Day (6)	hennich.
FACILITY NAME: Tomy & Dun Cofin	1/16/11/12 DATE: 6/30/97
FACILITY LOCATION: / SEC ////	271/6
K11/m1 33/25	
RESPONSIBLE OFFICIAL: by Tans MARTINEZ	1/2 PHONE NUMBER: 649 - 5044
Based on the results of the compliance requirements evaluat compliance with DEP Rule 62-213.300, Florida Administration	
Based on the results of the compliance requirements evaluat discrepancies were noted:	ed during this inspection, the following compliance
COMPLIANCE REQUIREMENT/PROBLEM	FOLLOW-UP ACTION REQUIRED
	-
COMMENTS: Joseph 15 11 Comp. BR REGISTERIED.	anda, New R.O. HAS 7
The Annual Compliance Certification form has been properly certifi	
1 /- 1	
/ (Ap	proximate)
INSPECTION CONDUCTED BY: \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	27 Mela ease Print)
(Ple	ease Print)
INSPECTOR'S SIGNATURE:	PHONE NUMBER: 374/1922
	/ 25 /

PERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT
COMPLIANCE INSPECTION CHECKLIST

COMPI	LIANCE INSP	ECTION CI	HECKLIST		
TYPE OF INSPECTION: ANNU RE-IN	JAL SPECTION	a	COMPLAINT/DISCO	OVERY	0
AIRS ID#: <u>0250695</u> DATE:_ FACILITY NAME: <u>TONY S</u> FACILITY LOCATION: <u>BS</u>	Quelit	L C/18	PNERS	е оит:/ <u>/</u> 2	35
PART I: NOTIFICATION			<u> </u>		
(check appropriate box)					
1. Existing facility notified DARM by 9/	1/96				12
2. New facility notified DARM 30 days p	orior to startup				
3. Facility failed to notify DARM to use	general permit				0
PART II: CLASSIFICATION Facility indicated on notification form (check appropriate box)	that it is:				
A. 1. Existing small area source dry-to-dry only, x<140 gal/yr transfer only, x<200 gal/yr both types, x<140 gal/yr (constructed before 12/9/91)	dry trai bot	nsfer only, x h types, x<1	x<140 gal/yr <200 gal/yr		
3. Existing large area source dry-to-dry only, 140 <x<2, (constructed="" 100="" 12="" 140<x<1,800="" 200<x<1,800="" 9="" 91)="" a="" before="" both="" classification<="" correct="" facility="" gal="" is="" only,="" td="" this="" transfer="" types,="" yr=""><td>dry tra bot</td><td>nsfer only, 2 th types, 140</td><td>area source , 140<x<2, 100="" gal="" yr<br="">00<x<1,800 gal="" yr<br=""><x<1,800 gal="" yr<br="">or after 12/9/91)</x<1,800></x<1,800></x<2,></td><td></td><td></td></x<2,>	dry tra bot	nsfer only, 2 th types, 140	area source , 140 <x<2, 100="" gal="" yr<br="">00<x<1,800 gal="" yr<br=""><x<1,800 gal="" yr<br="">or after 12/9/91)</x<1,800></x<1,800></x<2,>		
If no, please check the appropriate classi	ification:	ı un			
facility qualified for a gastility exceeds above I	general permit a		above a general permit		

facility was 5

gallons.

B. The total quantity of perchloroethylene (perc) purchased within the preceding 12 months by this dry cleaning

Is the responsible official of the dry cleaning facility: (check appropriate boxes)							
Storing perchloroethylene in tightly sealed and impervious containers?	OY ON NQ						
2. Examining the containers for leakage?	מא אם צם						
3. Closing and securing machine doors except during loading/unloading?	MY DN						
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	ay □n						
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON MAYA						
PART IV: PROCESS VENT CONTROLS							
In Part II-A:							
If classification 1 has been checked, no controls are required. Proceed to Part V.							
If classification 2 has been checked, the machine should be equipped with a refrig (complete A below).	If classification 2 has been checked, the machine should be equipped with a refrigerated condenser (complete A below).						
If classification 3 has been checked, the machine should be equipped with either a refrigerated condenser or a carbon adsorber (complete A and B below). Carbon adsorber must have been installed prior to September 22, 1993							
If classification 4 has been checked, the machine should be equipped with a refrig (complete A and B below).	erated condenser						
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)							
1. Equipped all machines with the appropriate vent controls?	מצ טא						
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	AND NO. AD						
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	MY ON ONA						
Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly basis?	oK ои						
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	OY ON NA						
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	N ON						

PART III: GENERAL CONTROL REQUIREMENTS

1. Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	ОУ ОИ
2. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?	□У □И
Is the temperature differential equal to or greater than 20° F?	אם צם
3. Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	OY ON ON/A
Is the perc concentration equal to or less than 100 ppm?	מם צם
4. Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	מם צם
5. Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?	אומם מם צם
6. Routed airflow to the carbon adsorber (if used) at all times?	OY ON ON/A
PART V: RECORDKEEPING REQUIREMENTS	
Has the responsible official: (check appropriate boxes)	
1. Maintained receipts for perc purchased?	/
1. Maintained 10001pts 101 perc purchased:	MC DN
2. Maintained rolling monthly averages of perc consumption?	GAY ON
2. Maintained rolling monthly averages of perc consumption?	
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: 	מם אַם
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days 	OY ON NA
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: documentation of leaks repaired w/in 24 hrs? or; documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? 	OY ON NA
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? for direct reading instruments only) 	OY ON ONA
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? 	OY ON NA OY ON ONA OY ON ONA OY ON NA
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? 	OY ON OY ON OY ON OY ON OY ON OY ON OY
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? (for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? Maintained deviation reports? 	OY ON NA OY ON MA OY ON MA OY ON NA OY ON NA
 Maintained rolling monthly averages of perc consumption? Maintained leak detection inspection and repair reports for the following: a. documentation of leaks repaired w/in 24 hrs? or; b. documentation of parts ordered to repair leak and leak repaired w/in 2 days and parts installed w/in 5 days of receipt? Maintained calibration data? for direct reading instruments only) Maintained exhaust duct monitoring data on perc concentrations? Maintained startup/shutdown/malfunction plan? Maintained deviation reports? Problem corrected? 	OY ON OY ON NA OY ON MA OY ON NA OY ON OY ON OY ON OY ON

2. Which	ch method of detection is used by the	respons	sible officia	1?		
	Visual examination (condensed solvent on exterior surfaces)					
	Physical detection (airflow felt through gaskets)					
	Odor (noticeable perc odor)				₩.	
	Use of direct-reading instrumentation (FID/PID/calorimetric tubes)					
	a. Capable of detecting po	erc vapo	r concentra	tions in a range of 0-500 ppm?	ΩY	□N ·
b. Calibrated against a standard gas prior to and after each use (PID/FID only)?						□N
c. Inspected for leaks and obvious signs of wear on a weekly basis?					ΩY	ПN
d. Kept in a clean and secure area when not in use?					ΩY	ПΝ
e. Verified for accuracy by use of duplicate samples (calorimetric only)?					ПY	□N .
3. Has the facility maintained a leak log?					ØY	□N
4. Does	s the responsible official check the fo	ollowing	areas for l	eaks?		
	Hose connections, fittings, couplings, and valves	d Y	ПN	Muck cookers	ΟY	ŒΝ
	Door gaskets and seating	ŒΥ	מם	Stills	Ø Y	□и
	Filter gaskets and seating	d Y	ПN	Exhaust dampers	U Y	ПN
	Pumps	QYY	ПN	Diverter valves	ŒY.	ПN
	Solvent tanks and containers	ďγ	ПN	Cartridge filter housings	ØY	ΠN
	Water separators	ØΥ	ПN			

Name of Responsible Official

TAME WAZACIO

Inspector's Name (Please Print)

Date of Inspection

Approximate Date of Next Inspection

THE R.O. IN THE ORIGINAL Application,
ANTONIO MARTINEZ SR., HAS PASSED WAY.
HIS SON ANTONIO MARTINEZ TR. IS PRESENTLY
THE NEW R.O. A NEW FORM
Dresignating The Son As ME NEW R.O.
HAS TO BE SUBNITED.

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

0353444

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.



RECEIVED MAIL ROOM DEC -7 98

Do NOT Remove Label

AIRS ID # 0250695

TONY'S QUALITY CLEANERS ANTONIO MARTINEZ 885 NW 27 AVE MIAMI FL 33125 FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1

Fund: 20-2-035001 Obj.: 002273

300125

DRY CLEANER AIR QUALITY GENERAL PERMIT ANNUAL COMPLIANCE CERTIFICATION FORM

aw

ESQUIRE CLEANERS INC ANTONIO MARTINEZ 885 NW 27 AVE MIAMI FL 33125 AIRS ID#0250695

Do NOT Remove Label

Annual Reporting Period:	· .	_19	то		19
Based on each term or condition of the Ti 62-213.300, Florida Administrative Code	•	•	·	•	P Rule NO
If NO, complete the following:				<u></u>	36
#1. Term or condition of the general perm	mit that has not been in co	ntinuous c	compliance during the re	eporting period	I stated above:
Exact period of non-compliance: from			to		15
Action(s) taken to achieve compliance:					
Method used to demonstrate compliance:		•			
#2. Term or condition of the general perm	mit that has not been in co	ntinuous c	ompliance during the re	porting period	l stated above:
Exact period of non-compliance: from			to		
Action(s) taken to achieve compliance:					
Method used to demonstrate compliance:					
As the responsible official, I hereby certify, be notification are true, accurate and complete, does not exceed 2,100 gallons per year for dr	. Further, my annual consu	mption of p	perchloroethylene solvent	, based upon pu	ırchase receipts,
RESPONSIBLE OFFICIAL: Ando	nio Martinez Name (Please Print)	Jr_ (Signature	<u>M· 1</u>	/12/98 Date

^{*}This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

BEST AVAILABLE COPY

ARS 10#: 025 0695 DRY CI

DRY CLEANER AIR QUALITY GENERAL PER ANNUAL COMPLIANCE CERTIFICATION FORM

1 1			CERTIFICA		APR	2 9 1998	
FACILITY NAME: 160	ny's Cu	ality	Clary	tres	DATÉ	II Gualit-	98
FACILITY LOCATION:	1 885	Nas.	27 1VE		Manag	ement Divi	stor
K.	112011			•			
Annual Reporting Period:	6-3	<u>'</u> O	_1997 то	4-	28	19_	9 <u>9</u>
Based on each term or conditi 62-213.300, Florida Administ				_		EP Rule	
If NO, complete the following	5:						
#1. Term or condition of the	general permit that t	nas not been in	continuous compl	iance during the	e reporting per	iod stated abov	/e:
Exact period of non-complian	ace: from			to			
Action(s) taken to achieve con	mpliance:						
Method used to demonstrate of	compliance:		· 				
#2. Term or condition of the	general permit that l	has not been in	continuous comp	liance during th	e reporting per	riod stated abo	ve:
Exact period of non-complian	nce: from			to	REC	CEIV	ED
Action(s) taken to achieve co	mpliance:			·	M	AY 1 9 1998	···.
Method used to demonstrate of	compliance:					u of Air Moni Mobile Sourc	
As the responsible official, I is made in this notification are upon rolling averages of purcyear for transfer or combinat RESPONSIBLE OFFICIAL	true, accurate and chase receipts, does tion facilities.	omplete. Furti	her, my annual coi	nsumption of pe	rchloroethylen	ie solvent, basi	ed

*This form is made available to you as an aid in order to meet your annual compliance certification requirements. It is at the discretion of the responsible official to use this form.

> DEPT. OF ENVIRONMENTAL RESOURCES MANAGEMENT (DERM) AIR QUALITY MANAGEMENT DIVISION 33 S.W. SECOND AVENUE, SUITE 900 MIAMI, FLORIDA 33130-1540

TITLE V AIR QUALITY GENERAL PERMIT INSPECTION SUMMARY RIFFORT

BEST AVAILABLE COPY

TYPE OF INSPECTION:	ANNUAL	COMP	LAINT/DISCOVERY	RE-INSPECTION	
TIME IN:	AT THE OUT !!		AIRS ID#: C	250695	
TYPE OF FACILITY:			10-7101 Ex		— (
FACILITY NAME:			17 1700	DATE:	<u> </u>
	3 (4.1)	1-1/	WE	DATE	
FACILITY LOCATION:	<u> </u>				
	The state of the same section of the same sect	Anie.	272	(494,311	
BESPONSIBLE OFFICIAL:_			PHONE NUMBER		
L	of the compliance requireme PRule 62-213.300, Florida A		d during this inspection, the fave Code (F.A.C.).	cility is found to be in	
Based on the results of discrepancies were no		ents evaluate	d during this inspection, the fo	llowing compliance	
COMPLIANCE REC	QUIREMENT/PROBI	LEM	FOLLOW-UP ACT	TION REQUIRED	
				net.	

				÷ .	
			· · ·		
· .					
And the second s					
TAIL TO					
COMMENTS:	CON CON	0 411	NCE		
/	,			•	
			•		
The Annual Compliance Certi	fication form has been prop	erly certifie	d and submitted to the inspecto	or. YES NO]
DATE OF NEXT INSPECT	ION:				
1	JAME!	fel (App	roximate)		
INSPECTION CONDUCTE	D BY:		· · · · · · · · · · · · · · · · · · ·	· ·	
		(Plea	se Print)		
INSPECTOR'S SIGNATUR	E:	- <u>lec</u>	PHONE NUMBÉ	(C922	
. /	/	[]			
		Page	of .	Revise	d 10/96



Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label. 300/25

TOTAL AMOUNT DUE: \$50.00

Do NOT Remove Label

AIRS ID#0250695

ESQUIRE CLEANERS INC ANTONIO MARTINEZ 885 NW 27 AVE **MIAMI FL 33125**

FOR GOVERNMENT USE ONLY

Org.: 37550101000 EO: B1 Fund: 20-2-035001

Obj.: 002273

ERCHLOROETHYLENE DRY CLEANERS

TITLE V GENERAL PERMIT COMPLIANCE INSPECTION CHECKLIST

TYPE OF INSPECTION:	ANNUAL RE-INSPECTION	<u> </u>	COMPLAINT/DISCOVERY	<u> </u>
FACILITY NAME:		De Ty	N: <u>130</u> TIME OUT: CREMNISHS 27ANZ	100
RESPONSIBLE OFFICIAL:	AN/ONIO	MARJIN IR	Gratone: 649-5	04/
CONTACT NAME:			_ PHONE:	
DARTI. NOTEICATION				
PART I: NOTIFICATION				
(check appropriate box)	20 days and a second	_		
1. New facility notified DARM		-		
2. Facility failed to notify DAR	M to use general perm	ut 		
	<u> </u>			
PART II: CLASSIFICATION	· · · · · · · · · · · · · · · · · · ·			
Facility indicated on notificati (check appropriate box) A.	on form that it is:		☐ No notification form ☐ Drop store/out of business/	petroleum
1. Existing small area sour dry-to-dry only, x < 140 gal/transfer only, x < 200 gal/yr both types, x < 140 gal/yr (constructed before 12/9/91)	yr (1 1	transfer only, > both types, x <	y, x < 140 gal/yr x < 200 gal/yr	
3. Existing large area sour dry-to-dry only, $140 \le x \le 2$, transfer only, $200 \le x \le 1,800$ both types, $140 \le x \le 1,800$ (constructed before $12/9/91$)	100 gal/yr 10 gal/yr gal/yr	transfer only, 2 both types, 140	area source 7, $140 \le x \le 2,100 \text{ gal/yr}$ $200 \le x \le 1,800 \text{ gal/yr}$ $0 \le x \le 1,800 \text{ gal/yr}$ 1 or after $12/9/91$)	
5. This is a correct facility c	lassification	OY ON	□Can not determine	
	ty qualified for a gene	eral permit as r	number above igible for a general permit	
B. The total quantity of perchlo facility was 20 gallons.		chased within	the preceding 12 months by this	dry cleaning

De May

Is the responsible official of the dry cleaning facility: (check appropriate boxes)	
1. Storing perchloroethylene in tightly sealed and impervious containers?	OY ON CHIA
2. Examining the containers for leakage?	OY ON DAN/A
3. Closing and securing machine doors except during loading/unloading?	on №
4. Draining cartridge filters in their housing or in sealed containers for at least 24 hours prior to disposal?	לאם אם אום to
5. Maintaining solvent-to-carbon ratios and steam pressure for carbon adsorber beds according to the manufacturer's specifications?	OY ON ON/A
PART IV: PROCESS VENT CONTROLS	
In Part II-A:	
If classification 1 has been checked, no controls are required. Proceed to Part	v.
If classification 2 has been checked, the machine should be equipped with a ref (complete A below).	rigerated condenser
. If classification 3 has been checked, the machine should be equipped with either condenser or a carbon adsorber (complete A and B below). Carbon adsorber minstalled prior to September 22, 1993	Ü
If classification 4 has been checked, the machine should be equipped with a ref (complete A and B below).	rigerated condenser
A. Has the responsible official of all new sources and existing large area sources: (check appropriate boxes)	·
1. Equipped all machines with the appropriate vent controls?	DY ON
2. Equipped dry-to-dry machines with a closed-loop vapor venting system?	MY ON ON/A
3. Equipped the condenser with a diverter valve so airflow will be directed away from the condenser upon opening the door?	Gy on ona
4. Measured and recorded the temperature of the outlet exhaust stream of a refrigerated condenser on a weekly/bi-weekly basis?	dy on
5. Repaired or adjusted the equipment within 24 hours if the exhaust temperature of the condenser exceeded 45°F?	DY ON ZN/A
6. Conducted all temperature monitoring after an appropriate cooldown period and after verifying that the coolant had been completely charged?	Y ON

PART III: GENERAL CONTROL REQUIREMENTS

B	Has the responsible official of an existing large or new large area source also:			
1	Measured and recorded the exhaust temperature on the outlet side of the condenser located on dry-to-dry, reclaimer, and dryer machines on a weekly basis?	OY. 0	lN	
2	. Measured and recorded the washer exhaust temperature at the condenser inlet and outlet weekly?] N[□N/A
	Is the temperature differential equal to or greater than 20° F?		ן ענ	□N/A
3	Measured and recorded the perc concentration in the exhaust stream weekly at the end of the final drying cycle while the machine is venting to the adsorber, if machines are equipped with a carbon adsorber?	OY C	ו אנ	□N/A
 - 1	Is the perc concentration equal to or less than 100 ppm?		IN I	□N/A
4	Assured that the sampling port on the carbon adsorber exhaust for measuring perc concentrations is at least 8 duct diameters downstream of any bend, contraction, or expansion; is at least 2 duct diameters upstream from any bend, contraction, or expansion; and downstream from no other inlet?	OY C	NC	□N/A
5	Equipped transfer machines (dryers, reclaimers, and washers) with individual condenser coils?		אנ	□N/A
6	. Routed airflow to the carbon adsorber (if used) at all times?		ИС	□N/A
_				
E	PART V: RECORDKEEPING REQUIREMENTS			
	Has the responsible official: check appropriate boxes)			
1	Maintained receipts for perc purchased?	DY C		
2	Maintained rolling monthly averages of perc consumption?	OY C	NC	
3	Maintained leak detection inspection and repair reports for the following:			^
	a. documentation of leaks repaired w/in 24 hrs? or;		ИC	ØN/A
	b. documentation of parts ordered to repair leak and leak repaired w/in 2 days			/

DY ON MYA

DY DN DN/A

DY ON WN/A

DY DN BNA

OY ON CONTA

DY DN ÚN/A

MY ON

and parts installed w/in 5 days of receipt?

4. Maintained calibration data? (for applicable direct reading instruments)

6. Maintained startup/shutdown/malfunction plan?

7. Maintained deviation reports?

Problem corrected?

8. Maintained compliance plan, if applicable?

5. Maintained exhaust duct monitoring data on perc concentrations?

PART VI: LEAK DETECTION AND REPAIRS 1. Does the responsible official conduct a weekly (for small sources, bi-weekly) leak detection and repair $\square N$ inspection? ПN 2. Has the facility maintained a leak log? 3. Does the responsible official check the following areas for leaks? Hose connections, fittings, MY ON ON/A DY DN DN/A couplings, and valves Muck cookers MY ON ON/A AMO NO YO Stills Door gaskets and seating DY ON ONA ØY ON ON/A Filter gaskets and seating Exhaust dampers DY ON ON/A DY ON ON/A Diverter valves Pumps Cartridge filter housings BY ON ON/A MY ON ONA Solvent tanks and containers DY ON ON/A Water separators 4. Which method of detection is used by the responsible official? Visual examination (condensed solvent on exterior surfaces) Physical detection (airflow felt through gaskets) Odor (noticeable perc odor) \Box Use of direct-reading instrumentation (FID/PID/calorimetric tubes) Halogen leak detector If using direct-reading instrumentation, is the equipment: □N/A a. Capable of detecting perc vapor concentrations in a range of 0-500 ppm? DY DN b. Calibrated against a standard gas prior to and after each use DY DN (PID/FID only)? c. Inspected for leaks and obvious signs of wear on a weekly basis? $\Box Y \Box N$ DY DN d. Kept in a clean and secure area when not in use?

- TAME NAZARW	4-28-98		
Inspector's Name (Please Print)	Date of Inspection		
	April 1999		
Inspector's Signature	Approximate Date of Next Inspection		

e. Verified for accuracy by use of duplicate samples (calorimetric only)?

DY DN

ADDITIONAL SITE INFORMATION:		
•		
		l
\$ -		
·		
·.		

THIS PORTION MUST BE ATTACHED TO REMITTANCE FOR PROPER HANDLING

258244

Please include your AIRS ID# on your check or money order. This number can be found below on your mailing label.

TOTAL AMOUNT DUE: \$50.00

MAIL ROOM
JAN 16 97

Do NOT Remove Label

AIRS ID# 0250695

ESQUIRE CLEANERS INC ANTONIO MARTINEZ 885 NW 27 AVE MIAMI FL 33125 FOR GOVERNMENT USE ONLY Org.: 37550101000 EO: B1


Fund: 20-2-035001 Obj.: 002273

١.

BEST AVAILABLE COPY

99

Insufficient Aduress
We such atreet number
No such affect in state





TALLAHASSEE FL 32399-2400

REASON CHECKED

REASON CHECKED

REASON Reliase

Unclaimed unknown

Aduressed unknown

No such adures

No such adure

2600 BLAIR STONE ROAD

Unclaimed Unknown

Addresses unknown

Addresses unknown

Addresses unknown

No such street

No such office in state

No such office in state

No such office in state

TONY'S QUALITY CLEANERS

885 NW 27 AVE

MIAMI FL 33125

Winclaimed Refused

Winclaimed Refused

BEST AVAILABLE COPY tem 4 if Restricted Delivery is desired. A. Received by (Please Print Clearly) | B. Date of Delivery ■ Print your name and address on the reverse so that we can return the card to you. C. Signature ■ Attach this card to the back of the mailpiece, ☐ Agent [‡]X or on the front if space permits. ☐ Addressee 1. Article Addressed to: If YES, enter delivery address below: AIRS ID # 0250695001AG ANTONIO MARTINEZ TONY'S QUALITY CLEANERS 3. Service Type

Certified Mail □ Express Mail 885 NW 27 AVE MIAMI FL 33125 Registered - - - Return Receipt for Merchandise ☐ Insured Mail ☐:C:0:D: : 4.. Restricted Delivery? (Extra Fee) 2. Article Number (Copy from service label) PS Form 3811, July 1999 Domestic Return Receipt CERTIFIED MAIL RECEIPT ---- Return Receipt Fee (Endòrsement Required) Restricted Delivery Fee (Engorsement Required) AIRS ID # 0250695001AG ANTONIO MARTINEZ
TONY'S QUALITY CLEANERS Cit 885 NW 27 AVE MIAMI FL 33125